


Spare Parts Catalogue



safety in motion



WITTUR

sematic®

a WITTUR brand

SPARE PARTS CATALOGUE

This catalogue exists in order to provide an insight guide to technical teams to identify and order easily required spare parts for a proper functioning of WITTUR and SEMATIC's equipment.

For further information, our team is at your disposal from Monday to Thursday during working hours from 9:00 to 17:00 and Friday from 9:00 to 14:30.

Our contact details apply :

Tel Central : 976.76.30.00 – Spare part department : 976.76.39.44

Email: offers.es@wittur.com

Thanks to our transportation partnerships and our logistic department which guarantee you a fast shipment of spare parts available in stock.



safety in motion™



WITTUR

sematic®

a WITTUR brand

WARNING



The pictures and illustrations of the entire catalogue are not legally binding and can be modified.

No reproduction of this catalogue, other than that allowed by the intellectual property code (Article L 122-5), can be made without the express authorization of WITTUR ELEVATOR COMPONENTS, S.A.U.



NO COPYRIGHT !



WITTUR

sematic®

a WITTUR brand

PRESENTATION OF WITTUR ELEVATOR COMPONENTS, S.A.U.

Create in 1980 at Zaragoza, Wittur began as SELCOM ARAGON, S.A. in a small workshop in La Puebla de Alfindén, moving in 1989 to the Poligono de Malpica where the factory currently has a surface area of 42,000 m² and more than 350 employees.

With the will to belong to a large group at the international level with a presence on all continents and with the flexibility that our sales agencies and factories can provide locally, we formed a strong team thanks to the experience of all the workers, from its dynamism and its knowledge of the market that ensures our customers an integral service, from the consultation to the accompaniment to work for advice and support during the assembly, maintenance and modernization of your elevator.

Our philosophy is first of all to be able to supply you with a product of excellent quality, but also what is essential for us: to become your strategic partner by providing you with the best SOLUTIONS for your daily work.

We trust with this catalog to be able to respond to the needs of our sector and provide with it a fast and quality solution to the daily requirements of all our clients, with the supply of original spare parts WITTUR.

We continue to use the same style as the first.

safety in motion™

NORMS, CERTIFICATION AND TRACEABILITY

WITTUR obtains ISO 9001 certification thanks to the design of their products, the quality of their fabrication and the distribution of elevator doors.



WITTUR is a member of the Federation of Lifts and the ELA Association (European Association of Lifts).



Wittur, for an environmental respect, develop high performance products, innovating and that offer an important economic energy.

All the spares part sold by Wittur will contain the certified original parts and are authenticating by our competent technical design office.



We assure that the spare parts (safety parts) which are delivered under the Lift Directive 2014/33/UE (20/4/2017), will have a traceability conformity to the regulations.



SUMMARY

Identification label

p. 8 a 14

DOORS



HYDRAPLUS	p. 15 a 38
HYDRA	p. 39 a 56
HYDRA 3000	p. 57 a 79
HYDRARM	p. 81 a 105
HYDRABELT	p. 107 a 121
PEGASUS PLUS	p. 123 a 139
PEGASUS	p. 141 a 154
FINELINE	p. 155 a 169
AUGUSTA EVO	p. 171 a 193
ECOBUS 2.0	p. 195 a 202
ECOBUS 3411	p. 203 a 207
AMD	p. 209 a 212
C-MOD	p. 213 a 220
B-GOODS	p. 221 a 234
2000R	p. 235 a 236
MF	p. 237 a 243
CMG -HIGH	p. 245 a 248
CMG -LOW	p. 249 a 252

SAFETY ELEMENTS



EBRA20

p. 253 a 256

OL35

p. 257 a 258

GEARLESS



GEARLESS

p. 258 a 261

HYDRAULICS

HIDRAULICA

p. 263 a 265

MISCELLANEOUS

MISCELLANEOUS

p. 267 a 269

INDICE

p. 271 a 298

IDENTIFICATION LABEL

On all the WITTUR products there is an identification label as shown below.

On that label there is written all the characteristics which allow you to identify your product and make it easier for your information requests and spare parts orders.

Car door operator label:

Please be sure to note down the Project number or the Customer Ref number:



You can also find on the label, essential informations such as : the door type, the clear opening, the high opening and motorization type.

Landing door mechanism label:


Please be sure to note down the **Project number** or the **Customer Ref number**:



Likewise, you can also find on the label essential information such as: the door type, the clear opening, the high opening.


Fineline door label:

You can find several different labels on the Fineline doors that allow you to identify all door components:



Coupler sticker:

Please be sure to note down the reference found on the reverse side of the coupler.



You can also note down the reference tag at the front of the coupler. This will allow our factories to identify your product.



Board label:

Please be sure to note down the reference below the bar code on the metallic part:



Gearless label:

Please be sure to note down the number highlighted Nr:

**WITTUR Electric**
Drives GmbH

**0036**
ABV 716/4

WSG-08.1-0009/4SR-ZF **Nr.09070624**

3~Mot./Stern	k_e 2,35 V/min⁻¹	n_N 95 min⁻¹
I_N 12 A	P_N 4,6 kW	M_N 460 Nm
f_N 17,4 Hz	22 pole	S3-40%
155 (F)	IP 41	299 kg

Bremse/Brake: BFK 466-55
J 3.32 kgm² R_U 2,19Ω L_U 35,5 mH

Made In Germany
www.wittur-edrives.de

You can also find on the label essential information such as the gearless characteristics.

EBRA20 label:


Please be sure to note down the numbers **Elevator N°** and **Serial N°**:



You can also find on this label essential information such as the payload, the setting speed and the guide lug size.



Overspeed governor OL35 label:

Please be sure to note down the numbers **Elevator N°** and **Serial N°**:



You can also find on this label essential information such as the nominal speed, the setting speed and the ropes diameter.

You can find a lot of different stickers in the SEMATIC doors.



We need the OC number to identify your original order:



CHARACTERISTICS OF YOUR HYDRAPLUS DOOR



PRODUCTION RANGE

POS.	SERIE	PUERTAS DE PISO		PUERTAS DE CABINA		C.D. mm		C.H. mm	
		TIPO	ILUSTRACION	TIPO	ILUSTRACION	Min.	Max.	Min.	Max.
PUERTA CON MECANISMO ABR/BA	3201	01/C		02/C		600	1000	1900	MÍN. ALTURA MÍNIMA DE CLASO DE APERTURA 2000mm - SUJETO A ANCHO DE CLASO DE APERTURA
		11/R		12/R		600	1000		
		11/L		12/L					
		31/R		32/R		600	2100		
		31/L		32/L					
		31/R		35/R		600	1400		
		31/L		35/L					
		41/C		42/C		1200	3200		
		43/R		44/R		600	1150		
		61/C		62/C		1500	3200		
		65/R		66/R		900	1450		
		71/R		72/R		600	1400		
		71/L		72/L					

MOTORIZATION TYPE

The Hydraplus door is available with three different motorization types:

- ECO for installations with a Low traffic (residence, small offices)
- MIDI for installations with a medium traffic (public buildings, offices)
- SUPRA for the installations with a high traffic (hotels, hospitals, important buildings)

Designation	Reference	Picture
ECO MOTOR WITH SUPPORT LEFT	2C2A040895V01	
ECO MOTOR WITH SUPPORT RIGHT	2C2A040895V02	
SUPPORT FOR ECO MOTOR	2C1A055951	
MIDI MOTOR	2C2A903374G01	
SUPRA MOTOR	2C2A902195G03	
ECO TRANSFORMER	2C2M020852V02	
MIDI SUPRA TRANSFORMER	2C2A601805G01	
ECO BOARD	2C2M903510G01IFE	
MIDI SUPRA BOARD TYPE OTIS FLEX	2C2A903376G01IE	
MIDI SUPRA BOARD TYPE EMS WIDE	2C2A903378G01H	
WITTUR PROGRAMMING TOOL	2C3A900050G01	

Designation	Reference	Picture
INTER RUN TEST FOR ECO MIDI SUPRA	2C2A030348	
MAGNET	C3215059001	
CONTACT REFSW FOR LIFT DOOR BOARD	2C2C601812G01	
REFSW CONTACT FOR ECO MIDI SUPRA	2C2C601812G02	
CLOSING DOOR RUBBER BUTTON	2C1M050401V01	
OPENING DOOR RUBBER BUTTO?	2C1M050401V02	
TOOTH BELT ECO	2C1M057400	
TOOTH BELT MIDI/SUPRA	2C1A272947	
BELT CLAMP	2C1A050098	
SET OF MIDI SUPRA BELT CLAMPS	2C2A601345G01	
BELT CAMP FOR 2 COUPLER VERSION	2C2A902280G01	

Designation	Reference	Picture
ECO TOOTHED PULLEY	2C2M040400	
MIDI SUPRA TOOTH BELT PULLEY	2C2A601319G01	
MAGNET ECO HYDRA	C3201159952	
MAGNETIC FIXATION MIDI/SUPRA. KIT	2C2A030943	
BELT CLIP SUPPORT	2C1A155T11V03	
MAGNET FIXATION ECO	2C1A155T12	
NEEDLES FOR FIX. MAGNET CLIP	2C1A156923V01	
BELT INTERFACE/ADAPTER PLATE	2C1A055966	
CABEL DRAG CHAIN	C3201159857	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C	2C2A120865T02	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12L AND 35L	2C2A120865T12	

Designation	Reference	Picture
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12R AND 12L	2C2A120865T35	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42C AND 62C	2C2A120865T42-62	
TRUCK SEE ANNEXE*		Foto no Disponibile
TOP ROLLER STANDARD Ø56	1005345P01	
TOP ROLLER IN DELRIN AND SS BEARING	1019136A01	
TOP ROLLER WITH BEARING BRONZE	2C1A140175	
KIT OF 12 TOP ROLLERS +WASHERS	2L2A231387	
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	
BOTTOM ROLLER METALLIC	2L1A140869	
ROPE DIVERTING ROLLER	2L1A050010	

Designation	Reference	Picture
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponibile
REOPENING MECHANISM SPRING	2L1A153002	
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	
COUPLER ECO HYDRA+, LEFT OPENING	2C2A901860G05	
COUPLER ECO HYDRA+, RIGHT OPENING	2C2A901860G15	
LEFT COUPLER ECO WITH CAR DOOR LOCK	2C2A901870G05	
RIGHT COUPLER ECO WITH CAR DOOR LOCK	2C2A901870G15	

Designation	Reference	Picture
SKEWED LEFT COUPLER ECO 125-250 MM	2C2A901865G05	
SKEWED RIGHT COUPLER ECO 125-250 MM	2C2A901865G15	
SKEWED LEFT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK	2C2A901871G05	
SKEWED RIGHT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK	2C2A901871G15	
LEFT COUPLER MIDI SUPRA	2C2A901872G05	
RIGHT COUPLER MIDI SUPRA	2C2A901872G15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK	2C2A901876G05	

Designation	Reference	Picture
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK	2C2A901876G15	
LEFT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G05	
RIGHT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A902218G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A902218G15	
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G15	
LEFT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G15	
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02	2C2A399890V01	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA	2C1A055680	

Designation	Reference	Picture
ACTION DEVICE RETRACTABLE CAM HYDRA/PEGASUS	2C1A055955	
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA	2C2A901784G05	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040926	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040927	
119E MECH RLS (PNL WO/WINDOW)	2C2A040928	
FIXED COUPLER M1=540	2C1A155053V02	
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C	2C2A901927G01	
CONTACT + BRACKET FOR CAR DOOR LOCK	2C2A901927G03	
CONTACT + BRACKET FOR CAR DOOR LOCK 12R	2C2A901927G04	
CONTACT + BRACKET FOR CAR DOOR LOCK 44	2C2A901879G01	
CONTACT + BRACKET FOR CAR DOOR LOCK 62C	2C2A901927G05	

Designation	Reference	Picture
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L	2C2A901927G07	
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R	2C2A901927G08	
CONTACT + BRACKET FOR CAR DOOR LOCK 66	2C2A902049G01	
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C	2C2A901929G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 42C AND 62C	2C2A901932G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 44	2C2A901879G02	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 66	2C2A902049G02	
CAR DOOR LOCK SPACER DOOR 02 72	2C1A056266V01	
CAR DOOR LOCK SPACER DOOR 12 35 42 44	2C1A056266V02	
CAR DOOR LOCK SPACER DOOR 32 62 66	2C1A056266V03	
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER	2C2M902047G01	

Designation	Reference	Picture
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER	2C2M902047G02	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/R)	2C2A230893V01	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/L)	2C2A230893V02	
KIT OF MECHANICAL RELEASE TYPE 1200 (35/R)	2C2A230893V03	
KIT OF MECHANICAL RELEASE TYPE 1200 (35/L)	2C2A230893V04	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/R)	2C2A230893V05	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/L)	2C2A230893V06	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/R)	2C2A230893V07	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/L)	2C2A230893V08	
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/R)	2C2A230893V09	
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/L)	2C2A230893V10	

Designation	Reference	Picture
KIT OF MECHANICAL RELEASE TYPE 1202 (35/R)	2C2A230893V11	
KIT OF MECHANICAL RELEASE TYPE 1202 (35/L)	2C2A230893V12	
CONTACTO KF-9074	2L1A000001/ASTR	
T02 SWITCH KF9074	2C2A030868T02	
CONTACT KF-2V	2C1A000001	
T12 SWITCH KF-2V	2C2A030868T12	
CONTACT OPERATOR GROUP (T35)	2C1A030885	
CONTACT SEL2-A1Z P	C3201159348	
POSITION CONTACT IP67	C3201059078	
DOOR CONTACT IP20 HZS	C3201159050	
BRIDGE KF-9075 PZ21	2L1A000002	

Designation	Reference	Picture
RIGHT BRIDGE ASSEMBLY	2C2A030888V01	
LEFT BRIDGE ASSEMBLY	2C2A030888V03	
PLATE AND PIN FIXING BELT ASSY	2C2A040206	
CONTACT SUPPORT PZ21 DOOR 4 AND 2 LATERAL PANELS	2C1A055046	
CONTACT SUPPORT FOR CAR DOOR	2C1A055098	
CONTACT SUPPORT KF	2C1A055114	
CONTACT SUPPORT CAR DOOR (CENTRALE DOOR)	2C1A055239	
SUPPORT + BRIDGE FOR CAR DOOR 02/C	2C2A030887	
RIGHT SUPPORT WITH BRIDGE ON DOOR 12R-42-62	2C2A040180V01	
LEFT SUPPORT WITH BRIDGE ON DOOR 12R-42-62	2C2A040180V02	
MICROSWITCH NS 10A 125/250V	C3201159268	

Designation	Reference	Picture
THREADED FIXING PLATE	2C1A057021	
LEFT COUPLING SUPPORT FOR ROPE	2C1A055653V01	
RIGHT COUPLING SUPPORT FOR ROPE	2C1A055653V02	
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02/C 50MM	2C1A399891V02	
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02C 75MM	2C2A399854V01	
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 75MM	2C2A399854V13	
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 90MM	2C2A399854V18	
ACCESORIES PACKETS LIST DOOR 35	2C2A399854V17	
SPACER 6 MM FOR TRUCK FIXING	2C1A056010	
FIXING KIT MFB	2C2A399910	
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	

Designation	Reference	Picture
KIT OF 2 PANELS FIXINGS Ø8 DOOR	2L2A399856V02	
PANEL FIXING FOR FRONT TRUCK FIXATION	2C1A056051/SRN	
PANELS FIXING BOLT DOOR 33 AND 63 LEN=110MM	2L1A056079/110	
NUT M10 FOR FIXING 2C1A056051/SRN	2C1A156130	
PANEL EXTENSION 100 X 75MM	2C1A155448/075	
PANEL EXTENSION 50MM	2C1A155448/050	
PANEL EXTENSION 50 x 105MM	2C1A155448/125	
ACCESSORIES BAG C1	2L2A399853V01	
SET OF 24 SHOES 2L1A050062	2L1A050062	
SET OF 24 SHOES 2L1A050062	2L2A231360	
ACCESSOIRES STAINLESS STEEL SILL FIXING KIT	2L2A399850V30	

Designation	Reference	Picture
FIXING KIT FOR CAR DOOR TOE-GUARD	2C2A231250	
SILL SUPPORT BRACKET 90 MM	2C1A055126	
SPECIAL NUT FOR BIG BRACKET	2L1A055050V01	

ANNEX : HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Lenght

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER A PANEL ?

You need to give the following information:

- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

Diagram1




Diagram 2





Diagram 3



Before March 2011, all the panels had a fixed height (see table).

Example for a 02/C door, with standard dimensions:

Clear opening: 2000mm

HS dimensions: 2180mm

Panel height : 2012mm

	Panels height
11	HL +12
12	HSC -168
31	HL +12
32/33/34	HSC -168
01	HL +12
02	HSC -168
41/43	HL +12
42	HSC -168
44	HSC -213
61/65	HL +12
62/63	HSC -168
66	HSC -213

Since March 2011, there are 2 manufacturing types:

- Old execution (like the fabrication before March 2011).
- New execution MFB type, the height panel is 2032mm with a dimension HS between 2180mm and 2280mm; and a height of 2132mm with a dimension HS between 2281mm and 2380mm.

These panels are «adjustable» with the operator fixing brackets (see diagram 4).

Example for a 02/C door, with standard dimensions :

Height opening: 2000mm

HS Dimension: 2180mm

Panel height: 2032mm





Diagram 4

ANNEX : THE STANDARD SILLS


There are 2 types of standard aluminum sills:

Not reinforced: Load (F) acceptable until 470 KG


Reinforced: Load (F) acceptable until 920 KG




Aluminum standard sills for central opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

ANNEX :

HOW TO ORDER A CABLE OF TRANSMISSION ?

You need to give the follow information:

- Door range
- Door type
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

CHARACTERISTICS OF YOUR HYDRA DOOR





PRODUCTION RANGE

POS.	SERIE	PUERTAS DE PISO		PUERTAS DE CABINA		C.D. mm		C.H. mm	
		TIPO	ILUSTRACION	TIPO	ILUSTRACION	Min.	Max.	Min.	Max.
PUERTA CON MECANISMO ARRIBA	3201	01/C		02/C		600	1800	1500	NOTA: ALTURA MAXIMA DE CLARO DE APERTURA 2500mm - SUJETO A ANCHO DE CLARO DE APERTURA
		11/R		12/R		600	1800		
		11/L		12/L					
		31/R		32/R		600	2100		
		31/L		32/L					
		31/R		35/R		600	1400		
		31/L		35/L					
		41/C		42/C		1200	3200		
		43/R		44/R		600	1150		
		61/C		62/C		1500	3200		
		65/R		66/R		900	1450		
		71/R		72/R		600	1400		
		71/L		72/L					

Designation	Reference	Picture
TRUCK SEE ANNEXE*		Foto no Disponibile
TOP ROLLER STANDARD Ø56	1005345P01	
TOP ROLLER IN DELRIN AND SS BEARING	1019136A01	
TOP ROLLER WITH BEARING BRONZE	2C1A140175	
KIT OF 12 TOP ROLLERS +WASHERS	2L2A231387	
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	
BOTTOM ROLLER METALLIC	2L1A140869	
ROPE DIVERTING ROLLER	2L1A050010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	

Designation	Reference	Picture
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponibile 
REOPENING MECHANISM SPRING	2L1A153002	
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	
CONTACTO KF-9074	2L1A000001/ASTR	
CONTACT KF-2V	2C1A000001	
BRIDGE KF-9075 PZ21	2L1A000002	
CONTACT SUPPORT KF	2C1A055114	
SPACER 6 MM FOR TRUCK FIXING	2C1A056010	
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	


Designation	Reference	Picture
ACCESSORIES BAG C1	2L2A399853V01	
SET OF 24 SHOES 2L1A050062	2L1A050062	
SET OF 24 SHOES 2L1A050062	2L2A231360	
LOCK RELEASE MECHANISM	2L1A030001V01	
LOCK RELEASE MECHANISM	2L1A030001V02	
RIGHT UNLOCKING DEVICE DOOR 4 AND 6 PANELS	2L1A130008V01	
LEFT UNLOCKING DEVICE DOOR 4 AND 6 PANELS	2L1A130008V02	
EMERGENCY RELEASE MECHANISM H056DX	2L1A130037V01	
EMERGENCY RELEASE MECHANISM H056SX	2L1A130037V02	
EMERGENCY SBLOC H41 11-31R-01C 230V	2L2A030897A11	
EMERGENCY SBLOC H41 11-31L-01C 230V	2L2A030897A12	

Designation	Reference	Picture
BISTABLE CONTACT FOR UNLOCKING DEVICE EN81-21 EN81-21 DOOR 41/C 61/C	2L2A030897A13	
MONOSTABLE BERNSTEIN CONTACT NO/ NC RESET MANUAL IP54	W002116	
F.I.A EMERGENCY WITH RESET LEFT	2L1A130344V02	
F.I.A EMERGENCY WITH RESET RIGHT	2L1A130344V01	
BISTABLE CONTACT NO/NC	W002415	
BERNSTEIN CONTACT 230V	W002256	
EMERGENCY RELEASE AND SUPPORT 41 11-31L 71R	1040333A01	
EMERGENCY RELEASE AND SUPPORT 41 01-11R-31R	1040333A02	
EMERGENCY KEY STANDARD	1019325A01	
EMERGENCY KEY L=200MM	1019525A01L0200	
EMERGENCY KEY L=500MM	1019525A01L0500	

Designation	Reference	Picture
PZ 73 CONTACT	C3201059006	
BERNSTEIN CONTACT	C3201159274	
CONTACT IP65 BERNSTEIN TI2-A1Z KS	C3201159276	
STEUTE CONTACT AZ10 IP67	C3201159346V01	
CONTACT STEUTE WITH CABLE 6M	C3201159346V03	
CONTACT SUPPORT PZ73	2L1A055105	
FIXING PLATE FOR KRONENBERG CONTACT	2L1A057112	
BRIDGE HOLDER DOOR 01C	2L1A055048	
BRIDGE SPACER THICKNESS 1MM	2L1A059082	
BRIDGE SPACER THICKNESS 2MM	2L1A059082/2	
BRIDGE FIXING PLATE	2C1A057111	

Designation	Reference	Picture
LEFT LOCK LEVER WITH ROLLER	2L1A130017V01	
RIGHT LOCK LEVER WITH ROLLER	2L1A130017V02	
LOCK HOOK RIGHT	2L1A055025V01	
LOCK HOOK LEFT	2L1A055025V02	
LOCK ROLLER WITH BEARING	2L2A030121	
KIT OF 12 LOCK ROLLERS	2C2A231386	
FIXING BOLT SPN HOOK	2C1A156238V01	
LOCK FELT	2L1A057060	
BERNSTEIN CONTACT FOR CAR DOOR LOCK 24V	1001022A02	
BERNSTEIN CONTACT FOR CAR DOOR LOCK 230V	1001022A03	
BUFFER FOR LOCK	C3201059098	

Designation	Reference	Picture
STOP TRUCK BUFFER	2C1A050001V01	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE	2L1A055057	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE	2C1A055057V01	
CABLE CRIMPLING TUBE	C3201059115	
ROPE CLAMP SUPPORT FIXING POINT SYNCHRONISATION ROPE	2L1A057018	
SPACER H=10 MM FOR SYNCHRONIZING ROLLER	2L1A056054	
SPACER FOR DIVERTING ROLLER DOOR 3 PANELS	2L1A056083	
SPACER 15MM FOR DIVERTING ROLLER	2C1A056100	
FIXING POINT FOR SYNCHRONISATION ROPE DOOR 43/R AND 65R	2L1A155157V02	
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A050037	
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS	2L2A231388	

Designation	Reference	Picture
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A155169	
FIXING SCREW FOR COVER	2L1A156216	
ROLLER SUPPORT LEFT	2L1A155828V01	
ROLLER SUPPORT RIGHT	2L1A155828V02	
SPACER 15 MM FOR GUIDING SHOES	2L1A056053	
ROLLER SUPPORT FOR RE-CLOSING SYSTEM	2L1A030850	
RE-CLOSING SPRING	2L1A053007	
REINFORCED RE-CLOSING SPRING	2L1A053019	
SOUND INSULATION TUBE FOR RE- CLOSING SPRING LEN=500 MM	C3201059143	
ROPE SUPPORT FOR RE-CLOSING SPRNG	2L1A055040	
ROPE SUPPORT FOR DOUBLE RE-CLOSING SPRING	2L1A155447	

Designation	Reference	Picture
HOOK FOR RE-CLOSING SPRING	2L1A059256	
RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L1A154001V07	
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP	2L1A154855L400	
RE-CLOSING ROPE LEN=6000 MM + ROPE CLAMP	2L1A154001V12	
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L2A231397	
ROPE CLAMP FOR RE-CLOSING ROPE	C3201059285	
SLIDING SHOE FOR PANEL-PEGASUS	2C1A050020	
KIT OF 3 FIXING BRACKETS (TYPE B12)	2L1A399852V12	
KIT OF 2 FIXING BRACKETS B21 (TWIN)	2L2A399852V21	
KIT OF DOOR ACCESSORIES DOOR 01/C	2L2A399895V01	
KIT OF DOOR ACCESSORIES DOOR 11RL	2L2A399895V02	

Designation	Reference	Picture
KIT OF DOOR ACCESSORIES DOOR 31RL	2L2A399895V03	
KIT OF DOOR ACCESSORIES DOOR 41C/43R	2L2A399895V05	
KIT OF DOOR ACCESSORIES DOOR 61C/65R	2L2A399895V06	
PIT EGRESS DEVICE DOOR 11/L-31/L-41-61	1013236A01	
PIT EGRESS DEVICE DOOR 11/R-31/R	1013236A02	
PIT EGRESS DEVICE DOOR 01/C	1013217A01	
PIT EGRESS DEVICE GLASSED DOOR 01/C	1013217A03	
PIT EGRESS DEVICE DOOR 43-65	1013399A01	Foto no Disponibile
SILL SUPPORT BRACKET 90 MM	2C1A055126	
SILL SUPPORT BRACKET 75 MM	2L1A055056	
FIXING BRACKET	2L1A055203	

Designation	Reference	Picture
SPECIAL NUT FOR BIG BRACKET	2L1A055050V01	
BRIDGE PZ18	C3201159090	

ANNEX : HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Length

The majority of information is in the identification labels.




See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER A PANEL ?

You need to give the follow information:


- Door type
- Clear opening
- Height opening (HL)
- Panel position - see diagram 1
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 2
- Fire resistant panel – see diagram 3

The majority of information is in the identification labels





ANNEX : THE STANDARD SILLS



There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG




Aluminum standard sills for central opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

ANNEX:

HOW TO ORDER A CABLE OF TRANSMISSION ?


You need to give the follow information:

- Door range
- Door type
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

CHARACTERISTICS OF YOUR HYDRA 3000® DOOR



DOOR TYPE

PUERTAS DE PISO		PUERTAS DE CABINA		C.O. mm			C.H. mm					
	ILLUSTRATION		ILLUSTRATION	Min.	Max.		Min.	Max.				
01/C		02/C		600	1200	1200	2000	2100	2200			
11/R		12/R										
11/L		12/L		600	1150	1150						
31/R		35/R										
31/L		35/L		600	1150	1150						
41/C		44/R										

Designation	Reference	Picture
ECO TRANSFORMER	2C2M020852V02	
MIDI SUPRA TRANSFORMER	2C2A601805G01	
ECO BOARD	2C2M903510G01IFE	
MIDI SUPRA BOARD TYPE OTIS FLEX	2C2A903376G01IE	
WITTUR PROGRAMMING TOOL	2C3A900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA	2C2A030348	
MAGNET	C3215059001	
CONTACT REFSW FOR LIFT DOOR BOARD	2C2C601812G01	
REFSW CONTACT FOR ECO MIDI SUPRA	2C2C601812G02	
CLOSING DOOR RUBBER BUTTON	2C1M050401V01	
OPENING DOOR RUBBER BUTTON	2C1M050401V02	

Designation	Reference	Picture
TOOTH BELT ECO	2C1M057400	
TOOTH BELT MIDI/SUPRA	2C1A272947	
BELT CLAMP	2C1A050098	
SET OF MIDI SUPRA BELT CLAMPS	2C2A601345G01	
BELT CAMP FOR 2 COUPLER VERSION	2C2A902280G01	
ECO TOOTHED PULLEY	2C2M040400	
MIDI SUPRA TOOTH BELT PULLEY	2C2A601319G01	
MAGNET ECO HYDRA	C3201159952	
MAGNET FIXATION ECO	2C1A155T12	
NEEDLES FOR FIX. MAGNET CLIP	2C1A156923V01	
BELT INTERFACE/ADAPTER PLATE	2C1A055966	

Designation	Reference	Picture
CABEL DRAG CHAIN	C3201159857	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C	2C2A120865T02	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12L AND 35L	2C2A120865T12	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12R AND 12L	2C2A120865T35	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42C AND 62C	2C2A120865T42-62	
TRUCK SEE ANNEXE*		Foto no Disponibile
TOP ROLLER STANDARD Ø56	1005345P01	
TOP ROLLER IN DELRIN AND SS BEARING	1019136A01	
KIT OF 12 TOP ROLLERS +WASHERS	2L2A231387	
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	

Designation	Reference	Picture
BOTTOM ROLLER METALLIC	2L1A140869	
ROPE DIVERTING ROLLER	2L1A050010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponibile
REOPENING MECHANISM SPRING	2L1A153002	
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	
COUPLER ECO HYDRA+, LEFT OPENING	2C2A901860G05	
COUPLER ECO HYDRA+, RIGHT OPENING	2C2A901860G15	

Designation	Reference	Picture
LEFT COUPLER ECO WITH CAR DOOR LOCK	2C2A901870G05	
RIGHT COUPLER ECO WITH CAR DOOR LOCK	2C2A901870G15	
SKEWED LEFT COUPLER ECO 125-250 MM	2C2A901865G05	
SKEWED RIGHT COUPLER ECO 125-250 MM	2C2A901865G15	
SKEWED LEFT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK	2C2A901871G05	
SKEWED RIGHT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK	2C2A901871G15	
LEFT COUPLER MIDI SUPRA	2C2A901872G05	
RIGHT COUPLER MIDI SUPRA	2C2A901872G15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G05	


Designation	Reference	Picture
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G15	
LEFT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G05	
RIGHT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A902218G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A902218G15	
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G15	
LEFT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G15	
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02	2C2A399890V01	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA	2C1A055680	


Designation	Reference	Picture
ACTION DEVICE RETRACTABLE CAM HYDRA/PEGASUS	2C1A055955	
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA	2C2A901784G05	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040926	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040927	
119E MECH RLS (PNL WO/WINDOW)	2C2A040928	
FIXED COUPLER M1=540	2C1A155053V02	
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C	2C2A901927G01	
CONTACT + BRACKET FOR CAR DOOR LOCK	2C2A901927G03	
CONTACT + BRACKET FOR CAR DOOR LOCK 12R	2C2A901927G04	
CONTACT + BRACKET FOR CAR DOOR LOCK 44	2C2A901879G01	
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L	2C2A901927G07	

Designation	Reference	Picture
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R	2C2A901927G08	
CONTACT + BRACKET FOR CAR DOOR LOCK 66	2C2A902049G01	
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C	2C2A901929G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 44	2C2A901879G02	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 66	2C2A902049G02	
CAR DOOR LOCK SPACER DOOR 02 72	2C1A056266V01	
CAR DOOR LOCK SPACER DOOR 12 35 42 44	2C1A056266V02	
CAR DOOR LOCK SPACER DOOR 32 62 66	2C1A056266V03	
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER	2C2M902047G01	
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER	2C2M902047G02	
CONTACTO KF-9074	2L1A000001/ASTR	

Designation	Reference	Picture
CONTACT KF-2V	2C1A000001	
BRIDGE KF-9075 PZ21	2L1A000002	
CONTACT SUPPORT KF	2C1A055114	
FIXING KIT MFB	2C2A399910	
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	
PANEL EXTENSION 100 X 75MM	2C1A155448/075	
PANEL EXTENSION 50MM	2C1A155448/050	
PANEL EXTENSION 50 x 105MM	2C1A155448/125	
ACCESSORIES BAG C1	2L2A399853V01	
FIXING KIT FOR CAR DOOR TOE-GUARD	2C2A231250	
F.I.A EMERGENCY WITH RESET LEFT	2L1A130344V02	

Designation	Reference	Picture
F.I.A EMERGENCY WITH RESET RIGHT	2L1A130344V01	
EMERGENCY KEY STANDARD	1019325A01	
EMERGENCY KEY L=200MM	1019525A01L0200	
EMERGENCY KEY L=500MM	1019525A01L0500	
BERNSTEIN CONTACT	C3201159274	
BRIDGE SPACER THICKNESS 1MM	2L1A059082	
BRIDGE SPACER THICKNESS 2MM	2L1A059082/2	
STOP TRUCK BUFFER	2C1A050001V01	
CABLE CRIMPLING TUBE	C3201059115	
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A050037	
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS	2L2A231388	

Designation	Reference	Picture
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A155169	
ROLLER SUPPORT LEFT	2L1A155828V01	
ROLLER SUPPORT RIGHT	2L1A155828V02	
ROLLER SUPPORT FOR RE-CLOSING SYSTEM	2L1A030850	
RE-CLOSING SPRING	2L1A053007	
REINFORCED RE-CLOSING SPRING	2L1A053019	
SOUND INSULATION TUBE FOR RE- CLOSING SPRING LEN=500 MM	C3201059143	
HOOK FOR RE-CLOSING SPRING	2L1A059256	
RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L1A154001V07	
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP	2L1A154855L400	
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L2A231397	

Designation	Reference	Picture
ROPE CLAMP FOR RE-CLOSING ROPE	C3201059285	
KIT OF 3 FIXING BRACKETS (TYPE B12)	2L1A399852V12	
KIT OF 2 FIXING BRACKETS B21 (TWIN)	2L2A399852V21	
ECO MOTOR	3201040253	
ECO MOTOR + PULLEY	3215050041	Foto no Disponibile
ECO MOTOR SUPPORT	3201055A40	Foto no Disponibile
MIDI MOTOR FOR HYDRA 3000	3201040254V01	
MIDI SUPRA TOOTH BELT PULLEY	3201055A41	
MIDI MOTOR SUPPORT	3201050096V01	Foto no Disponibile
LOWER ROLLER FOR TRUCK 33-35	2C2A030183	
SYNCHRONISATION ROPE L=3210MM	3212054011L321	

Designation	Reference	Picture
KIT OF 6 PANELS FIXING DOOR 35	2L2A39PA/D501	
KIT OF 4 PANELS FIXING Ø10	2L2A39PA/D8	
SYNCHRONISATION ROPE L=2910MM	3212054011L291	
SYNCHRONISATION ROPE L=3310MM	3212054011L331	
SYNCHRONISATION ROPE L=3770MM	3212054011L377	
SYNCHRONISATION ROPE L=4150MM	3212054011L415	
SYNCHRONISATION ROPE L=1030MM	3212054010L103	
SYNCHRONISATION ROPE L=1240MM	3212054010L124	
SYNCHRONISATION ROPE L=3210MM	3212054010L168	
BUFFER ROLLER	2C2B040003	
LOCK ROLLER	2L1A150042	

Designation	Reference	Picture
LOCK FELT	2L1A157442	
RE-CLOSING ROPE DOOR 01/C	2L1A154023	
RE-CLOSING ROPE DOOR LEN=1700 MM	2L1A154026	
RE-CLOSING ROPE DOOR LEN=1310 MM	2C2C054010L131	
ROPE CLAMP	2L1A040160	
CONTACT SUPPORT DOOR 12-35	2C1P055A38V01	
CONTACT SUPPORT DOOR 44/R	2C1P055A61	
SELF CLOSING WIRE	2L1A154012	
SILL SUPPORT BRACKET 75 MM	2L1A055056	

ANNEX : HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Length

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER A PANEL ?

You need to give the following information:

- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

Diagram 1




Diagram 2






Diagram 3


Without Runby:



With Runby:



or



View from the floor

View from the floor

Before March 2011, all the panels had a fixed height (see table).

Example for a 02/C door, with standard dimensions:

Clear opening: 2000mm

HS dimensions: 2180mm

Panel height : 2012mm

Door type	Panels height
11	HL +12
12	HSC -168
31	HL +12
32/33/34	HSC -168
01	HL +12
02	HSC -168
41/43	HL +12
42	HSC -168
44	HSC -213
61/65	HL +12
62/63	HSC -168
66	HSC -213

Since March 2011, there are 2 manufacturing types:

- Old execution (like the fabrication before March 2011).
- New execution MFB type, the height panel is 2032mm with a dimension HS between 2180mm and 2280mm; and a height of 2132mm with a dimension HS between 2281mm and 2380mm.

These panels are «adjustable» with the operator fixing brackets (see diagram 4).

Example for a 02/C door, with standard dimensions :

Height opening: 2000mm

HS Dimension: 2180mm

Panel height: 2032mm





Diagram 4

ANNEX : THE STANDARD SILLS


There are 2 types of standard aluminum sills:

Not reinforced: Load (F) acceptable until 470 KG


Reinforced: Load (F) acceptable until 920 KG




Aluminum standard sills for central opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 2 panels and for central opening doors with 4 panels



Aluminum standard sills for lateral opening doors with 3 panels.



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

ANNEX : HOW TO ORDER A CABLE OF TRANSMISSION ?

You need to give the follow information:

- Door range
- Door type
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»



PEGASUS

ANTIVANDÁLICA
ANTIVANDAL
ANTIVANDALE



PUERTAS
DOORS
PORTES

SOLUCIONES ELÉCTRICAS
ELECTRICAL SOLUTIONS
SOLUTIONS ÉLECTRIQUES

PIEZAS DE RECAMBIO
SPARE PARTS
PIÈCES DÉTACHÉES


SOLUCIONES MECÁNICAS
MECHANICAL SOLUTIONS
SOLUTIONS MÉCANIQUES

RENOVACIÓN ESTÉTICA
AESTHETIC SOLUTIONS
SOLUTIONS ESTHÉTIQUES

NUESTROS KITS
DE MODERNIZACIÓN
OUR MOD KITS
NOS KITS DE
MODERNISATION



CHARACTERISTICS OF YOUR HYDRARM® DOOR




Designation	Reference	Picture
TRUCK SEE ANNEXE*		Foto no Disponible
TOP ROLLER STANDARD Ø56	1005345P01	
TOP ROLLER IN DELRIN AND SS BEARING	1019136A01	
KIT OF 12 TOP ROLLERS +WASHERS	2L2A231387	
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	
BOTTOM ROLLER METALLIC	2L1A140869	
ROPE DIVERTING ROLLER	2L1A050010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponible

Designation	Reference	Picture
REOPENING MECHANISM SPRING	2L1A153002	
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02	2C2A399890V01	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040926	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040927	
119E MECH RLS (PNL WO/WINDOW)	2C2A040928	
FIXED COUPLER M1=540	2C1A155053V02	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/R)	2C2A230893V01	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/L)	2C2A230893V02	

Designation	Reference	Picture
KIT OF MECHANICAL RELEASE TYPE 1200 (35/R)	2C2A230893V03	
KIT OF MECHANICAL RELEASE TYPE 1200 (35/L)	2C2A230893V04	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/R)	2C2A230893V05	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/L)	2C2A230893V06	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/R)	2C2A230893V07	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/L)	2C2A230893V08	
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/R)	2C2A230893V09	
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/L)	2C2A230893V10	
KIT OF MECHANICAL RELEASE TYPE 1202 (35/R)	2C2A230893V11	
KIT OF MECHANICAL RELEASE TYPE 1202 (35/L)	2C2A230893V12	
CONTACTO KF-9074	2L1A000001/ASTR	

Designation	Reference	Picture
T02 SWITCH KF9074	2C2A030868T02	
CONTACT KF-2V	2C1A000001	
T13 SWITCH KF-2V	2C2A030868T12	
CONTACT OPERATOR GROUP (T35)	2C1A030885	
POSITION CONTACT IP67	C3201059078	
DOOR CONTACT IP20 HZS	C3201159050	
BRIDGE KF-9075 PZ21	2L1A000002	
RIGHT BRIDGE ASSEMBLY	2C2A030888V01	
LEFT BRIDGE ASSEMBLY	2C2A030888V03	
CONTACT SUPPORT PZ21 DOOR 4 AND 2 LATERAL PANELS	2C1A055046	
CONTACT SUPPORT FOR CAR DOOR	2C1A055098	

Designation	Reference	Picture
CONTACT SUPPORT KF	2C1A055114	
SUPPORT + BRIDGE FOR CAR DOOR 02/C	2C2A030887	
RIGHT SUPPORT WITH BRIDGE ON DOOR 12R-42-62	2C2A040180V01	
LEFT SUPPORT WITH BRIDGE ON DOOR 12R-42-62	2C2A040180V02	
MICROSWITCH NS 10A 125/250V	C3201159268	
THREADED FIXING PLATE	2C1A057021	
SPACER 6 MM FOR TRUCK FIXING	2C1A056010	
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	
KIT OF 2 PANELS FIXINGS Ø8 DOOR	2L2A399856V02	
PANEL FIXING FOR FRONT TRUCK FIXATION	2C1A056051/SRN	
PANELS FIXING BOLT DOOR 33 AND 63 LEN=110MM	2L1A056079/110	

Designation	Reference	Picture
NUT M10 FOR FIXING 2C1A056051/SRN	2C1A156130	
PANEL EXTENSION 100 X 75MM	2C1A155448/075	
PANEL EXTENSION 50MM	2C1A155448/050	
PANEL EXTENSION 50 x 105MM	2C1A155448/125	
ACCESSORIES BAG C1	2L2A399853V01	
SET OF 24 SHOES 2L1A050062	2L1A050062	
SET OF 24 SHOES 2L1A050062	2L2A231360	
PZ 73 CONTACT	C3201059006	
CONTACT IP65 BERNSTEIN TI2-A1Z KS	C3201159276	
CONTACT SUPPORT PZ73	2L1A055105	
FIXING PLATE FOR KRONENBERG CONTACT	2L1A057112	

Designation	Reference	Picture
BRIDGE FIXING PLATE	2C1A057111	
STOP TRUCK BUFFER	2C1A050001V01	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE	2L1A055057	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE	2C1A055057V01	
ROPE CLAMP SUPPORT FIXING POINT SYNCHRONISATION ROPE	2L1A057018	
SPACER H=10 MM FOR SYNCHRONIZING ROLLER	2L1A056054	
FIXING SCREW FOR COVER	2L1A156216	
SPACER 15 MM FOR GUIDING SHOES	2L1A056053	
KIT E-ARM SEE ANNEXE*	E-ARM	Foto no Disponibile
DC MOTOR 24V 1800RPM 120W IP54	2C1A159102	
MOTOR DC 24V 7,5A 120W 1200RPM	2C1A059093	

Designation	Reference	Picture
DC MOTOR 48V 1600RPM 120W IP54	2C1A159161	
MOTOR 14 KG 230/400V 0,35/0,27A 50HZ	2C1A059001/380M	
MOTOR 24 KG 50 HZ 220/380V	2C1A059040/380M	
MOTOR 3-PHASE 30K 50H 00 200/380 900R	2C1A059249/380M	
ELECTRIC BRAKE HYDRA ARM	C3201159943	
ELECTRONIC BOARD TYPE RC48	C5302059003	
ELECTRONIC BOARD TYPE RC24	C5302059012	
TENSION SPRING FOR RIGHT MOTOR	2C1A053014V01	
TENSION SPRING FOR LEFT MOTOR	2C1A053014V03	
MOTOR PINION Ø22MM AC	2C1A156061/22	
MOTOR PINION Ø22MM DC	2C1A156061/CC22	

Designation	Reference	Picture
MOTOR PINION Ø25MM	2C1A156061/25	
MOTOR PINION Ø30MM	2C1A156061/30	
MOTOR PINION Ø35MM	2C1A156061/35	
MOTOR PINION Ø42MM	2C1A156061/42	
MOTOR PINION Ø50MM	2C1A156061/50	
MOTOR PINION Ø60MM	2C1A156061/60	
SCREW M5X8 FOR MOTOR PINION	C7056050005	
BREAK BELT	C3201059144/N	
SPRING FOR BRAKE KIT	2C1A053016	
RIGHT MICROSWITCH CONTACT	C3201059254V01	
LEFT MICROSWITCH CONTACT	C3201059254V02	

Designation	Reference	Picture
MICROSWITCH TYPE AMF WITH COVER	2C1A030256	
SCHMERSAL CONTACT AZ15 ZVK-M20	C3201159111	
CONTACT SUPPORT DOOR TYPE 33RL	2C1A055136	
BRIDGE FOR IP54 OPERATOR	C3201159123	
BRIDGE KF-9075 WITH CABEL	2L2A159027	
BRIDGE KF-9075 WITH CABEL	1025681P01	
RDB V-BELT DIN7867-6 PJ 1092	C3201159013	
MOTORIZATION CHAIN 2 REDUCTIONS LEN=885MM	C3201059049L088	
MOTORIZATION CHAIN 3 REDUCTIONS LEN=1135MM	C3201059049L113	
STOP BUFFER	2C1A050034	
MEDIUM TRACTION SHEAVE	2C1A039852V01	

Designation	Reference	Picture
MEDIUM TRACTION SHEAVE WITH BUSHING	2C1A051025	
IDLE TRACTION PULLEY/TRACTION SHEAVE ALUMINIUM WITH BUSHING	2C1A051026	
AXLE FOR INTERMEDIATE PULLEY FIXATION	2C1A056119	
CROWN WHEEL Ø50	2C1A057024	
CROWN WHEEL Ø18	2C1A057023	
KIT PULLEY SUPPORT 2 REDUCTIONS	2C2A030881	
KIT PULLEY SUPPORT 3 REDUCTIONS	2C2A030882	
FIXING WASHER	2L1A056017V01	
DRIVE ARM EXTENSION LEN=115MM	2C1A040002L011	
DRIVE ARM EXTENSION LEN=190MM	2C1A040002L019	
DRIVE ARM EXTENSION LEN=265MM	2C1A040002L026	

Designation	Reference	Picture
DRIVE ARM EXTENSION LEN=340MM	2C1A040002L034	
BUFFER SUPPORT AND RUBBER BUFFER	2C1A030177	
BUFFER FOR OPERADOR ARM	2C1A050017V01	
OPERATOR ARM PLATE	2C1A057103	
SUPPORT RTR CAM ACN ROLLER	2C1A055149	
MOTOR OPERATOR ARM 3 REDUCTIONS	2C1A051013V02	
OPERATOR RAIL LEN=1190MM	3201057107V119	Foto no Disponibile
LEFT COMPLETE EMERGENCY RELEASE	2C2A030086V01	
RIGHT COMPLETE EMERGENCY RELEASE	2C2A030086V03	
OPERATOR HOOK BLOCK	2C1A050011	
STANDARD FIXING FOR DRIVE ARM LEFT	2C2A030200	

Designation	Reference	Picture
REINFFORCED FIXING FOR DRIVE ARM	2C2A030119	
BRONZE WASHER	2C1A150013V01	
REOPENING ARM FOR ROLL (LEFT/ CENTRAL)	2C1A040854V01	
REOPENING ARM FOR ROLL (12/R)	2C1A040854V02	
SUPPORT FOR SPRING RETURN MECH	2C1A055106	
THREADED PIN	2C1A056016	
FELT FOR REOPENING SYSTEM	2C1A057001	
REOPENING SYSTEM SPRING	2C1A053010	
REOPENING MECHANICAL ARM	2C1A055003	
REOPENING MECHANISM ARM SUPPORT	2C1A055095	
SPRING FOR UNCOUPLING SYSTEM	2C1A053006	

Designation	Reference	Picture
REOPENING MECHANISM ROLL	2C1A050007/Z	
PIN FOR RETURN MECHANISM	2C1A056015	
RETRACTABLE CAM/COUPER SHEET ARM	2C1A020118V01	
RETRACTABLE CAM/COUPER SHEET ARM	2C1A020118V02	
ROLLER SUPPORT FOR DOOR 12-42	2C2A040057	
ROLLER SUPPORT DOOR 02	2C2A040061	
ROLLER SUPPORT DOOR 32-35-62	2C2A040062	
FIXING PART	2C1A056082	
FIXING POINT FOR COUPLER/ROPE	2C1A057012	
DOOR BUFFER/RUBBER	2L1A050061	
SILL SUPPORT BRACKET 90 MM	2C1A055126	

Designation	Reference	Picture
SILL SUPPORT BRACKET 75 MM	2L1A055056	
FIXING BRACKET	2L1A055203	
SPECIAL NUT FOR BIG BRACKET	2L1A055050V01	
FIXING BRACKET RIGHT OPERATOR	2C1A055217V01	
FIXING BRACKET LEFT OPERATOR	2C1A055217V02	

ANNEX: HOW TO ORDER A TRUCK ?

You need to give the following information :

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Length

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

ANNEX: HOW TO ORDER A PANEL ?

You need to give the following information :

- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension - see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

Diagram 1




Diagram 2





Diagram 3



Before March 2011, all the panels had a fixed height (see table).


Example for a 02/C door, with standard dimensions:

- Clear opening = 2000 mm
- HS dimensions = 2180 mm
- Panel height = 2012 mm


Door type	Panels height
11	HL +12
12	HSC -168
31	HL +12
32/33/34	HSC -168
01	HL +12
02	HSC -168
41/43	HL +12
42	HSC -168
44	HSC -213
61/65	HL +12
62/63	HSC -168
66	HSC -213

ANNEX: THE STANDARD SILLS


There are 2 types of standard aluminium sills :
Not reinforced : Load (F) acceptable until 470 KG
Reinforced : Load (F) acceptable until 920 KG




Aluminium standard sills for central opening doors with 2 panels



Aluminium standard sills for lateral opening doors with 2 panels



Aluminium standard sills for lateral opening doors with 3 panels or for central opening door with 6 panels



For all the other sills, please be sure to give the information below :

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter «THE IDENTIFICATION LABELS»

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminium ones.

ANNEX: HOW TO ORDER A CABLE OF TRANSMISSION ?

You need to give the follow information:


- Door range
- Door type
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»



WITTUR



KIT

e-ARM

EASY ASSEMBLY, GUARANTEE AND RESPECT FOR THE ENVIRONMENT

Improvement solutions. Why e-ARM?

- Energy-efficient: Power consumption is reduced from 140 W to 60 W (standby 0 W optional).
- Environmentally-protective: There is no need for refurbishing the complete car door, as less stainless steel is used.
- High-quality assured: the e-Arm Kit allows the upgrading of a Hydra-Arm car door drive maintaining the high quality of Selcom/Wittur doors.
- Time-saving: Less than 2 hours are needed to completely upgrade a Hydra-Arm door, including all the necessary electrical wiring.
- Weight reduction: the car weight is reduced.
- Safety improvement: The space available on car roof after the upgrading is maximized.
- Eliminates 380 V. power supply in car.

BE UP TO DATE, IT ONLY COSTS A FEW MINUTES

safety in motion™

How to identify a Hydra Arm car door?

Red buffer
It is located in the corner of the guide rail on center opening doors or on either side on the guide rail on side parting doors.



T-shaped drive arm
(viewed from the landing)



Pulley group
(viewed from the shaft)



Motor
It is certified with the brand "SELCON"



Label viewed from the landing
Identified with the brand "SELCON"



Label viewed from the shaft
Identified with the brand "SELCON"



Label on the pulley cover
Identified with the brand "SELCON"



Wiring box identified with the brand
"SELCON"



When the car door is subject with a side side landing door, the drive arm will always have a link roller with the brand "SELCON" engraved on it.



How can you order an e-Arm kit?

Do I have a HYDRA-ARM Operator? ☐ YES ☐ NO
Does it comply with EN 81-1? ☐ YES ☐ NO
Are the existing panels in Stainless steel or in primed finish? ☐ YES ☐ NO
Please tick the type of door you have:

CENTRAL OPENING 2 PANELS ☐
CENTRAL OPENING 4 PANELS ☐
SIDE OPENING 2 PANELS RIGHT HAND ☐
SIDE OPENING 2 PANELS LEFT HAND ☐
SIDE OPENING 3 PANELS RIGHT HAND ☐
SIDE OPENING 3 PANELS LEFT HAND ☐

Opening direction of the door viewed from the landing

CLEAR OPENING: ≥ 900 mm ☐
Are there any automatic landing doors in the building? YES ☐ NO ☐
Important: 220 V hook-up - Voltage signals YES ☐ NO ☐

Please e-mail your order to: orders.es@wittur.com

Customer PO number: Unit sales price: f

WITTUR ELEVATOR COMPONENTS S.A.

Polygon Industrial de Malpica / Calle F Parcela número 1, 0116 - 2440074 - SPAIN
Tel: 00 34 976 263 900 / Fax: 00 34 976 263 921 / e-mail: info.es@wittur.com / www.wittur.com

ANNEX: HOW CHOOSE A DRIVE ARM EXTENSION ?

	2C1A040002L011	2C1A040002L019	2C1A040002L026	2C1A040002L034
Puerta 2 hojas	PL 500MM a PL 550 MM	PL 600MM a PL 850 MM & PL 1500 MM	PL 500MM a PL 550 MM & PL 1550 MM a PL 1800 MM	PL 500MM a PL 550 MM
Puerta 3 hojas	PL 600MM a PL 800 MM	PL 850MM a PL 1250 MM	PL 1300MM a PL 1700 MM	PL 1750MM a PL 2100 MM
Puerta 4 hojas	PL 600MM a PL 1150 MM	PL 1200MM a PL 1700 MM & PL 2950 MM a PL 3000 MM	PL 1750MM a PL 2350 MM & PL 3050 MM a PL 3200 MM	PL 2400MM a PL 2900 MM
Puerta 6 hojas	PL 900MM a PL 1650 MM	PL 1700MM a PL 2600 MM	PL 2650MM a PL 3200 MM	/




AUGUSTA EVO
RESIDENCIAL
ESSENTIAL
ESSENTIEL



B-HR
ALTAS PRESTACIONES
HIGH PERFORMANCE
HAUTES PERFORMANCES

CHARACTERISTICS OF YOUR HYDRABELT® DOOR




Designation	Reference	Picture
WITTUR PROGRAMMING TOOL	2C3A900050G01	
CABEL DRAG CHAIN	C3201159857	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C	2C2A120865T02	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12L AND 35L	2C2A120865T12	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12R AND 12L	2C2A120865T35	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42C AND 62C	2C2A120865T42-62	
TRUCK SEE ANNEXE*		Foto no Disponible
TOP ROLLER STANDARD Ø56	1005345P01	
TOP ROLLER IN DELRIN AND SS BEARING	1019136A01	
KIT OF 12 TOP ROLLERS +WASHERS	2L2A231387	
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	

Designation	Reference	Picture
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	
BOTTOM ROLLER METALLIC	2L1A140869	
ROPE DIVERTING ROLLER	2L1A050010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponibile
REOPENING MECHANISM SPRING	2L1A153002	
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040926	

Designation	Reference	Picture
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040927	
119E MECH RLS (PNL WO/WINDOW)	2C2A040928	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/R)	2C2A230893V01	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/L)	2C2A230893V02	
KIT OF MECHANICAL RELEASE TYPE 1200 (35/R)	2C2A230893V03	
KIT OF MECHANICAL RELEASE TYPE 1200 (35/L)	2C2A230893V04	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/R)	2C2A230893V05	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/L)	2C2A230893V06	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/R)	2C2A230893V07	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/L)	2C2A230893V08	
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/R)	2C2A230893V09	

Designation	Reference	Picture
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/L)	2C2A230893V10	
KIT OF MECHANICAL RELEASE TYPE 1202 (35/R)	2C2A230893V11	
KIT OF MECHANICAL RELEASE TYPE 1202 (35/L)	2C2A230893V12	
CONTACTO KF-9074	2L1A000001/ASTR	
CONTACT KF-2V	2C1A000001	
BRIDGE KF-9075 PZ21	2L1A000002	
CONTACT SUPPORT KF	2C1A055114	
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	
KIT OF 2 PANELS FIXINGS Ø8 DOOR	2L2A399856V02	
PANEL EXTENSION 100 X 75MM	2C1A155448/075	
PANEL EXTENSION 50MM	2C1A155448/050	

Designation	Reference	Picture
PANEL EXTENSION 50 x 105MM	2C1A155448/125	
ACCESSORIES BAG C1	2L2A399853V01	
SET OF 24 SHOES 2L1A050062	2L1A050062	
SET OF 24 SHOES 2L1A050062	2L2A231360	
TENSION SPRING FOR RIGHT MOTOR	2C1A053014V01	
TENSION SPRING FOR LEFT MOTOR	2C1A053014V03	
BRIDGE KF-9075 WITH CABEL	2L2A159027	
BRIDGE KF-9075 WITH CABEL	1025681P01	
SPRING FOR UNCOUPLING SYSTEM	2C1A053006	
RCF1 REPLACEMENT KIT	2C2A903340G01	
MIDI/SUPRA CONTROL UNIT FOR RCF	2C1A903376G02R	

Designation	Reference	Picture
MOTOR UNIT FOR RCF UPGRADE KIT	2C1A903345G02	
TOOTHED BELT FOR RCF1	C3201059239	
TOOTH BELT TRAINING PULLEY	2C1A040123	
FIXING AXLE FOR DIVERTING PULLEY	2C1A056222V01	
FIXING AXLE FOR TOOTHED PULLEY RCF1	2C1A056223	
BEARING BALL FOR PULLEY	C3205059022	
TOOTHED BELT DIVERTING PULLEY	2C1A040122	
ENCODER FOR RCF1 OLD MODEL	2C1A040125	
ENCODER FOR RCF1 NEW MODEL	2C1A040144L150	
ROLLER FOR COUPLER	2L1C056059	
STANDARD RIGHT COUPLER DOOR 02-12-32	2C2A120218V01	

Designation	Reference	Picture
STANDARD LEFT COUPLER DOOR 02-12-32	2C2A120218V02	
STANDARD RIGHT COUPLER DOOR 42-62	2C2A120217V01	
STANDARD LEFT COUPLER DOOR 42-62	2C2A120217V02	
RIGHT YELLOW TIP FOR REINFORCED COUPLER	2L1H050015V01	
LEFT YELLOW TIP FOR REINFORCED COUPLER	2L1H050015V02	
REOPENING SYSTEM ROLLER	2C1A050006	
BLUE SPRING	2C1A059114	

ANNEX : HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Length

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER A PANEL ?

You need to give the following information:

- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

Diagram 1




Diagram 2





Diagram 3



Before March 2011, all the panels had a fixed height (see table).

Example for a 02/C door, with standard dimensions:

Clear opening: 2000mm

HS dimensions: 2180mm

Panel height : 2012mm


Door type	Panels height
11	HL +12
12	HSC -168
31	HL +12
32/33/34	HSC -168
01	HL +12
02	HSC -168
41/43	HL +12
42	HSC -168
44	HSC -213
61/65	HL +12
62/63	HSC -168
66	HSC -213

ANNEX : THE STANDARD SILLS


There are 2 types of standard aluminum sills:

Not reinforced: Load (F) acceptable until 470 KG


Reinforced: Load (F) acceptable until 920 KG




Aluminum standard sills for central opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.


ANNEX: HOW TO ORDER A CABLE OF TRANSMISSION ?

You need to give the follow information:

- Door range
- Door type
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»



WITTUR JOINS FORCES WITH SEMATIC



COUNTRIES SERVED BY OUR LOCAL TEAMS






**EL PODER DE DOS
MILLONES DE PUERTAS**
**THE POWER OF
2-MILLION DOORS**
**CAPACITÉ DE 2 MILLIONS
DE PORTES**



**SOLUCIONES PARA
MODERNIZACIONES**
MOD SOLUTIONS
**SOLUTIONS POUR
MODERNISATIONS**

CHARACTERISTICS OF YOUR PEGASUS® DOOR



PRODUCTION RANGE

PUERTAS DE PISO		PUERTAS DE CABINA		C.O. mm		C.H. mm	
TIPO	ILUSTRACION	TIPO	ILUSTRACION	Min.	Max.	Min.	Max.
01/C		02/C		750	1800	2000	3500
11/R		12/R		800	1800		
11/L		12/L					
31/R		32/R		900	2100		
31/L		32/L					
41/C		42/C		1300	3200		
61/C		62/C		1800	3200		
71/R		72/R		600	1400		
71/L		72/L					

Designation	Reference	Picture
SUPRA MOTOR	2C2A902195G03	
MIDI SUPRA TRANSFORMER	2C2A601805G01	
MIDI SUPRA BOARD TYPE OTIS FLEX	2C2A903376G01IE	
WITTUR PROGRAMMING TOOL	2C3A900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA	2C2A030348	
MAGNET	C3215059001	
CONTACT REFSW FOR LIFT DOOR BOARD	2C2C601812G01	
REFSW CONTACT FOR ECO MIDI SUPRA	2C2C601812G02	
CLOSING DOOR RUBBER BUTTON	2C1M050401V01	
OPENING DOOR RUBBER BUTTO?	2C1M050401V02	
TOOTH BELT MIDI/SUPRA	2C1A272947	

Designation	Reference	Picture
SET OF MIDI SUPRA BELT CLAMPS	2C2A601345G01	
BELT CAMP FOR 2 COUPLER VERSION	2C2A902280G01	
TRUCK SEE ANNEXE*		Foto no Disponibile
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	
BOTTOM ROLLER METALLIC	2L1A140869	
ROPE DIVERTING ROLLER	2L1A050010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponibile
REOPENING MECHANISM SPRING	2L1A153002	

Designation	Reference	Picture
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	
LEFT COUPLER MIDI SUPRA	2C2A901872G05	
RIGHT COUPLER MIDI SUPRA	2C2A901872G15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK	2C2A901876G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK	2C2A901876G15	

Designation	Reference	Picture
LEFT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G05	
RIGHT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A902218G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A902218G15	
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G15	
LEFT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G15	
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02	2C2A399890V01	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA	2C1A055680	
ACTION DEVICE RETRACTABLE CAM HYDRA/PEGASUS	2C1A055955	

Designation	Reference	Picture
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA	2C2A901784G05	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040926	
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040927	
119E MECH RLS (PNL WO/WINDOW)	2C2A040928	
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C	2C2A901927G01	
CONTACT + BRACKET FOR CAR DOOR LOCK	2C2A901927G03	
CONTACT + BRACKET FOR CAR DOOR LOCK 12R	2C2A901927G04	
CONTACT + BRACKET FOR CAR DOOR LOCK 62C	2C2A901927G05	
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L	2C2A901927G07	
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R	2C2A901927G08	
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C	2C2A901929G01	

Designation	Reference	Picture
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 42C AND 62C	2C2A901932G01	
CAR DOOR LOCK SPACER DOOR 02 72	2C1A056266V01	
CAR DOOR LOCK SPACER DOOR 12 35 42 44	2C1A056266V02	
CAR DOOR LOCK SPACER DOOR 32 62 66	2C1A056266V03	
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER	2C2M902047G01	
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER	2C2M902047G02	
CONTACTO KF-9074	2L1A000001/ASTR	
CONTACT KF-2V	2C1A000001	
CONTACT SEL2-A1Z P	C3201159348	
BRIDGE KF-9075 PZ21	2L1A000002	
CONTACT SUPPORT PZ21 DOOR 4 AND 2 LATERAL PANELS	2C1A055046	

Designation	Reference	Picture
CONTACT SUPPORT FOR CAR DOOR	2C1A055098	
CONTACT SUPPORT KF	2C1A055114	
CONTACT SUPPORT CAR DOOR (CENTRALE DOOR)	2C1A055239	
MICROSWITCH NS 10A 125/250V	C3201159268	
THREADED FIXING PLATE	2C1A057021	
SPACER 6 MM FOR TRUCK FIXING	2C1A056010	
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	
SET OF 24 SHOES 2L1A050062	2L1A050062	
FIXING KIT FOR CAR DOOR TOE-GUARD	2C2A231250	
SLIDING SHOE FOR PANEL-PEGASUS	2C1A050020	
MAIN ROLLER PEGASUS	2L1H040012	

Designation	Reference	Picture
DOOR ROLLER PEGASUS CATAPOL WITH BUSHING	2L1H140054	
BRIDGE RIGHT SUPPORT 02C	3214055145V01	
BRIDGE LEFT SUPPORT 02C	3214055145V02	
KIT OF ACCESSORIES MD3 DOOR 3 AND 6 PANELS	2L2D399854V23	
KIT OF ACCESSORIES MD11 DOOR 2 AND 4 PANELS	2L2D399854V11	
SLIDING SHOE SUPPORT	2L1D155071	

ANNEX : HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Length

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER A PANEL ?

You need to give the following information:

- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

Diagram 1




Diagram 2





Diagram3



Before March 2011, all the panels had a fixed height (see table).

Example for a 02/C door, with standard dimensions:

Clear opening: 2000mm

HS dimensions: 2180mm

Panel height : 2012mm

Tipo de puerta	Altura de las hojas
11	HL +12
12	HSC -168
31	HL +12
32/33/34	HSC -168
01	HL +12
02	HSC -168
41/43	HL +12
42	HSC -168
44	HSC -213
61/65	HL +12
62/63	HSC -168
66	HSC -213

Since March 2011, there are 2 manufacturing types:

- Old execution (like the fabrication before March 2011).
- New execution MFB type, the height panel is 2032mm with a dimension HS between 2180mm and 2280mm; and a height of 2132mm with a dimension HS between 2281mm and 2380mm.



These panels are «adjustable» with the operator fixing brackets (see diagram 4).

Example for a 02/C door, with standard dimensions :

Height opening: 2000mm

HS Dimension: 2180mm

Panel height: 2032mm



OTHERS / OTROS	
HW	Pos.
180 - 222	●
223 - 265	●
266 - 280	●
281 - 322	●
323 - 365	●
366 - 380	●
381 - 422	●
423 - 465	●
466 - 480	●
481 - 522	●
523 - 565	●
566 - 580	●



T66 PL-1500	
Pos.	HW
●	225 - 267
●	268 - 310
●	311 - 325
●	326 - 367
●	368 - 410
●	411 - 425
●	426 - 467
●	468 - 510
●	511 - 525
●	526 - 567
●	568 - 610
●	611 - 625





Diagram 4

ANNEX : THE STANDARD SILLS


There are 2 types of standard aluminum sills:

Not reinforced: Load (F) acceptable until 470 KG


Reinforced: Load (F) acceptable until 920 KG






Aluminum standard sills for central opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

ANNEX:

HOW TO ORDER A CABLE OF TRANSMISSION ?

You need to give the follow information:

- Door range
- Door type
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»



PUERTAS
DOORS
PORTS

SOLUCIONES ELÉCTRICAS
ELECTRICAL SOLUTIONS
SOLUTIONS ÉLECTRIQUES

PIEZAS DE RECAMBIOS
SPARE PARTS
PIÈCES DÉTACHÉES

SOLUCIONES MECÁNICAS
MECHANICAL SOLUTIONS
SOLUTIONS MÉCANIQUES

RENOVACIÓN ESTÉTICA
AESTHETIC SOLUTIONS
SOLUTIONS ESTHÉTIQUES

NUESTROS KITS
DE MODERNIZACIÓN

OUR MOD KITS

NOS KITS DE
MODERNISATION



C-MOD
FLEXIBLE
FLEXIBLE
FLEXIBLE




CHARACTERISTICS OF YOUR PEGASUS® LANDING DOOR




PRODUCTION RANGE


PUERTAS DE PISO		PUERTAS DE CABINA		C.O.		C.H.	
TIPO	ILUSTRACION	TIPO	ILUSTRACION	Min.	Max.	Min.	Max.
01/C		60/C		750	1800	2000	3500
11/R		12/R		800	1800		
11/L		12/L					
31/R		32/R		900	2100		
31/L		32/L					
41/C		42/C		1300	3200		
61/C		62/C		1800	3200		
71/R		72/R		600	1400		
71/L		72/L					

Designation	Reference	Picture
TRUCK SEE ANNEXE*		Foto no Disponibile
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	
BOTTOM ROLLER METALLIC	2L1A140869	
ROPE DIVERTING ROLLER	2L1A050010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponibile
REOPENING MECHANISM SPRING	2L1A153002	
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	

Designation	Reference	Picture
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	
CONTACTO KF-9074	2L1A000001/ASTR	
CONTACT KF-2V	2C1A000001	
BRIDGE KF-9075 PZ21	2L1A000002	
CONTACT SUPPORT KF	2C1A055114	
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	
SET OF 24 SHOES 2L1A050062	2L1A050062	
SET OF 24 SHOES 2L1A050062	2L2A231360	
F.I.A EMERGENCY WITH RESET LEFT	2L1A130344V02	
F.I.A EMERGENCY WITH RESET RIGHT	2L1A130344V01	
EMERGENCY KEY STANDARD	1019325A01	

Designation	Reference	Picture
EMERGENCY KEY L=200MM	1019525A01L0200	
EMERGENCY KEY L=500MM	1019525A01L0500	
PZ 73 CONTACT	C3201059006	
CONTACT IP65 BERNSTEIN TI2-A1Z KS	C3201159276	
BRIDGE SPACER THICKNESS 1MM	2L1A059082	
BRIDGE SPACER THICKNESS 2MM	2L1A059082/2	
BRIDGE FIXING PLATE	2C1A057111	
LOCK HOOK RIGHT	2L1A055025V01	
LOCK HOOK LEFT	2L1A055025V02	
LOCK ROLLER WITH BEARING	2L2A030121	
KIT OF 12 LOCK ROLLERS	2C2A231386	

Designation	Reference	Picture
LOCK FELT	2L1A057060	
BERNSTEIN CONTACT FOR CAR DOOR LOCK 24V	1001022A02	
BERNSTEIN CONTACT FOR CAR DOOR LOCK 230V	1001022A03	
BUFFER FOR LOCK	C3201059098	
STOP TRUCK BUFFER	2C1A050001V01	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE	2L1A055057	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE	2C1A055057V01	
CABLE CRIMPLING TUBE	C3201059115	
ROPE CLAMP SUPPORT FIXING POINT SYNCHRONISATION ROPE	2L1A057018	
SPACER H=10 MM FOR SYNCHRONIZING ROLLER	2L1A056054	
SPACER FOR DIVERTING ROLLER DOOR 3 PANELS	2L1A056083	

Designation	Reference	Picture
SPACER 15MM FOR DIVERTING ROLLER	2C1A056100	
FIXING POINT FOR SYNCHRONISATION ROPE DOOR 43/R AND 65R	2L1A155157V02	
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A050037	
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS	2L2A231388	
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A155169	
ROLLER SUPPORT LEFT	2L1A155828V01	
ROLLER SUPPORT RIGHT	2L1A155828V02	
ROLLER SUPPORT FOR RE-CLOSING SYSTEM	2L1A030850	
RE-CLOSING SPRING	2L1A053007	
REINFORCED RE-CLOSING SPRING	2L1A053019	
SOUND INSULATION TUBE FOR RE- CLOSING SPRING LEN=500 MM	C3201059143	

Designation	Reference	Picture
ROPE SUPPORT FOR RE-CLOSING SPRNG	2L1A055040	
ROPE SUPPORT FOR DOUBLE RE-CLOSING SPRING	2L1A155447	
HOOK FOR RE-CLOSING SPRING	2L1A059256	
RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L1A154001V07	
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP	2L1A154855L400	
RE-CLOSING ROPE LEN=6000 MM + ROPE CLAMP	2L1A154001V12	
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L2A231397	
ROPE CLAMP FOR RE-CLOSING ROPE	C3201059285	
SLIDING SHOE FOR PANEL-PEGASUS	2C1A050020	
MAIN ROLLER PEGASUS	2L1H040012	
DOOR ROLLER PEGASUS CATAPOL WITH BUSHING	2L1H140054	

Designation	Reference	Picture
KIT OF ACCESSORIES MD3 DOOR 3 AND 6 PANELS	2L2D399854V23	
KIT OF ACCESSORIES MD11 DOOR 2 AND 4 PANELS	2L2D399854V11	
PIT EGRESS DEVICE DOOR 01/C	1019147A01	
PIT EGRESS DEVICE DOOR 11-31-41-61	1019144A01	

ANNEX : HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Length

The majority of information is in the identification labels.




See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER A PANEL ?

You need to give the follow information:


- Door type
- Clear opening
- Height opening (HL)
- Panel position - see diagram 1
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 2
- Fire resistant panel – see diagram 3

The majority of information is in the identification labels





ANNEX : THE STANDARD SILLS



There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG




Aluminium standard sills for central opening doors with 2 panels



Aluminium standard sills for lateral opening doors with 2 panels



Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

ANNEX: HOW TO ORDER A CABLE OF TRANSMISSION ?


You need to give the follow information:

- Door range
- Door type
- Clear opening




The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

CHARACTERISTICS OF YOUR FINELINE® DOOR



PRODUCTION RANGE

Type	Illustration	C.O. (mm)		C.H. (mm)		Package width
		Min.	Max	Min.	Max.	
4/S		600	900	1900	2100	115
4/AS-L		600	900	1900	2100	115
4/AS-R		600	900	1900	2100	115
01 / 02		600	900	1900	2100	85
11 / 12		600	900	1900	2100	115

MOTORIZATION TYPE

The Fineline door is available with the ECO motorization only

Designation	Reference	Picture
ECO TRANSFORMER	2C2M020852V02	
WITTUR PROGRAMMING TOOL	2C3A900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA	2C2A030348	
CLOSING DOOR RUBBER BUTTON	2C1M050401V01	
OPENING DOOR RUBBER BUTTO?	2C1M050401V02	
TOOTH BELT ECO	2C1M057400	
TOOTH BELT LOCKED CPL (LEFT SIDE SYM: WIDE SIDE ASYM)	902754H02	Foto no Disponibile
ECO TOOTHED PULLEY	2C2M040400	
TRUCK SEE ANNEXE*		Foto no Disponibile
SYNCHRONISATION ROPE SEE ANNEXE*		Foto no Disponibile
FINELINE BOARD EN81-20	903510G02SE	

Designation	Reference	Picture
FINELINE BOARD SERVICE DRIVE EN81-20	903510G02LE	
COMPLETE MOTOR 29 CENTRAL	903371A07	
COMPLETE MOTOR FINELINE 12/L	903371A05	
COMPLETE MOTOR FINELINE 12/L	903371A06	
GEARED MOTOR ASYM	903371G03	
GEARED MOTOR SYM	903371G04	
TOOTH BELT LOCKED CPL (LEFT SIDE SYM: WIDE SIDE ASYM)	89744G02	
TOOTH BELT LOCKED CPL (LEFT SIDE SYM: WIDE SIDE ASYM)	902766G01	
TOOTHED BELT PULLEY Z=14 FOR CO600- CO700	902938G01	
TOOTHED BELT PULLEY Z=12 FOR CO750- CO800	902938G02	
TOOTHED BELT PULLEY Z=10 FOR CO850- CO900	902938G03	

Designation	Reference	Picture
CAR DOOR LOCK AMD, TRANSPARENT CONTACT	W002105	
ROPE TOP FRAME FIXED POINT	902915G02	
SYNCHRONISATION ROLLER KIT	902915G03	
SYNCHRONISATION ROLLER	1000051A01	
SYNCHRONISATION ROPE L=990	902957P15	
SYNCHRONISATION ROPE L=1025	89739H02	
SYNCHRONISATION ROPE L=1274	1008299P07	
CLAMP FOR SYNCHRONIZATION ROPE	902915G01	
HANGER ROLLER KIT (4ST) + FIXINGS	902899G01	
COUPLER SET	902770G11	
COUPLER SET	902770G12	

Designation	Reference	Picture
COUPLER SYMETRICAL OPENING	902770G13	
COUPLER CH1900 2 PANEL	902770G14	Foto no Disponibile
COUPLER	902771G01	Picture Not Available
MEDBRINGARE	902771G02	Picture Not Available
SPRING FOR RETRACTABLE CAM/ COUPLER	902789H01	
SWING DOOR UNLOCKING	902730G01	
ALUMINIUM SILL C0700 DOOR 4S OLD VERSION	1014473P03C0700	
ALUMINIUM SILL C0700 DOOR 4S-L OLD VERSION	1014473P02C0700	
ALUMINIUM SILL C0700 DOOR 4S-R OLD VERSION	1014473P01C0700	
ALUMINIUM SILL C0800 DOOR 4S OLD VERSION	1014473P03C0800	
ALUMINIUM SILL C0800 DOOR 4S OLD VERSION	1014473P02C0800	

Designation	Reference	Picture
ALUMINIUM SILL CO800 DOOR 4S-L OLD VERSION	1014473P01C0800	
INOX SILL CO700 4S-EN81-20/50	1014902A01C0700	
INOX SILL CO 700 4AS-L EN81-20/50	1014902A03C0700	
INOX SILL CO 700 4AS-R EN81-20/50	1014902A02C0700	
INOX SILL CO 800 4S-EN81-20/50	1014902A01C0800	
INOX SILL CO 800 4AS-L EN81-20/50	1014902A03C0800	
INOX SILL CO 800 4AS-R EN81-20/50	1014902A02C0800	
PANEL SLIDING SHOES KIT = 8PCS	1013789A01	
PANEL SLIDING SHOES KIT = 4PCS	1006949A01	
FIXING SCREW M8X20	861537H02	
LEFT LANDING DOOR LOCK	902790G01	

Designation	Reference	Picture
RIGHT LANDING DOOR LOCK	902790G02	
LANDING DOOR LOCK 01C	1008063A01	Foto no Disponibile
LANDING DOOR LOCK 11L	1006794A01	Foto no Disponibile
LANDING DOOR LOCK 11R	1006794A02	Foto no Disponibile
KIT OF 3 LANDING DOOR ROLLERS	902794G01	
EMERGENCY SYSTEM WITH CONTACT 01C	1020204A01	
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 01C	1020204A02	
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 01	1020204A03	
EMERGENCY SYSTEM WITH CONTACT 11L	1018042A01	Foto no Disponibile
EMERGENCY SYSTEM WITH CONTACT 11R	1018042A02	Foto no Disponibile
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 11L	1018042A03	Foto no Disponibile

Designation	Reference	Picture
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 11R	1018042A04	Foto no Disponibile
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 11L	1018042A05	Foto no Disponibile
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 11R	1018042A06	Foto no Disponibile
EMERGENCY OPENING DEVICE DOOR 4AS/L-R	902985A01	
EMERGENCY OPENING DEVICE DOOR 4S y 11L	902985A02	
EMERGENCY OPENING DEVICE DOOR 01C	902985A03	
EMERGENCY OPENING DEVICE DOOR 11R	902985A04	
LINKAGE SYM. LANDING DOOR (FOR EMERGENCY OPENING DEVICE)	902990H02	
SPACER FOR UNLOCKING LEVER	902988H01	
KIT OF SAFETY SWITCH DOOR 4S + 4AS-L	1009714G01	
KIT OF SAFETY SWITCH DOOR 4AS-R	1009714G02	

Designation	Reference	Picture
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 4S AND 4AS/L	1009714G03	Foto no Disponibile
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 4AS-R	1009714G04	Foto no Disponibile
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 4S AND 4AS/L	1009714G05	Foto no Disponibile
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 4AS-R	1009714G06	Foto no Disponibile
BUSHING FOR EOD	3212059500	
SPRING FOR EOD	3212059501	
PANEL BUFFER	W001296	
ROLLER FOR COUNTERWEIGHT	601115G01	
KIT OF ROLLER AND SUPPORT FOR COUNTERWEIGHT	903006G01	
CLOSING ROPE FOR COUNTERWEIGHT	902992A01	
FELT/METER	1010482P07	

Designation	Reference	Picture
COUNTERWEIGHT GUIDING SHOE	2L1H230509V02	
CONNECTOR SLAS/4B/SN 4P.FEMALE	2C1M050793	
ACCESSORIES KIT FIXING PANELS TYPE 4S 4AS	902995A01	Foto no Disponibile
ACCESSORIES KIT FIXING PANELS TYPE 01 02 11 12	1010397A01	
KIT FRAME FIXING DOOR 01C	1007159A01	
KIT FRAME FIXING DOOR 4S 4AS 11RL	1007159A02	
BOTTOM BRACKET KIT FOR ALUMINIUM SILL 01C 02C	1007156A01	
BOTTOM BRACKET KIT FOR ALUMINIUM SILL 4S 4AS 11RL	1007156A02	

ANNEX: HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Length

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»


ANNEX : HOW TO ORDER A FINELINE DOOR PANEL ?

You need to give the following information:


- Door type
- Clear opening (PL)
- Height opening (HL)
- Panel position - See diagram
- Panel width
- Panel height
- Panel thickness
- Panel finishing

The majority of information is in the identification labels.

**Symmetrical door
4 panels**




**Asymmetrical door
Right**




**Lateral door
Left**




**Asymmetrical door
Left**



Central opening



**Lateral door
Right**



ANNEX :

HOW TO ORDER A FINELINE SILL ?

You need to give the following information:

- Door type
- Clear opening
- Door manufacturing standard

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

ANNEX: HOW TO ORDER A CABLE OF TRANSMISSION ?

You need to give the follow information:

- Door range
- Door type
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»



B-HR

**ALTAS PRESTACIONES
HIGH PERFORMANCE
HAUTES PERFORMANCES**



HYDRA
**MULTIFUNCIÓN
MULTIPURPOSE
MULTIUSAGE**



CHARACTERISTICS OF YOUR AUGUSTA EVO® DOOR



PRODUCTION RANGE

AUGUSTA EVO LANDING DOORS		AUGUSTA EVO CAR DOORS		CO mm		CH mm	
TYPE	ILLUSTRATION	TYPE	ILLUSTRATION	Min.	Max.	Min.	Max.
TY 01/C		TY 02/C		700	1100	2000	2200
TY 11/R		TY 12/R					
TY 11/L		TY 12/L					

MOTORIZATION TYPE

The Augusta Evo door is available with the ECO motorization only.

Designation	Reference	Picture
ECO TRANSFORMER	2C2M020852V02	
CLOSING DOOR RUBBER BUTTON	2C1M050401V01	
OPENING DOOR RUBBER BUTTO?	2C1M050401V02	
ECO TOOTHED PULLEY	2C2M040400	
TRUCK SEE ANNEXE*		Foto no Disponibile
TOP ROLLER STANDARD Ø56	1005345P01	
TOP ROLLER IN DELRIN AND SS BEARING	1019136A01	
ROPE DIVERTING ROLLER	2L1A050010	
MONOSTABLE BERNSTEIN CONTACT NO/ NC RESET MANUAL IP54	W002116	
BISTABLE CONTACT NO/NC	W002415	
EMERGENCY KEY STANDARD	1019325A01	


Designation	Reference	Picture
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A050037	
ECO TRANSFORMER	2C2M020852V01	
UNLOCKING SYSTEM KIT 11	1005980A01	
UNLOCKING SYSTEM KIT 01	1005980A02	
CONTACT	W002532	
BRIDGE	W002533	
BERNSTEIN CONTACT 24V	W002264	Foto no Disponibile
TOP ROLLER FOR SLOW TRUCK DOOR 11	1005297P01	
BOTTOM ROLLER	1005343A01	
TOP ROLLER FOR SPEED TRUCK OLD MODEL	2L1M050038V01	
STANDARD UPPER ROLLER	2L1M050039	





Designation	Reference	Picture
BOTTOM ROLLER FOR HIGH SPEED TRUCK	2L1C040002	
BUFFER	1005355P01	
SPRING	1005528P01	
LOCK BUFFER	1005332P01	
LOCK ROLLER DOOR T11-01	2L1M050037	
BOTTOM ROLLER SUPPORT DOOR 01/C AND 11L	1005347A01	
BOTTOM ROLLER SUPPORT DOOR 11R	1005347A11	
NUT M8	1005399P01	
SYNCHRONISATION ROPE DOOR 01/C CO=700	1005867A01	
SYNCHRONISATION ROPE DOOR 01/C CO=750	1005867A02	
SYNCHRONISATION ROPE DOOR 01/C CO=800	1005867A03	

Designation	Reference	Picture
SYNCHRONISATION ROPE DOOR 01/C CO=850	1005867A04	
SYNCHRONISATION ROPE DOOR 01/C CO=900	1005867A05	
SYNCHRONISATION ROPE DOOR 01/C CO=950	1005867A06	
SYNCHRONISATION ROPE DOOR 01/C CO=1000	1005867A07	
SYNCHRONISATION ROPE DOOR 01/C CO=1050	1005867A08	
SYNCHRONISATION ROPE DOOR 01/C PL=1100	1005867A09	
SYNCHRONISATION ROPE DOOR 11 CO=700	1005867A11	
SYNCHRONISATION ROPE DOOR 11 CO=750	1005867A12	
SYNCHRONISATION ROPE DOOR 11 CO=800	1005867A13	
SYNCHRONISATION ROPE DOOR 11 CO=850	1005867A14	
SYNCHRONISATION ROPE DOOR 11 CO=900	1005867A15	






Designation	Reference	Picture
SYNCHRONISATION ROPE DOOR 11 CO=950	1005867A16	
SYNCHRONISATION ROPE DOOR 11 CO=1000	1005867A17	
SYNCHRONISATION ROPE DOOR 11 CO=1050	1005867A18	
SYNCHRONISATION ROPE DOOR 11 CO=1100	1005867A19	
CABLE	1019282A03	
AUGUSTA EVO BELT CO=700	1011696P071	
AUGUSTA EVO BELT CO=750	1011696P076	
AUGUSTA EVO BELT CO=800	1011696P081	
AUGUSTA EVO BELT CO=850	1011696P086	
AUGUSTA EVO BELT CO=900	1011696P091	
AUGUSTA EVO BELT CO=950	1011696P096	

Designation	Reference	Picture
AUGUSTA EVO BELT CO=1000	1011696P101	
AUGUSTA EVO BELT CO=1050	1011696P106	
AUGUSTA EVO BELT CO=1100	1011696P111	
SPRING CO>900MM	1005528P02	
ROPE PULLEY D45MM	1005476P01	Foto no Disponibile
ALUMINIUM SILL SUPPLEMENT CO700 01/11	1006556A03	
ALUMINIUM SILL SUPPLEMENT CO750 01/11	1006556A04	
ALUMINIUM SILL SUPPLEMENT CO800 01/11	1006556A01	
ALUMINIUM SILL SUPPLEMENT CO850 01/11	1006556A05	
ALUMINIUM SILL SUPPLEMENT CO900 01/11	1006556A02	
ALUMINIUM SILL SUPPLEMENT CO950 01/11	1006556A06	

Designation	Reference	Picture
ALUMINIUM SILL SUPPLEMENT CO1000 01/11	1006556A07	
ALUMINIUM SILL SUPPLEMENT CO1050 01/11	1006556A08	
ALUMINIUM SILL SUPPLEMENT CO1100 01/11	1006556A09	
ALUMINIUM SILL CO700 DOOR 01	1005734P070	
ALUMINIUM SILL CO750 DOOR 01	1005734P075	
ALUMINIUM SILL CO800 DOOR 01	1005734P080	
ALUMINIUM SILL CO850 DOOR 01	1005734P085	
ALUMINIUM SILL CO900 DOOR 01	1005734P090	
ALUMINIUM SILL CO950 DOOR 01	1005734P095	
ALUMINIUM SILL CO1000 DOOR 01	1005734P100	
ALUMINIUM SILL CO1050 DOOR 01	1005734P105	

Designation	Reference	Picture
ALUMINIUM SILL CO1100 DOOR 01	1005734P110	
ALUMINIUM SILL CO800 DOOR 11	1005716P070	
ALUMINIUM SILL CO750 DOOR 11	1005716P075	
ALUMINIUM SILL CO800 DOOR 11	1005716P080	
ALUMINIUM SILL CO850 DOOR 11	1005716P085	
ALUMINIUM SILL CO900 DOOR 11	1005716P090	
ALUMINIUM SILL CO950 DOOR 11	1005716P095	
ALUMINIUM SILL CO1000 DOOR 11	1005716P100	
ALUMINIUM SILL CO1050 DOOR 11	1005716P105	
ALUMINIUM SILL CO1100 DOOR 11	1005716P110	
ALUMINIUM PROTECTION L=700	1013314P070	

Designation	Reference	Picture
ALUMINIUM PROTECTION L=750	1013314P075	
ALUMINIUM PROTECTION L=800	1013314P080	
ALUMINIUM PROTECTION L=850	1013314P085	
ALUMINIUM PROTECTION L=900	1013314P090	
ALUMINIUM PROTECTION L=950	1013314P095	
ALUMINIUM PROTECTION L=1000	1013314P100	
ALUMINIUM PROTECTION L=1050	1013314P105	
ALUMINIUM PROTECTION L=1090	1013314P109	
ALUMINIUM PROTECTION L=1100	1013314P110	
ALUMINIUM PROTECTION L=1165	1013314P116	
ALUMINIUM PROTECTION L=1240	1013314P124	

Designation	Reference	Picture
ALUMINIUM PROTECTION L=1315	1013314P131	
ALUMINIUM PROTECTION L=1390	1013314P139	
ALUMINIUM PROTECTION L=1465	1013314P146	
ALUMINIUM PROTECTION L=1540	1013314P154	
ALUMINIUM PROTECTION L=1615	1013314P161	
ALUMINIUM PROTECTION L=1690	1013314P169	
KIT OF 4 SHOES	1011631A01	
KIT OF PROVIONAL DOOR PANEL SHOES	1014920A01	
DOOR PANEL SHOE	1011625P01	
EMERGENCY RELEASE KIT T11R N/81-21	1020661A02	
EMERGENCY RELEASE KIT T11L T01-LDU N/81-21	1020661A01	

Designation	Reference	Picture
EMERGENCY RELEASE KIT T01 N/81-21	1020660A03	
EMERGENCY RELEASE KIT T01 N/81-21	1020660A02	
KIT MICRO EMER T11R SP>100	1011028A01	
KIT MICRO EMER T11R SP>100 2E	1011028A02	
KIT MICRO EMER T11R SML-EPK	1011028A03	
KIT MICRO EMER T11R SML-EPK 2E	1011028A04	
KIT MICRO EMER T11R REM24vNCNC	1011028A05	
KIT MICRO EMR T11R REM24vNC 2E	1011028A06	
KIT MICRO EMER T11R REM230NCNC	1011028A07	
KIT MICRO EMR T11R R230NCNC 2E	1011028A08	
KIT MICRO EMER T11R SP=100	1011028A12	

Designation	Reference	Picture
KIT MICRO EMER T11R SP=100 2E	1011028A13	
KIT MICRO EMER T11R REM230NCNO	1011028A14	
KIT MICRO EMR T11R R230NCNO 2E	1011028A15	
KIT MICRO EMER T11L SP>100	1011028A20	
KIT MICRO EMER T11L SP>100 2E	1011028A21	
KIT MICRO EMER T11L SML-EPK	1011028A22	
KIT MICRO EMER T11L SML-EPK 2E	1011028A23	
KIT MICRO EMER T11L REM24vNCNC	1011028A24	
KIT MICRO EMR T11L REM24vNC 2E	1011028A25	
KIT MICRO EMER T11L REM230NCNC	1011028A26	
KIT MICRO EMR T11L R230NCNC 2E	1011028A27	


Designation	Reference	Picture
KIT MICRO EMER T11L SP=100	1011028A33	
KIT MICRO EMER T11L SP100 2E	1011028A34	
KIT MICRO EMER T11L REM230NCNO	1011028A35	
KIT MICRO EMR T11L R230NCNO 2E	1011028A36	
KIT MICRO EMER 01 S/HUE SP>100	1011074A02	
KIT MICRO EMR 01 S/HU SP>1002E	1011074A03	
KIT MICRO EMER 01 SML-EPK S/HU	1011074A04	
KIT MICRO EMR 01 SMLEPK S/HU2E	1011074A05	
KIT MICRO EM T01 REM24vNCNC S/	1011074A07	
KIT MICRO EM 01 REM24NCNC S/2E	1011074A08	
KIT MICRO EM T01 RM230vNCNC S/	1011074A10	

Designation	Reference	Picture
KIT MICRO EM 01 RM230NCNC S/2E	1011074A11	
KIT MICRO EM T01 RM230vNCNO S/	1011074A15	
KIT MICRO EM 01 RM230NCNO S/2E	1011074A16	
KIT MICRO EMER 01 S/HUE SP=100	1011074A17	
KIT MICRO EMR 01 S/HU SP100 2E	1011074A18	
KIT MICRO EMER 01 C/HUE SP>100	1011074A52	
KIT MICRO EMR 01 C/HU SP>1002E	1011074A53	
KIT MICRO EMER 01 SML-EPK S/HU	1011074A54	
KIT MICRO EMR 01 SMLEPK S/HU2E	1011074A55	
KIT MICRO EM T01 REM24vNCNC C/	1011074A57	
KIT MICRO EM 01 REM24NCNC C/2E	1011074A58	

Designation	Reference	Picture
KIT MICRO EM T01 RM230vNCNC C/	1011074A60	
KIT MICRO EM 01 RM230NCNC C/2E	1011074A61	
KIT MICRO EM T01 RM230vNCNO C/	1011074A65	
KIT MICRO EM 01 RM230NCNO C/2E	1011074A66	
KIT MICRO EMER 01 C/HUE SP=100	1011074A67	
KIT MICRO EMR 01 C/HU SP1002E	1011074A68	
EMERGENCY DEVICE DOOR 01/C 11L	1008226A01	
EMERGENCY DEVICE DOOR 01/C 11L	1008226A02	
SINCR CABEL T02 PL700 M1=2930	1022220A01	
SINCR CABEL T02 PL750 M1=3130	1022220A02	
SINCR CABEL T02 PL800 M1=3215	1022220A03	

Designation	Reference	Picture
SINCR CABEL T02 PL850 M1=3330	1022220A04	
SINCR CABEL T02 PL900 M1=3615	1022220A05	
SINCR CABEL T02 PL950 M1=3730	1022220A06	
SINCR CABEL T02 PL1000 M1=4015	1022220A07	
SINCR CABEL T02 PL1050 M1=4130	1022220A08	
SINCR CABEL T02 PL1100 M1=4230	1022220A09	
BELT AUGUSTA EVO	1011696P070	
BELT AUGUSTA EVO	1011696P075	
BELT AUGUSTA EVO	1011696P080	
BELT AUGUSTA EVO	1011696P085	
BELT AUGUSTA EVO	1011696P090	

Designation	Reference	Picture
BELT AUGUSTA EVO	1011696P095	
BELT AUGUSTA EVO	1011696P100	
BELT AUGUSTA EVO	1011696P105	
BELT AUGUSTA EVO	1011696P110	
MAGNET ASSEMBLY SX ECO+	1022343A05	
MAGNET ASSEMBLY DX ECO+	1022343A06	
MOTOR ECO T12L VERT	1022411A01	
MOTOR ECO T12R-02 VERT	1022411A02	
MOTOR ECO T12L HORIZ	1022411A03	
MOTOR ECO T12R-02 HORIZ	1022411A04	
CONNECTOR SLAS/4B/SN 4P.FEMALE	2C1M050793	

Designation	Reference	Picture
MAGNET ASSEMBLY ECO+	1022343A01	
COUPLER T02-12/R	1011309A03	
COUPLER T12/L	1011309A13	
FIXED LOCK PART T12/L	1018590A01	
FIXED LOCK PART T12/R	1018590A02	
FIXED LOCK PART T02	1019685A01	
WSE EVO LIGHT CURTAIN	1001002A04	
FICO KIT T02 AUG EVO	1021972A01	Foto no Disponibile
FICO KIT T12 AUG EVO	1014498A01	Foto no Disponibile

ANNEX: HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER AN AUGUSTA EVO DOOR PANEL ?

You need to give the follow information:

- Door type
- Clear opening (PL)
- Height opening (HL)
- Panel position
- Panel width
- Panel height
- Panel thickness
- Panel finishing

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

ANNEX: HOW TO ORDER AN AUGUSTA EVO SILL ?

For any other request for sill, you need to give the follow information :

- Door type
- Clear opening

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»



AUGUSTA EVO
RESIDENCIAL
ESSENTIAL
ESSENTIEL



FINELINE
PISADERA COMPACTA
COMPACT SILL
SEUIL COMPACT



CHARACTERISTICS OF YOUR ECOBUS® DOOR




PRODUCTION RANGE

Door type	Illustration	Clear opening (CO)		Clear height (CH)
Flat Version		500	850	2000 2100
		550	900	
		600	950	
		650	1000	
		700	1050	
		750	1100	
		800		


MOTORISATION TYPE

The Ecobus 2.0 door is available with the ECO motorization only.

Designation	Reference	Picture
ECO TRANSFORMER	2C2M020852V02	
WITTUR PROGRAMMING TOOL	2C3A900050G01	
TOOTH BELT ECO	2C1M057400	
ECO TOOTHED PULLEY	2C2M040400	
CONTACT SEL2-A1Z P	C3201159348	
ECO TRANSFORMER	2C2M020852V01	
CONTACT	W002532	
BRIDGE	W002533	
ECO BOARD	2C2M903511G01UE	
ECO BOARD TYPE OTIS FLEX (3 WIRE)	2C2M903510G01FE	
MECHANICAL RELEASE	2C2R030003	

Designation	Reference	Picture
ECOBUS MOTOR R2	1011110A01	
ECO MOTOR SUPPORT	1010542P01	
KIT TOP CENTER FIXING SHOES	1011739	
KIT CONTACT + ACCESORIES CLOSE END STOP	1011109A01	
SLIDER LEFT	1007798A01	
SLIDER RIGHT	1011121A01	
RAMP FINXING PART LOAD	1011616A01	
RAMP ACTIVATING ROPE	1013631A01	
PLASTIC ROLLER	1008247P01	
SHUNT	W002170	
SPRING BOLT	1007784P01	

Designation	Reference	Picture
WASHER	W000330	
BELT CLAMP	1007794P02	
RIGHT PLASTIC COVER	1012536P02	
LEFT PLASTIC COVER	1012536P01	
RING	1007807P01	
HINGE PINS L=1990	1007859P01	
BOLT TOP AND BOTTOM PANEL DOOR	1007856P02	
PANEL BOTTOM CENTER FIXING	1007883A01	
GLASS C0700-790	1011139P01	Foto no Disponibile
GLASS C0800-1100	1011139P02	Foto no Disponibile
GLASS C0700-790	1011139P03	Foto no Disponibile

Designation	Reference	Picture
GLASS CO800-1100	1011139P04	Foto no Disponibile
LINKAGE LEFT	1007755A01	
LINKAGE RIGHT	1007755A02	
RING	1000497P01	
EVO SLIM WSE DETECTOR	1001002A06	
SPECIAL WASHER	1012429P01	
COMPRESSION SPRING	601524H01	

ANNEX: HOW TO ORDER AN ECOBUS 2.0 DOOR PANEL ?

You need to give the follow information:

- Clear opening (PL)
- Height opening (HL)
- Panel position
- Panel finishing

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

ANNEX : HOW TO ORDER AN ECOBUS 2.0 SILL?

For any other request for sill, you need to give the follow information :

- Door type
- Clear opening

The majority of information is in the identification labels

See the chapter «IDENTIFICATION LABELS»

CHARACTERISTICS OF YOUR ECOBUS 3411 DOOR



Designation	Reference	Picture
ECO MOTOR	2C2R020007	
ECO TRANSFORMER	2C2M020852V02	
WITTUR PROGRAMMING TOOL	2C3A900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA	2C2A030348	
MAGNET	C3215059001	
CONTACT REFSW FOR LIFT DOOR BOARD	2C2C601812G01	
REFSW CONTACT FOR ECO MIDI SUPRA	2C2C601812G02	
CLOSING DOOR RUBBER BUTTON	2C1M050401V01	
OPENING DOOR RUBBER BUTTO?	2C1M050401V02	
TOOTH BELT ECO	2C1M057400	
BELT CLAMP	2C1A050098	

Designation	Reference	Picture
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA	2C1A055680	
CONTACT SEL2-A1Z P	C3201159348	
CONTACT SUPPORT KF	2C1A055114	
ANTI-DERAILEMENT COVER FOR ROLLER 2L1A050037	2L1A050037	
ECO BOARD TYPE OTIS FLEX (3 WIRE)	2C2M903510G01FE	
DIVERTING PULLEY ECO WITH SUPPORT	2C2M030400	
RIVETED BELT FIXED FLAT PO550	2C2R040012V01	
RIVETED BELT FIXED FLAT PO600-650	2C2R040012V02	
RIVETED BELT FIXED FLAT PO700-750	2C2R040012V03	
RIVETED BELT FIXED FLAT PO800-850	2C2R040012V04	
RIVETED BELT FIXED FLAT PO900-950	2C2R040012V05	

Designation	Reference	Picture
RIVETED BELT FIXED FLAT PO1000-105	2C2R040012V06	
RIVETED BELT FIXED FLAT PO1100-115	2C2R040012V07	
SICKEL ASSEMBLY RIGHT LL 700-1100MM	2C2R020011	
SICKEL ASSEMBLY RIGHT LL 500-699MM	2C2R020011V01	
SICKEL ASSEMBLY LEFT LL 700-1100MM	2C2R020012	
SICKEL ASSEMBLY LEFT LL 500-699MM	2C2R020012V01	
SICKEL LEFT LL 700-1000MM	2C2R030011V01	
SICKEL LEFT LL 500-699MM	2C2R030011V03	
SICKEL LEFT LL 700-1100MM	2C2R030011V02	
SICKEL LEFT LL 500-699MM	2C2R030011V04	
GUIDING BLOCK RIGHT	2C1R050003	

Designation	Reference	Picture
GUIDING BLOCK LEFT	2C1R050004	
BRIDGE PZ18	C3201159090	
MECHANICAL RELEASE	2C2R030003	
COUPLER SUPPORT L=950	2C1R055034V03	
COUPLER OPERATING LEVER	2C2R020005V02	
KIT DEFLECTION WHEEL (MECHANICAL RELEASE)	2C2R390001V02	
PLASTIC BUSHING	2C1R050001	
TOP PLASTIC RING	2C1R050006	
GLASS/WINDOW 70MM KIT 2 GLASS	2C2R390005V01	
GUIDESHOE	2C2R390001V01	



ECO BUS

PUERTA DE CABINA
PLEGABLE

FOLDING CAR DOOR
PORTE CABINE PLIANTE



3 RAZONES 3 REASONS 3 RAISONS

para asegurar pleasure
de recorrerlo viajando Wittur
to keep Wittur
garantiza buena parte
d'habiter les piliers
d'habiter Wittur

1
VALOR
VALUE
VALEUR

2
ASCENSOR PARADO DURANTE
MENOS TIEMPO
LESS DOWNTIME
TEMPS D'IMMOBILISATION RÉDUITS

3
SERVICIO AL CLIENTE
CUSTOMER SERVICE
SERVICE CLIENTS

ONLINE



Witturshop
QUALITY IN A BOX




PIEZAS DE RECAMBIO
ORIGINALES


WITTUR ORIGINAL
SPARE PARTS

PIÈCES DÉTACHÉES
ORIGINALES WITTUR



CHARACTERISTICS OF YOUR AMD DOOR



Designation	Reference	Picture
MIDI SUPRA TRANSFORMER	2C2A601805G01	
ECO BOARD	2C2M903510G01IFE	
WITTUR PROGRAMMING TOOL	2C3A900050G01	
TOOTH BELT MIDI/SUPRA	2C1A272947	
SET OF MIDI SUPRA BELT CLAMPS	2C2A601345G01	
MIDI SUPRA TOOTH BELT PULLEY	2C2A601319G01	
CONTACT SEL2-A1Z P	C3201159348	
CAR DOOR LOCK AMD, TRANSPARENT CONTACT	W002105	
ROLLER FOR COUNTERWEIGHT	601115G01	
MIDI SUPRA BOARD S/EN81-20/50	2C2A903376G01KE	
GEARED MOTOR (AC-BRUSHLESS), MIDI	903375G03	



Designation	Reference	Picture
GEARED MOTOR (AC-BRUSHLESS), MIDI	903375G04	
SUPRA MOTOR UNIT, D2, LH (IF RETRACTABLE CAM/COUPLER LH)	601370G03	
SUPRA MOTOR UNIT, D2, RH (IF RETRACTABLE CAM/COUPLER RH)	601370G04	
MOTOR UNIT D1 LEFT	903370G03	
MOTOR UNIT D1 RIGHT	903370G04	
TOP ROLLER AMD2 WITHOUT SCREW, P. 84, Ø93	601106G01	
TOP ROLLER AMD2 COMPLETE WITH ECCENTRIC SCREW	601106G02	
BOTTOM ROLLER NORDIC. R2	378032G01	
SYNCHRONIZATION ROLLER	601323G01	
HANGER ROLLER, D50, D273MGB.045-POS.1	89628G02	
COUNTER ROLLER, D44, D273MGB.045-POS.3	89629G02	

Designation	Reference	Picture
LOCK ROLLER SMALL R1	601865G02	Foto no Disponibile
SYNCHR. ROPE; CAR, L=4280	601116G13	
SYNCHR. ROPE; AMD L=6700 MM	601116G14	
SYNCHRONIZATION ROPE LEN=9700MM	601116G15	
SPRING FOR SYNCHRONISATION ROPE	88583H01	
SYNCHRONIZATION ROPE	601027H07	
CONTACT BRIDGE FOR COUPLER	274100	
CONTACT IP54	51097351	
LOCK COUPLER R1 NH 300 RIGHT	900650G13	Foto no Disponibile
COUPLER	900650G03	Foto no Disponibile

YOUR C-MOD DOOR SEMAPIC



Designation	Reference	Picture
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 1500MM	BL-B105AAIX02	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 1500MM	BL-B105AAJX02	
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM	BL-B105AALX02	
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM	BL-B105AANX02	
KIT FOR REPLACEMENT OF SDS® DC-PWM REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX01	
KIT FOR REPLACEMENT OF SDS® BRUSHLESS REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX03	
KIT FOR REPLACEMENT SZS® DC-PWM BOARD AND FIXING PLATES	BL-B111AAQX	
SEMATIC DRIVE SYSTEM® POWER SUPPLY CABLE FOR BX-HYDROELITE CONNECTION	BL-B066AAMX	
SDS/SRS HANDSET WITH CABLE RJ45	BL-B111AAKX	
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM)	BL- C076AACG-10000	
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM)	BL-B130AAFX	

Designation	Reference	Picture
2 X ROLLERS Ø53MM (EXTERNAL 60MM)	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC	BL-C144AAOP	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM)	BL-0101	
SINGLE-GROOVE ROLLERS FOR LINKING ROPE Ø32MM	BL-C144ABHX	
2 X ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL)	BL-MC144AAX	
SYNCHRONIZATION ROPE Ø3MM (L=1125MM)	BL-C088AABF11	
SYNCHRONIZATION ROPE Ø3MM (L=1175MM)	BL-C088AABF13	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM)	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM)	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM)	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM)	BL-C088AABF27	

Designation	Reference	Picture
SYNCHRONIZATION ROPE Ø3MM (L=1625MM)	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM)	BL-C088AABF35	
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K4Z, K2L)	BL-B152ACHX01	
EXPANSION SKATE WITHOUT CAR DOOR LOCK (K4Z, K2R)	BL-B152ACHX02	
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K2-4-6Z, K1-2-3L)	BL-B152ACDX01	
C-MOD EXP SKATE K2-4-6Z K1-2-3R	BL-B152ACDX02	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2L)	BL-B152ACJX01	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2R)	BL-B152ACJX02	
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3L K2Z	BL-B152ACQX01	
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3R K2Z	BL-B152ACQX02	
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2L)	BL-B152ACRX01	

Designation	Reference	Picture
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2R)	BL-B152ACRX02	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K2Z,)	BL-B152ACSX02	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3L)	BL-B152ACSX03	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3R)	BL-B152ACSX04	
2 X TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED)	BL-B102AADX	
2 X TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW)	BL-B102AAEX	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD)	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12)	BL-E073AAKX01	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE)	BL-C116AAFP	
S2Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY	BL-A018AABX01	Foto no Disponibile
S2-3L C-MOD EN81-20/50 EMERGENCY ASSEMBLY	BL-A018AACX01	Foto no Disponibile



Designation	Reference	Picture
S2-3R - S4Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY	BL-A018AACX02	
LANDING DOOR LOCK RELEASE (LEFT PANEL)	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGH PANEL)	BL-B018AAPX02	
TKC MONOSTABLE CONTACT	BL-CX00XAAXCW1	
TKC MONOSTABLE CONTACT (TYPE C2- U1Z COØ600.8104.02)	BL-CX00XAAXDJJ	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2L	BL-B151AEGX01	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2R	BL-B151AEGX02	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3L	BL-B151AEGX03	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3R	BL-B151AEGX04	
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3L	BL-B153ACJX01	
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3R	BL-B153ACJX02	

Designation	Reference	Picture
C-MOD UNIFIED ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY RIGHT HAND	BL-B158AEFX02	
C-MOD UNIFIED LOCK REPLACEMENT KIT FOR CENTER DOOR	BL-H153ADAX	
C-MOD UNIFIED LOCK REPLACEMENT KIT S2L	BL-H153ADBx	
C-MOD UNIFIED LOCK REPLACEMENT KIT S2R	BL-H153ADCx	
C-MOD UNIFIED LOCK REPLACEMENT KIT S3L	BL-H153ADGX	
C-MOD UNIFIED LOCK REPLACEMENT KIT S3R	BL-H153ADHX	
LEFT LOCK IP20 POUR EXPANSION SKATE S2L/S3L	B153ABZX05	
RIGHT LOCK IP20 POUR EXPANSION SKATE S2L/S3L	B153ABZX06	
LEFT LOCK PLATE ASSEMBLY WITH CONTACT S2L	BL-B151ACCX01	
RIGHT LOCK PLATE ASSEMBLY WITH CONTACT S2R	BL-B151ACCX02	
LEFT LOCK PLATE ASSEMBLY WITH CONTACT S2Z/S4Z	BL-B151ACAX01	


Designation	Reference	Picture
RIGHT LOCK PLATE ASEMBLY WITH CONTACT S2Z/S4Z	BL-B151ACAX02	
2 X UNIFIED LANDING DOOR LOCK C-MOD ROLLER ASSEMBLY	BL-B138AAPX	
RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 16MM)	BL-C138AAAG02	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE)	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE)	BL-C102AAMI02	
DOOR CLOSE SPIRATOR Ø127MM	BL-CX00XAAXDEV	
DOOR CLOSE SPIRATOR Ø86MM	BL-CX00XAAXDFW	
COUNTERWEIGHT ROPE (LENGTH: 2320 MM)	BL-C088AARX05	
KIT FOR REPLACEMENT OF THE SDS® AC-VVVF BRUSHLESS MV	BL-B111AAUX	

CHARACTERISTICS OF YOUR B-GOODS DOOR



Designation	Reference	Picture
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 1500MM	BL-B105AAIX02	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 1500MM	BL-B105AAJX02	
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM	BL-B105AALX02	
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM	BL-B105AANX02	
KIT FOR REPLACEMENT OF SDS® DC-PWM REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX01	
KIT FOR REPLACEMENT OF SDS® BRUSHLESS REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX03	
SDS/SRS HANDSET WITH CABLE RJ45	BL-B111AAKX	
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM)	BL- C076ACG-10000	
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM)	BL-B130AAFX	
2 X ROLLERS Ø53MM (EXTERNAL 60MM)	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC	BL-C144AAOP	

Designation	Reference	Picture
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM)	BL-0101	
2 X ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL)	BL-MC144AAX	
SYNCHRONIZATION ROPE Ø3MM (L=1125MM)	BL-C088AABF11	
SYNCHRONIZATION ROPE Ø3MM (L=1175MM)	BL-C088AABF13	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM)	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM)	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM)	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM)	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM)	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM)	BL-C088AABF35	
2 X TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED)	BL-B102AADX	


Designation	Reference	Picture
2 X TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW)	BL-B102AAEX	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD)	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12)	BL-E073AAKX01	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE)	BL-C116AAFP	
LANDING DOOR LOCK RELEASE (LEFT PANEL)	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGHT PANEL)	BL-B018AAPX02	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE)	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE)	BL-C102AAMI02	
2 X LOCK TORSION SPRING «L-Z» IP54 (WHITE)	BL-C102AAPI01	
2 X LOCK TORSION SPRING «R-Z» IP54 (WHITE)	BL-C102AAPI02	
DOOR CLOSE SPIRATOR Ø127MM	BL-CX00XAAXDEV	

Designation	Reference	Picture
DOOR CLOSE SPIRATOR Ø86MM	BL-CX00XAAXDFW	
1 NM DC MOTOR WITH OPTICAL ENCODER, 200V	BL-B105AAAX01	
2 NM DC MOTOR WITH OPTICAL ENCODER, 60V	BL-B105AAAX02	
1 NM DC MOTOR IP54 WITH OPTICAL ENCODER, 200V	BL-B105AABX01	
2 NM DC MOTOR IP54 WITH OPTICAL ENC	BL-B105AABX02	
2,4 NM PREWIRED AC BRUSHLESS MOTOR, 24VCC - CABLE 2000MM	BL-B105AAGX	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 500MM	BL-B105AAIX01	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 500MM	BL-B105AAJX01	
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 500MM	BL-B105AANX01	
DUNKER PREWIRED DC MOTOR GR 63X25 IP54, 24V CC - CABLE 2000MM	BL-B105AAPX01	
DUNKER PREWIRED DC MOTOR GR 63X55 IP54, 24V CC - CABLE 2000MM	BL-B105AAQX01	

Designation	Reference	Picture
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60 IP54, 40V CC - CABLE 2000MM	BL-B105AARX01	
DUNKER BG 62X30 SG80K IP54 L=2000	BL-B105AATX01	
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH RJ45 CONNECTOR	BL-H105AADX01	
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH D SUB 15 CONNECTOR	BL-H105AADX02	
MOTOR DRIVING PULLEY WITH GEAR (K2-4)	BL-B130AACX	
KIT FOR REMPLACEMENT OF THE SDS© AC-VVVF BRUSHLESS MV	BL-B111AAUX	
BOARD SDS© DC-PWM COMPATIBLE REL.3	BL-B157AAEX02	
BOARD SDS© BRUSHLESS PLUS REL. 3	BL-B157AAEX05	
KIT RETROFIT BOARD SDS AC-VVVF BRUSHLESS PLUS -IT REPLACES THE B111AAGX	BL-A157AAFX	
SEMATIC DRIVE SYSTEM©/SEMATIC ENCODER SYSTEM© MAIN LIFT BOARD ADAPTER	BL-B066AAEXN	
TOOTHED BELT RPU 5M-25MM (L=10000MM)	BL- C076AAFG-10000	

Designation	Reference	Picture
5 GROOVES MOTOR BELT FOR OPERATOR (POLY-V)	BL-CX00XAAXAAL	
MOTOR BELT 660MM (POLY-V 7 GROOVES)	BL-CX00XAAXAAH	
TENSION PULLEY WITH GEAR FOR TOOTHED BELT	BL-B130AABX	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE)	BL-B106AAKX	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE)	BL-B106AANX	
2 BELT TENSION ROLLER	BL-B138AABX	
2 X ROLLER Ø29MM (EXTERNAL 36MM)	BL-C144AAMP	
2 X UPPER ROLLER FOR CARRIAGE Ø74MM (EXTERNAL), NYLON PA 66 CLADDED POLYURETHANE	BL-C144AATA01	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS L	BL-B152AAXX	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS R	BL-B152AAYX	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3L SHORT BLADE)	BL-B152ABHX01	

Designation	Reference	Picture
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3R SHORT BLADE)	BL-B152ABHX02	
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 L STD SHORT BLADE	BL-B152ABOX01	
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 R STD SHORT BLADE	BL-B152ABOX02	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z L SHORT BLADE)	BL-B152ABVX01	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z R SHORT BLADE)	BL-B152ABVX02	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 L LONG BLADE)	BL-B152ACLX01	Photo non Disponible
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 R LONG BLADE)	BL-B152ACLX02	Photo non Disponible
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-L LONG BLADE)	BL-B152ACMX01	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-R LONG BLADE)	BL-B152ACMX02	
REINFORCED EXPENSION SKATE WITH CAR DOOR LOCKING DEVISCE EN81-1/2	BL-B152ACKX02	
ROPE KIT FOR SKATE	BL-B088AAFX	

Designation	Reference	Picture
4 X UPPER/LOWER STEEL ROLLER FOR RETRACTABLE SKATE	BL-C056AAAX	
4 X UPPER ROLLER FOR ALUMINIUM RETRACTABLE SKATE (WITH ECCENTRIC), Ø30MM (EXTERNAL)	BL-C056AACX	
4 X LOWER ROLLER FOR RETRACTABLE SKATE (WITHOUT ECCENTRIC), Ø30MM (EXTERNAL)	BL-C056AADX	
CONTACT SUPPORT LOCK PLATE	BL-B151ADBX	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (L)	BL-B151ADFX01	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (R)	BL-B151ADFX02	
2 X IP20 CONTACT	BL-CX00XAAXAAM	
2 X PZ21 BRIDGE FOR IP20 CONTACT	BL-CX00XAAXAAU	
CONTACT DOOR STEUTE IP65	BL-B073AACX	
48 X PANEL'S GUIDE SHOE (FOR SILL WITH 10MM GROOVE)	BL-0102	
4 X GUIDE SHOE HOLDER WITH GUIDE SHOE FOR FULL GLASS PANEL	BL-B128AAAX	

Designation	Reference	Picture
LANDING DOOR LOCK RELEASE	BL-B018AAAX	
VANDALPROOF LOCK RELEASE R 2000B/C	BL-B018AAJX01	
VANDALPROOF LOCK RELEASE L 2000B/C	BL-B018AAJX02	
EMERGENCY LOCK RELEASE ROPE KIT FOR PANEL	BL-B088AABX	
COMPLETE ROPE ANCHOR (WITHOUT ROPE)	BL-B098AAKX	
COMPLETE ROPE ANCHOR (WITHOUT ROPE)	BL-B098AALX	
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3L)	BL-B151AAAX	
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3R)	BL-B151AABX	
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S2-4-6Z)	BL-B151AACX	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L)	BL-B151AAXX03	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R)	BL-B151AAXX04	

Designation	Reference	Picture
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX03	
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX04	
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - RIGHT	BL-B153AADX01	
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - LEFT	BL-B153AADX02	
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3R,S4-6Z RIGHT HAND)	BL-B153AAHX01	
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3L, S4-6Z LEFT HAND)	BL-B153AAHX02	
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - RIGHT HAND	BL-B153AAVX01	
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - LEFT HAND	BL-B153AAVX02	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW)	BL-B153ACIX03	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW)	BL-B153ACIX06	
ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY HR-LOW (S2/4/6Z STANDARD)	BL-B158ACUX06	


Designation	Reference	Picture
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, LEFT HAND (S2-4Z AS1735.1-2001)	BL-B158AEAX05	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD)	BL-B158AEAX06	
4 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C144AATA02	Foto no Disponibile
4 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-B138AACX	
5 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C138AADP01	
6 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C144ABAX	
7 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C144ABPX	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM)	BL-C138AAAG01	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 12MM)	BL-C138AAAG03	
KIT FOR REPLACEMENT OF SINGLE SPIRATOR WITH DOUBLE SPIRATOR	BL-301-096-000	
COUNTERWEIGHT FOR LANDING DOORS «L/R» (L=330MM; 2400G; Ø34MM)	BL-B062AAF01	

Designation	Reference	Picture
COUNTERWEIGHT FOR LANDING DOORS «Z» (L=250MM; 1800G; Ø34MM)	BL-B062AAFX02	
EXTRA COUNTERWEIGHT (350 G) L=50 Ø34MM	BL-B062AAHX	
DOOR CLOSE SPRING. LENGTH: 230MM	BL-B102AAAX03	
DOOR CLOSE SPRING. LENGTH: 300MM	BL-B102AAAX06	
DOOR CLOSE SPRING. LENGTH: 400MM	BL-B102AAAX10	
DOOR CLOSE SPRING. LENGTH: 475MM	BL-B102AAAX13	
DOOR CLOSE SPRING. LENGTH: 575MM	BL-B102AAAX17	
DOOR CLOSE SPRING. LENGTH: 160MM	BL-B102AABX00	
DOOR CLOSE SPRING. LENGTH: 240MM	BL-B102AABX01	
DOOR CLOSE SPRING. LENGTH: 315MM	BL-B102AABX05	
DOOR CLOSE SPRING. LENGTH: 440MM	BL-B102AABX10	

Designation	Reference	Picture
DOOR CLOSE SPRING. LENGTH: 530MM	BL-B102AABX14	
DOOR CLOSE SPRING. LENGTH: 615MM	BL-B102AABX17	
DOOR CLOSE SPRING (S3L/R 700<TB<1300; S6Z 1400<TB<2600)	BL-B102AACX01	
12 X PCS O-RING COØ 3118	BL-CX00XAAXDAW	


CHARACTERISTICS OF YOUR 2000R DOOR




Designation	Reference	Picture
KIT FOR REPLACEMENT OF SDS® BRUSHLESS REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX03	
SDS/SRS HANDSET WITH CABLE RJ45	BL-B111AAKX	
2 X ROLLERS Ø53MM (EXTERNAL 60MM)	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC	BL-C144AAOP	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM)	BL-0101	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE)	BL-C116AAFP	
BL-1 PREWIRED AC BRUSHLESS MOTOR ROUND	BL-B105AAHX	
1 MOTOR PINION	BL-C130AAOP	



CHARACTERISTICS OF YOUR MF DOOR



Designation	Reference	Picture
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM	BL-B105AALX02	
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM	BL-B105AANX02	
KIT FOR REPLACEMENT OF SDS® DC-PWM REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX01	
SEMATIC DRIVE SYSTEM® POWER SUPPLY CABLE FOR BX-HYDROELITE CONNECTION	BL-B066AAMX	
SDS/SRS HANDSET WITH CABLE RJ45	BL-B111AAKX	
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM)	BL- C076AACG-10000	
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM)	BL-B130AAFX	
2 X ROLLERS Ø53MM (EXTERNAL 60MM)	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC	BL-C144AAOP	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM)	BL-0101	
2 X ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL)	BL-MC144AAX	

Designation	Reference	Picture
SYNCHRONIZATION ROPE Ø3MM (L=1225MM)	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM)	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM)	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM)	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM)	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM)	BL-C088AABF35	
2 X TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED)	BL-B102AADX	
2 X TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW)	BL-B102AAEX	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD)	BL-E073AAGX01	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE)	BL-C116AAFP	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE)	BL-C102AAMI01	

Designation	Reference	Picture
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE)	BL-C102AAMI02	
DOOR CLOSE SPIRATOR Ø127MM	BL-CX00XAAXDEV	
DOOR CLOSE SPIRATOR Ø86MM	BL-CX00XAAXDFW	
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH RJ45 CONNECTOR	BL-H105AADX01	
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH D SUB 15 CONNECTOR	BL-H105AADX02	
TOOTHED BELT RPU 5M-25MM (L=10000MM)	BL-C076AAFG-10000	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE)	BL-B106AAKX	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE)	BL-B106AANX	
2 X UPPER ROLLER FOR CARRIAGE Ø74MM (EXTERNAL), NYLON PA 66 CLADDED POLYURETHANE	BL-C144AATA01	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS L	BL-B152AAXX	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS R	BL-B152AAYX	

Designation	Reference	Picture
REINFORCED EXPENSION SKATE WITH CAR DOOR LOCKING DEVISCE EN81-1/2	BL-B152ACKX02	
ROPE KIT FOR SKATE	BL-B088AAFX	
4 X UPPER ROLLER FOR ALUMINIUM RETRACTABLE SKATE (WITH ECCENTRIC), Ø30MM (EXTERNAL)	BL-C056AACX	
4 X LOWER ROLLER FOR RETRACTABLE SKATE (WITHOUT ECCENTRIC), Ø30MM (EXTERNAL)	BL-C056AADX	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (L)	BL-B151ADFX01	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (R)	BL-B151ADFX02	
2 X IP20 CONTACT	BL-CX00XAAXAAM	
2 X PZ21 BRIDGE FOR IP20 CONTACT	BL-CX00XAAXAAU	
LANDING DOOR LOCK RELEASE	BL-B018AAAX	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW)	BL-B153ACIX03	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW)	BL-B153ACIX06	

Designation	Reference	Picture
ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY HR-LOW (S2/4/6Z STANDARD)	BL-B158ACUX06	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, LEFT HAND (S2-4Z AS1735.1-2001)	BL-B158AEAX05	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD)	BL-B158AEAX06	
7 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C144ABPX	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM)	BL-C138AAAG01	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 12MM)	BL-C138AAAG03	
12 X PCS O-RING COØ 3118	BL-CX00XAAXDAW	
TOOTHED BELT RPP8 M15 MM. L=10MT.	BL-C076AAGG-10000	
TENSION PULLEY 30-5M-25 KIT (FOR B105AASX MOTOR)	BL-B130AAJX	
COMPLETE SET OF SKATE ARMS WITH SPRING, WITHOUT MAGNET	BL-B152AAZX	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'L'	BL-B153ABIX0102	

Designation	Reference	Picture
1X SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R'	BL-B153ABIX0202	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'L'	BL-B153ABIX0502	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'R'	BL-B153ABIX0602	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R'	BL-B153ABIX1402	
DOUBLE SKATE EXECUTION ADDITIONAL ROLLER 2000US SUPPORT PLATE ASSEMBLY S2-4-6Z	BL-B158AAUX04	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND	BL-B158AAUX03	
4 X LANDING DOOR LOCK 2000 US ROLLER Ø40MM (EXTERNAL)	BL-C144AAVG	
4 X LANDING DOOR LOCK 2000 US ROLLER WITH ECCENTRIC PIN (L=25MM)	BL-B138AAKX	




3 RAZONES para conseguir planes de renovación migratorios Wittur
3 REASONS to keep Wittur systems open parts of building for efficient utilization Wittur
3 RAISONS pour envisager plans de renouveler équipements Wittur

1 VALOR
VALUE
VALEUR

2 ASCENSOR PARADO DURANTE MENOS TIEMPO
LESS DOWNTIME
TEMPS D'IMMOBILISATION RÉDUITS

3 SERVICIO AL CLIENTE
CUSTOMER SERVICE
SERVICE CLIENTS

ONLINE
 **Witturshop** QUALITY IN A BOX 

PIEZAS DE RECAMBIO ORIGINALES
WITTUR ORIGINAL SPARE PARTS
PIÈCES DÉTACHÉES ORIGINALES WITTUR





PEGASUS
ANTIVANDÁLICA
ANTIVANDAL
ANTIVANDELE



CHARACTERISTICS OF YOUR CMG -HIGH DOOR



Designation	Reference	Picture
2 X ROLLERS Ø53MM (EXTERNAL 60MM)	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC	BL-C144AAOP	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM)	BL-0101	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM)	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM)	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM)	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM)	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM)	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM)	BL-C088AABF35	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD)	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12)	BL-E073AAKX01	

Designation	Reference	Picture
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE)	BL-C116AAFP	
LANDING DOOR LOCK RELEASE (LEFT PANEL)	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGH PANEL)	BL-B018AAPX02	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE)	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE)	BL-C102AAMI02	
CONTACT SUPPORT LOCK PLATE	BL-B151ADBXX	
LANDING DOOR LOCK RELEASE	BL-B018AAAX	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L)	BL-B151AAXX03	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R)	BL-B151AAXX04	
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX03	
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX04	

Designation	Reference	Picture
-------------	-----------	---------


1 MOTOR PINION

BL-C130AAOP




CHARACTERISTICS OF YOUR CMG - LOW DOOR




Designation	Reference	Picture
2 X ROLLERS Ø53MM (EXTERNAL 60MM)	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC	BL-C144AAOP	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM)	BL-0101	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM)	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM)	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM)	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM)	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM)	BL-C088AABF31	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD)	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12)	BL-E073AAKX01	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE)	BL-C116AAFP	

Designation	Reference	Picture
LANDING DOOR LOCK RELEASE (LEFT PANEL)	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGHT PANEL)	BL-B018AAPX02	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE)	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE)	BL-C102AAMI02	
CONTACT SUPPORT LOCK PLATE	BL-B151ADBXX	
LANDING DOOR LOCK RELEASE	BL-B018AAAX	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L)	BL-B151AAXX03	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R)	BL-B151AAXX04	
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX03	
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX04	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW)	BL-B153ACIX03	

Designation	Reference	Picture
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW)	BL-B153ACIX06	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, LEFT HAND (S2-4Z AS1735.1-2001)	BL-B158AEAX05	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD)	BL-B158AEAX06	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM)	BL-C138AAAG01	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R'	BL-B153ABIX1402	


CHARACTERISTICS OF YOUR EBRA20



EBRA20 CHARACTERISTICS

Max. rated speed <i>Max. Nenngeschwindigkeit</i>		v= 2,0 m/s
Max. rated load <i>Max. Nennlast</i>		Q= 240...2.000 kg
one brake / eine Bremse two brakes / zwei Bremsen	max. 1.000 kg max. 2.000 kg	
Applicable width of guide rail head (oiled) <i>Erlaubte Schienenkopfdicke (geölt)</i>		k= 7...19 mm
Min. width of guide rail running surface <i>Mindestbreite der Fangfläche</i>		n= 29 mm (k=7-9) 30 mm (k=10-12) 31 mm (k=14-16) 32 mm (k=19)
Max. guide shoe forces during load <i>Max. Führungsschuhkräfte beim Laden</i>		4.000 N
Max. guide shoe forces during normal run <i>Max. Führungsschuhkräfte im Normalbetrieb</i>		2.000 N
Weight <i>Gewicht</i>		30 kg
Range of temperature during operation <i>Betriebstemperaturbereich</i>		-20...+50°C
Power supply <i>Stromversorgung</i>		230VAC ±10%
Power usage (continuous use) <i>Stromverbrauch (Dauerbetrieb)</i>		20W per Coil 20W pro Spule
Battery for emergency power supply <i>Batterie für Notstromversorgung</i>		24V; 2,1Ah

ADAPTATER PLATE



Designation	Reference	Picture
ELECTRONIC BOX WITH BATTERY	728849G03	
CONTROL BOARD	720504G01	
ELECTRONIC BOX TRANSFORMER	604200G01	
ELECTRONIC BATTERY EBRA20	253300	
GUID RAIL LUBRICATOR K=9	86375G09	
GUID RAIL LUBRICATOR K=16	86375G16	
SLINDING JAW K=9 MM	720498H09	
SLINDING JAW K=10MM (N>=30)	720498H10	
SLINDING JAW K=16MM (N>=31)	720498H15	
SLINDING JAW K=10MM (N>=31)	720498H16	
SLINDING JAW K=19MM (N>=32)	720498H19	

Designation	Reference	Picture
SLINDING JAW K=10MM (25.4=<N>=32)	720498H21	
SLIDING ELEMENT	726762H01	
BRAKE LINING EBRA20	724488H01	
ADAPTER PLATE X= 234MM	S601775G01	
ADAPTER PLATE X= 280MM	S601775G02	
ADAPTER PLATE X= 340MM	S601775G03	
TRANSPORT BOW	600682H01	

CHARACTERISTICS OF YOUR OVERSPEED GOVERNOR OL35



Designation	Reference	Picture
REMOTE CONTROL MOTOR LEFT	88970G11	
REMOTE CONTROL MOTOR RIGHT	88970G12	
BERNSTEIN CONTACT	265244	

THE SPARE PARTS OF YOUR GEARLESS



Designation	Reference	Picture
MICROSWITCH FOR WSG-S1/S2	85365007	
MICROSWITCH 3A - 250V	ABV1210619	
MICROSWITCH FOR WSG08	ET37742100807	
ENCODER FOR GEARLESS	ECN1313-2048I	
ENCODER FOR WSG-S1/2	ECN413-20481	
ENCODER FOR WSG08	ERN1387-2048	
FILTER FOR GEARLESS FAN WLG28/35	ET36131130561	
BRAKE CONTROL UNIT FOR WSG08	ET35372100116	
BRAKE CONTROL UNIT FOR XLG28	ET35372100105	
BRAKE CONTROL UNIT FOR XLG29	ET35372100107	
BEG-561-255-130 (INTORQ) OVEREXCITATION RECTIFIER	ET35372100111	

Designation	Reference	Picture
BRAKE CONTROL UNIT FOR WSG3	ET35372100119	



**EL PODER DE DOS
MILLONES DE PUERTAS**

**THE POWER OF
2-MILLION DOORS**

**CAPACITÉ DE 2 MILLIONS
DE PORTES**



**SOLUCIONES PARA
MODERNIZACIONES**

MOD SOLUTIONS

**SOLUTIONS POUR
MODERNISATIONS**

YOUR HYDRAULIC SPARE PARTS



Designation	Reference	Picture
SCREW N°4 (PARACHUTE TEST) FOR CENTRAL NL210	8H3F0297	
SET SEALS FOR VALEVE VALVE AND PILOTS NL210	8H3F0148	
SET SEALS FOR VALEVE VALVE AND PILOTS NL380	8H3F0149	
SET SEALS FOR VALEVE VALVE AND PILOTS NL600	8H3F0150	
MANOMETER	CA100220	
MAXIMUM PRESSURE SWITCH	OL.PRES.MAX	
DOUBLE COIL 48V/12 V	OL.BOB.48/12V	
SIMPLE COIL 48 V	OL.BOB.48V	
DOUBLE COIL 60V/12 V	OL.BOB.60/12V	
SIMPLE COIL 60V	OL.BOB.60V	
SET SEALS FOR CYLINDER C97 Ø100	8H3F0085	

Designation	Reference	Picture
SET SEALS FOR CYLINDER C97 Ø110	8H3F0086	
SET SEALS FOR CYLINDER C97 Ø120	8H3F0087	
SET SEALS FOR CYLINDER C97 Ø130	8H3F0088	
SET SEALS FOR CYLINDER C97 Ø150	8H3F0089	
SET SEALS FOR CYLINDER C97 Ø60	8H3F0081	
SET SEALS FOR CYLINDER C97 Ø70	8H3F0082	
SET SEALS FOR CYLINDER C97 Ø80	8H3F0083	
SET SEALS FOR CYLINDER C97 Ø90	8H3F0084	
TORIC SEAL DIM 101,2 X 3,53	OL.OR.4400	



PUERTAS
DOORS
PORTES

SOLUCIONES MECÁNICAS
MECHANICAL SOLUTIONS
SOLUTIONS MÉCANIQUES

SOLUCIONES ELÉCTRICAS
ELECTRICAL SOLUTIONS
SOLUTIONS ÉLECTRIQUES

RENOVACIÓN ESTÉTICA
AESTHETIC SOLUTIONS
SOLUTIONS ESTHÉTIQUES

PIEZAS DE RECAMBIOS
SPARE PARTS
PIÈCES DÉTACHÉES

NUESTROS KITS DE MODERNIZACIÓN

OUR MOD KITS

NOS KITS DE
MODERNISATION








C-MOD






FLEXIBLE
FLEXIBLE
FLEXIBLE



THE DIFFERENT SPARE PARTS




Designation	Reference	Picture
FIXED COUPLER 1119 FOR V5000 DOOR	2C1A702038P01	
BOARD HSPO	HSP02	
LOCK ROLLER DR ACT	2L1A050851	
THREADED PLATE M12	2L1A157140	
OIL DRIP PAN	5P10000001	
GRAY SPRAY-PAINT RAL-7002	C3201159940	
FIXED TOE GUARD H300 A1438 INOX 304	2L1A055163V23	
FIXED TOE GUARD H300 A798 GLV	2L1A055163V01	
FIXED TOE GUARD H300 A958 GLV	2L1A055163V02	
FIXED TOE GUARD H300 A1118 GLV	2L1A055163V03	
FIXED TOE GUARD H300 A1438 GLV	2L1A055163V04	

Designation	Reference	Picture
FIXED TOE GUARD 750 M1=800	2C1A055164L080	
FIXED TOE GUARD 750 M1=960	2C1A055164L096	
FIXED TOE GUARD 750 M1=1120	2C1A055164L112	
FIXED TOE GUARD 750 M1=1440	2C1A055164L144	
FIXED TOE GUARD 750 M1=960 MM	2C1A155F38L096	



B-HR

ALTAS PRESTACIONES
HIGH PERFORMANCE
HAUTES PERFORMANCES



HYDRA
MULTIFUNCIÓN
MULTIPURPOSE
MULTIUSAGE



INDEX

Designation	Reference	Type	Page
1 MOTOR PINION	BL-C130AAOP	DOOR	236, 248
1 NM DC MOTOR IP54 WITH OPTICAL ENCODER, 200V	BL-B105AABX01	DOOR	225
1 NM DC MOTOR WITH OPTICAL ENCODER, 200V	BL-B105AAAX01	DOOR	225
119E MECH RLS (PNL WO/WINDOW)	2C2A040928	DOOR	24, 65, 83, 110, 129
2 BELT TENSION ROLLER	BL-B138AABX	DOOR	227
2 NM DC MOTOR IP54 WITH OPTICAL ENC	BL-B105AABX02	DOOR	225
2 NM DC MOTOR WITH OPTICAL ENCODER, 60V	BL-B105AAAX02	DOOR	225
2,4 NM PREWIRED AC BRUSHLESS MOTOR, 24VCC - CABLE 2000MM	BL-B105AAGX	DOOR	225
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX03	DOOR	231, 247, 251
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA	BL-B151ABRX04	DOOR	231, 247, 251
5 GROOVES MOTOR BELT FOR OPERATOR (POLY-V)	BL-CX00XAAXAAL	DOOR	227
ACCESSORIES PACKETS LIST DOOR 35	2C2A399854V17	DOOR	29
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02/C 50MM	2C1A399891V02	DOOR	29
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02C 75MM	2C2A399854V01	DOOR	29
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 75MM	2C2A399854V13	DOOR	29
ACCESSOIRES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 90MM	2C2A399854V18	DOOR	29
ACCESSOIRES STAINLESS STEEL SILL FIXING KIT	2L2A399850V30	DOOR	30
ACCESSORIES BAG C1	2L2A399853V01	DOOR	30, 43, 67, 87, 112
ACCESSORIES KIT FIXING PANELS TYPE 01 02 11 12	1010397A01	DOOR	165
ACCESSORIES KIT FIXING PANELS TYPE 4S 4AS	902995A01	DOOR	165
ACTION DEVICE RETRACTABLE CAM HYDRA/PEGASUS	2C1A055955	DOOR	24, 65, 128
ADAPTER PLATE X= 234MM	S601775G01	SAFETY ELEMENT	256
ADAPTER PLATE X= 280MM	S601775G02	SAFETY ELEMENT	256
ADAPTER PLATE X= 340MM	S601775G03	SAFETY ELEMENT	256
ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY HR-LOW (S2/4/6Z STANDARD)	BL-B158ACUX06	DOOR	231, 242
ALUMINIUM PROTECTION L=1000	1013314P100	DOOR	181
ALUMINIUM PROTECTION L=1050	1013314P105	DOOR	181
ALUMINIUM PROTECTION L=1090	1013314P109	DOOR	181
ALUMINIUM PROTECTION L=1100	1013314P110	DOOR	181
ALUMINIUM PROTECTION L=1165	1013314P116	DOOR	181
ALUMINIUM PROTECTION L=1240	1013314P124	DOOR	181

Designation	Reference	Type	Page
ALUMINIUM PROTECTION L=1315	1013314P131	DOOR	182
ALUMINIUM PROTECTION L=1390	1013314P139	DOOR	182
ALUMINIUM PROTECTION L=1465	1013314P146	DOOR	182
ALUMINIUM PROTECTION L=1540	1013314P154	DOOR	182
ALUMINIUM PROTECTION L=1615	1013314P161	DOOR	182
ALUMINIUM PROTECTION L=1690	1013314P169	DOOR	182
ALUMINIUM PROTECTION L=700	1013314P070	DOOR	180
ALUMINIUM PROTECTION L=750	1013314P075	DOOR	181
ALUMINIUM PROTECTION L=800	1013314P080	DOOR	181
ALUMINIUM PROTECTION L=850	1013314P085	DOOR	181
ALUMINIUM PROTECTION L=900	1013314P090	DOOR	181
ALUMINIUM PROTECTION L=950	1013314P095	DOOR	181
ALUMINIUM SILL C01000 DOOR 01	1005734P100	DOOR	179
ALUMINIUM SILL C01000 DOOR 11	1005716P100	DOOR	180
ALUMINIUM SILL C01050 DOOR 01	1005734P105	DOOR	179
ALUMINIUM SILL C01050 DOOR 11	1005716P105	DOOR	180
ALUMINIUM SILL C01100 DOOR 01	1005734P110	DOOR	180
ALUMINIUM SILL C01100 DOOR 11	1005716P110	DOOR	180
ALUMINIUM SILL C0700 DOOR 01	1005734P070	DOOR	179
ALUMINIUM SILL C0700 DOOR 4S OLD VERSION	1014473P03C0700	DOOR	160
ALUMINIUM SILL C0700 DOOR 4S-L OLD VERSION	1014473P02C0700	DOOR	160
ALUMINIUM SILL C0700 DOOR 4S-R OLD VERSION	1014473P01C0700	DOOR	160
ALUMINIUM SILL C0750 DOOR 01	1005734P075	DOOR	179
ALUMINIUM SILL C0750 DOOR 11	1005716P075	DOOR	180
ALUMINIUM SILL C0800 DOOR 01	1005734P080	DOOR	179
ALUMINIUM SILL C0800 DOOR 11	1005716P070	DOOR	180
ALUMINIUM SILL C0800 DOOR 4S OLD VERSION	1014473P03C0800	DOOR	160
ALUMINIUM SILL C0800 DOOR 4S-L OLD VERSION	1014473P01C0800	DOOR	161
ALUMINIUM SILL C0850 DOOR 01	1005734P085	DOOR	179
ALUMINIUM SILL C0850 DOOR 11	1005716P085	DOOR	180
ALUMINIUM SILL C0900 DOOR 01	1005734P090	DOOR	179
ALUMINIUM SILL C0900 DOOR 11	1005716P090	DOOR	180
ALUMINIUM SILL C0950 DOOR 01	1005734P095	DOOR	179
ALUMINIUM SILL C0950 DOOR 11	1005716P095	DOOR	180

Designation	Reference	Type	Page
ALUMINIUM SILL SUPPLEMENT C01000 01/11	1006556A07	DOOR	179
ALUMINIUM SILL SUPPLEMENT C01050 01/11	1006556A08	DOOR	179
ALUMINIUM SILL SUPPLEMENT C01100 01/11	1006556A09	DOOR	179
ALUMINIUM SILL SUPPLEMENT C0700 01/11	1006556A03	DOOR	178
ALUMINIUM SILL SUPPLEMENT C0750 01/11	1006556A04	DOOR	178
ALUMINIUM SILL SUPPLEMENT C0800 01/11	1006556A01	DOOR	178
ALUMINIUM SILL SUPPLEMENT C0850 01/11	1006556A05	DOOR	178
ALUMINIUM SILL SUPPLEMENT C0900 01/11	1006556A02	DOOR	178
ALUMINIUM SILL SUPPLEMENT C0950 01/11	1006556A06	DOOR	178
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037	2L1A050037	DOOR	47, 48, 68, 69, 147, 174, 205
AUGUSTA EVO BELT CO=1000	1011696P101	DOOR	178
AUGUSTA EVO BELT CO=1050	1011696P106	DOOR	178
AUGUSTA EVO BELT CO=1100	1011696P111	DOOR	178
AUGUSTA EVO BELT CO=700	1011696P071	DOOR	177
AUGUSTA EVO BELT CO=750	1011696P076	DOOR	177
AUGUSTA EVO BELT CO=800	1011696P081	DOOR	177
AUGUSTA EVO BELT CO=850	1011696P086	DOOR	177
AUGUSTA EVO BELT CO=900	1011696P091	DOOR	177
AUGUSTA EVO BELT CO=950	1011696P096	DOOR	177
AXLE FOR INTERMEDIATE PULLEY FIXATION	2C1A056119	DOOR	92
BEARING BALL FOR PULLEY	C3205059022	DOOR	113
BEG-561-255-130 (INTORQ) OVEREXCITATION RECTIFIER	ET35372100111	GEARLESS	260
BELT AUGUSTA EVO	1011696P070	DOOR	188, 189
BELT CAMP FOR 2 COUPLER VERSION	2C2A902280G01	DOOR	18, 60, 126
BELT CLAMP	2C1A050098	DOOR	18, 60, 199, 204
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE)	BL-B106AAKX	DOOR	227, 240
BELT CLIP SUPPORT	2C1A155T11V03	DOOR	19
BELT INTERFACE/ADAPTER PLATE	2C1A055966	DOOR	19, 60
BERNSTEIN CONTACT	C3201159274	DOOR	45, 68, 258
BERNSTEIN CONTACT 230V	W002256	DOOR	44
BERNSTEIN CONTACT 24V	W002264	DOOR	174
BERNSTEIN CONTACT FOR CAR DOOR LOCK 230V	1001022A03	DOOR	46, 146
BERNSTEIN CONTACT FOR CAR DOOR LOCK 24V	1001022A02	DOOR	46, 146
BISTABLE CONTACT FOR UNLOCKING DEVICE EN81-21 EN81-21 DOOR 41/C 61/C	2L2A030897A13	DOOR	44

Designation	Reference	Type	Page
BISTABLE CONTACT NO/NC	W002415	DOOR	44, 173
BL-1 PREWIRED AC BRUSHLESS MOTOR ROUND	BL-B105AAHX	DOOR	236
BLUE SPRING	2C1A059114	DOOR	114
BOARD HSPO	HSP02	MISCEL- LANEOUS	268
BOARD SDS® BRUSHLESS PLUS REL. 3	BL-B157AAEX05	DOOR	226
BOARD SDS® DC-PWM COMPATIBLE REL.3	BL-B157AAEX02	DOOR	226
BOLT TOP AND BOTTOM PANEL DOOR	1007856P02	DOOR	199
BOTTOM BRACKET KIT FOR ALUMINIUM SILL 01C 02C	1007156A01	DOOR	165
BOTTOM BRACKET KIT FOR ALUMINIUM SILL 4S 4AS 11RL	1007156A02	DOOR	165
BOTTOM ECCENTRIC ROLLER Ø43	2C1A050058	DOOR	20, 41, 61, 82, 108, 126, 143
BOTTOM ROLLER	1005343A01	DOOR	174
BOTTOM ROLLER FOR HIGH SPEED TRUCK	2L1C040002	DOOR	175
BOTTOM ROLLER METALLIC	2L1A140869	DOOR	20, 41, 62, 82, 109, 126, 143
BOTTOM ROLLER NORDIC. R2	378032G01	DOOR	211
BOTTOM ROLLER SUPPORT DOOR 01/C AND 11L	1005347A01	DOOR	175
BOTTOM ROLLER SUPPORT DOOR 11R	1005347A11	DOOR	175
BRAKE CONTROL UNIT FOR WSG08	ET35372100116	GEARLESS	260
BRAKE CONTROL UNIT FOR WSG3	ET35372100119	GEARLESS	261
BRAKE CONTROL UNIT FOR XLG28	ET35372100105	GEARLESS	260
BRAKE CONTROL UNIT FOR XLG29	ET35372100107	GEARLESS	260
BRAKE LINING EBRA20	724488H01	SAFETY ELE- MENT	256
BREAK BELT	C3201059144/N	DOOR	90
BRIDGE	W002533	DOOR	174, 197
BRIDGE FIXING PLATE	2C1A057111	DOOR	45, 88, 145
BRIDGE FOR IP54 OPERATOR	C3201159123	DOOR	91
BRIDGE HOLDER DOOR 01C	2L1A055048	DOOR	45
BRIDGE KF-9075 PZ21	2L1A000002	DOOR	27, 42, 67, 85, 111, 130, 144
BRIDGE KF-9075 WITH CABEL	2L2A159027	DOOR	91, 112
BRIDGE LEFT SUPPORT 02C	3214055145V02	DOOR	132
BRIDGE PZ18	C3201159090	DOOR	51, 207
BRIDGE RIGHT SUPPORT 02C	3214055145V01	DOOR	132
BRIDGE SPACER THICKNESS 1MM	2L1A059082	DOOR	45, 68, 145
BRIDGE SPACER THICKNESS 2MM	2L1A059082/2	DOOR	45, 68, 145
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 42C AND 62C	2C2A901932G01	DOOR	25, 130

Designation	Reference	Type	Page
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 44	2C2A901879G02	DOOR	25, 66
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 66	2C2A902049G02	DOOR	25, 66
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C	2C2A901929G01	DOOR	25, 66, 129
BRONZE WASHER	2C1A150013V01	DOOR	94
BUFFER	1005355P01	DOOR	175
BUFFER FOR LOCK	C3201059098	DOOR	46, 146
BUFFER FOR OPERADOR ARM	2C1A050017V01	DOOR	93
BUFFER ROLLER	2C2B040003	DOOR	71
BUFFER SUPPORT AND RUBBER BUFFER	2C1A030177	DOOR	93
BUSHING FOR EOD	3212059500	DOOR	164
C-MOD EXP SKATE K2-4-6Z K-1-2-3R	BL-B152ACDX02	DOOR	216
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3L	BL-B153ACJX01	DOOR	218
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3R	BL-B153ACJX02	DOOR	218
C-MOD UNIFIED ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY RIGHT HAND	BL-B158AEFX02	DOOR	219
C-MOD UNIFIED LOCK REPLACEMENT KIT FOR CENTER DOOR	BL-H153ADAX	DOOR	219
C-MOD UNIFIED LOCK REPLACEMENT KIT S2L	BL-H153ADBX	DOOR	219
C-MOD UNIFIED LOCK REPLACEMENT KIT S2R	BL-H153ADCX	DOOR	219
C-MOD UNIFIED LOCK REPLACEMENT KIT S3L	BL-H153ADGX	DOOR	219
C-MOD UNIFIED LOCK REPLACEMENT KIT S3R	BL-H153ADHX	DOOR	219
CABEL DRAG CHAIN	C3201159857	DOOR	19, 61, 108
CABLE	1019282A03	DOOR	177
CABLE CRIMPLING TUBE	C3201059115	DOOR	47, 68, 146
CAR DOOR LOCK AMD, TRANSPARENT CONTACT	W002105	DOOR	159, 210
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 L STD SHORT BLADE	BL-B152ABOX01	DOOR	228
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 R STD SHORT BLADE	BL-B152ABOX02	DOOR	228
CAR DOOR LOCK SPACER DOOR 02 72	2C1A056266V01	DOOR	25, 66, 130
CAR DOOR LOCK SPACER DOOR 12 35 42 44	2C1A056266V02	DOOR	25, 66, 130
CAR DOOR LOCK SPACER DOOR 32 62 66	2C1A056266V03	DOOR	25, 66, 130
CLAMP FOR SYNCHRONIZATION ROPE	2L1A156013	DOOR	21, 42, 62, 83, 109, 127, 143, 159
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE	2L1A055057	DOOR	47, 88, 146
CLOSING DOOR RUBBER BUTTON	2C1M050401V01	DOOR	18, 59, 125, 157, 173, 204
CLOSING ROPE FOR COUNTERWEIGHT	902992A01	DOOR	164
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3L)	BL-B151AAAX	DOOR	230
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3R)	BL-B151AABX	DOOR	230

Designation	Reference	Type	Page
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S2-4-6Z)	BL-B151AACX	DOOR	230
COMPLETE MOTOR 29 CENTRAL	903371A07	DOOR	158
COMPLETE MOTOR FINELINE 12/L	903371A05	DOOR	158
COMPLETE ROPE ANCHOR (WITHOUT ROPE)	BL-B098AAKX	DOOR	230
COMPLETE SET OF SKATE ARMS WITH SPRING, WITHOUT MAGNET	BL-B152AAZX	DOOR	242
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L)	BL-B151AAXX03	DOOR	230, 247, 251
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R)	BL-B151AAXX04	DOOR	230, 247, 251
COMPRESSION SPRING	601524H01	DOOR	200
CONNECTOR SLAS/4B/SN 4P.FEMALE	2C1M050793	DOOR	165, 189
CONTACT	W002532	DOOR	174, 197
CONTACT + BRACKET FOR CAR DOOR LOCK	2C2A901927G03	DOOR	24, 65, 129
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C	2C2A901927G01	DOOR	24, 65, 129
CONTACT + BRACKET FOR CAR DOOR LOCK 12R	2C2A901927G04	DOOR	24, 65, 129
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L	2C2A901927G07	DOOR	25, 65, 129
CONTACT + BRACKET FOR CAR DOOR LOCK 44	2C2A901879G01	DOOR	24, 65
CONTACT + BRACKET FOR CAR DOOR LOCK 62C	2C2A901927G05	DOOR	24, 129
CONTACT + BRACKET FOR CAR DOOR LOCK 66	2C2A902049G01	DOOR	25, 66
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R	2C2A901927G08	DOOR	25, 66, 129
CONTACT BRIDGE FOR COUPLER	274100	DOOR	212
CONTACT DOOR STEUTE IP65	BL-B073AACX	DOOR	229
CONTACT IP54	51097351	DOOR	212
CONTACT IP65 BERNSTEIN TI2-A1Z KS	C3201159276	DOOR	45, 87, 145
CONTACT KF-2V	2C1A000001	DOOR	27, 42, 67, 85, 111, 130, 144
CONTACT OPERATOR GROUP (T35)	2C1A030885	DOOR	27, 85
CONTACT REFSW FOR LIFT DOOR BOARD	2C2C601812G01	DOOR	18, 59, 125, 204
CONTACT SEL2-A1Z P	C3201159348	DOOR	27, 130, 197, 205, 210
CONTACT STEUTE WITH CABLE 6M	C3201159346V03	DOOR	45
CONTACT SUPPORT CAR DOOR (CENTRALE DOOR)	2C1A055239	DOOR	28, 131
CONTACT SUPPORT DOOR 12-35	2C1P055A38V01	DOOR	72
CONTACT SUPPORT DOOR 44/R	2C1P055A61	DOOR	72
CONTACT SUPPORT DOOR TYPE 33RL	2C1A055136	DOOR	91
CONTACT SUPPORT FOR CAR DOOR	2C1A055098	DOOR	28, 85, 131
CONTACT SUPPORT KF	2C1A055114	DOOR	28, 42, 67, 86, 111, 131, 144, 205
CONTACT SUPPORT LOCK PLATE	BL-B151ADBX	DOOR	229, 247, 251

Designation	Reference	Type	Page
CONTACT SUPPORT PZ21 DOOR 4 AND 2 LATERAL PANELS	2C1A055046	DOOR	28, 85, 130
CONTACT SUPPORT PZ73	2L1A055105	DOOR	45, 87
CONTACTO KF-9074	2L1A000001/ASTR	DOOR	27, 42, 66, 84, 111, 130, 144
CONTROL BOARD	720504G01	SAFETY ELEMENT	255
COUNTER ROLLER, D44, D273MGB.045-POS.3	89629G02	DOOR	211
COUNTERWEIGHT FOR LANDING DOORS «L/R» (L=330MM; 2400G; Ø34MM)	BL-B062AAF01	DOOR	232
COUNTERWEIGHT FOR LANDING DOORS «Z» (L=250MM; 1800G; Ø34MM)	BL-B062AAF02	DOOR	233
COUNTERWEIGHT GUIDING SHOE	2L1H230509V02	DOOR	165
COUNTERWEIGHT ROPE (LENGTH: 2320 MM)	BL-C088AARX05	DOOR	220
COUPLER	902771G01	DOOR	160, 212
COUPLER CH1900 2 PANEL	902770G14	DOOR	160
COUPLER ECO HYDRA+, LEFT OPENING	2C2A901860G05	DOOR	21, 62
COUPLER ECO HYDRA+, RIGHT OPENING	2C2A901860G15	DOOR	21, 62
COUPLER OPERATING LEVER	2C2R020005V02	DOOR	207
COUPLER SET	902770G11	DOOR	159
COUPLER SUPPORT L=950	2C1R055034V03	DOOR	207
COUPLER SYMETRICAL OPENING	902770G13	DOOR	160
COUPLER T02-12/R	1011309A03	DOOR	190
COUPLER T12/L	1011309A13	DOOR	190
CROWN WHEEL Ø18	2C1A057023	DOOR	92
CROWN WHEEL Ø50	2C1A057024	DOOR	92
DC MOTOR 24V 1800RPM 120W IP54	2C1A159102	DOOR	88
DC MOTOR 48V 1600RPM 120W IP54	2C1A159161	DOOR	89
DIVERTING PULLEY ECO WITH SUPPORT	2C2M030400	DOOR	205
DOOR BUFFER/RUBBER	2L1A050061	DOOR	95
DOOR CLOSE SPIRATOR Ø127MM	BL-CX00XAAXDEV	DOOR	220, 224, 240
DOOR CLOSE SPIRATOR Ø86MM	BL-CX00XAAXDFW	DOOR	220, 225, 240
DOOR CLOSE SPRING (S3L/R 700<TB<1300; S6Z 1400<TB<2600)	BL-B102AACX01	DOOR	234
DOOR CLOSE SPRING. LENGTH: 160MM	BL-B102AABX00	DOOR	233
DOOR CLOSE SPRING. LENGTH: 230MM	BL-B102AAAX03	DOOR	233
DOOR CLOSE SPRING. LENGTH: 240MM	BL-B102AABX01	DOOR	233
DOOR CLOSE SPRING. LENGTH: 300MM	BL-B102AAAX06	DOOR	233
DOOR CLOSE SPRING. LENGTH: 315MM	BL-B102AABX05	DOOR	233
DOOR CLOSE SPRING. LENGTH: 400MM	BL-B102AAAX10	DOOR	233

Designation	Reference	Type	Page
DOOR CLOSE SPRING. LENGTH: 440MM	BL-B102AABX10	DOOR	233
DOOR CLOSE SPRING. LENGTH: 475MM	BL-B102AAAX13	DOOR	233
DOOR CLOSE SPRING. LENGTH: 530MM	BL-B102AABX14	DOOR	234
DOOR CLOSE SPRING. LENGTH: 575MM	BL-B102AAAX17	DOOR	233
DOOR CLOSE SPRING. LENGTH: 615MM	BL-B102AABX17	DOOR	234
DOOR CONTACT IP20 HZS	C3201159050	DOOR	27, 85
DOOR PANEL SHOE	1011625P01	DOOR	182
DOOR ROLLER PEGASUS CATAPOL WITH BUSHING	2L1H140054	DOOR	132, 148
DOUBLE COIL 48V/12 V	OL.BOB.48/12V	HYDRAULIC	264
DOUBLE COIL 60V/12 V	OL.BOB.60/12V	HYDRAULIC	264
DOUBLE SKATE EXECUTION ADDITIONAL ROLLER 2000US SUPPORT PLATE ASSEMBLY S2-4-6Z	BL-B158AUX04	DOOR	243
DRIVE ARM EXTENSION LEN=115MM	2C1A040002L011	DOOR	92
DRIVE ARM EXTENSION LEN=190MM	2C1A040002L019	DOOR	92
DRIVE ARM EXTENSION LEN=265MM	2C1A040002L026	DOOR	92
DRIVE ARM EXTENSION LEN=340MM	2C1A040002L034	DOOR	93
DUNKER BG 62X30 SG80K IP54 L=2000	BL-B105AATX01	DOOR	226
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 1500MM	BL-B105AAIX02	DOOR	214, 222
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 500MM	BL-B105AAIX01	DOOR	225
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60 IP54, 40V CC - CABLE 2000MM	BL-B105AARX01	DOOR	226
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 1500MM	BL-B105AAJX02	DOOR	214, 222
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 500MM	BL-B105AAJX01	DOOR	225
DUNKER PREWIRED DC MOTOR GR 63X25 IP54, 24V CC - CABLE 2000MM	BL-B105AAPX01	DOOR	225
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM	BL-B105AANX02	DOOR	214, 222, 238
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 500MM	BL-B105AANX01	DOOR	225
DUNKER PREWIRED DC MOTOR GR 63X55 IP54, 24V CC - CABLE 2000MM	BL-B105AAQX01	DOOR	225
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM	BL-B105AALX02	DOOR	214, 222, 238
ECO BOARD	2C2M903510G01IFE	DOOR	17, 59, 197, 210
ECO BOARD TYPE OTIS FLEX (3 WIRE)	2C2M903510G01FE	DOOR	197, 205
ECO MOTOR	3201040253	DOOR	70, 204
ECO MOTOR + PULLEY	3215050041	DOOR	70
ECO MOTOR SUPPORT	3201055A40	DOOR	70, 198
ECO MOTOR WITH SUPPORT LEFT	2C2A040895V01	DOOR	17
ECO MOTOR WITH SUPPORT RIGHT	2C2A040895V02	DOOR	17
ECO TOOTHED PULLEY	2C2M040400	DOOR	19, 60, 157, 173, 197

Designation	Reference	Type	Page
ECO TRANSFORMER	2C2M020852V02	DOOR	17, 59, 157, 173, 174, 197, 204
ECOBUS MOTOR R2	1011110A01	DOOR	198
ELECTRIC BRAKE HYDRA ARM	C3201159943	DOOR	89
ELECTRONIC BATTERY EBRA20	253300	SAFETY ELEMENT	255
ELECTRONIC BOARD TYPE RC24	C5302059012	DOOR	89
ELECTRONIC BOARD TYPE RC48	C5302059003	DOOR	89
ELECTRONIC BOX TRANSFORMER	604200G01	SAFETY ELEMENT	255
ELECTRONIC BOX WITH BATTERY	728849G03	SAFETY ELEMENT	255
EMERGENCY DEVICE DOOR 01/C 11L	1008226A01	DOOR	187
EMERGENCY KEY L=200MM	1019525A01L0200	DOOR	44, 68, 145
EMERGENCY KEY L=500MM	1019525A01L0500	DOOR	44, 68, 145
EMERGENCY KEY STANDARD	1019325A01	DOOR	44, 68, 144, 173
EMERGENCY LOCK RELEASE ROPE KIT FOR PANEL	BL-B088AABX	DOOR	230
EMERGENCY OPENING DEVICE DOOR 01C	902985A03	DOOR	163
EMERGENCY OPENING DEVICE DOOR 11R	902985A04	DOOR	163
EMERGENCY OPENING DEVICE DOOR 4AS/L-R	902985A01	DOOR	163
EMERGENCY OPENING DEVICE DOOR 4S y 11L	902985A02	DOOR	163
EMERGENCY RELEASE AND SUPPORT 41 01-11R-31R	1040333A02	DOOR	44
EMERGENCY RELEASE AND SUPPORT 41 11-31L 71R	1040333A01	DOOR	44
EMERGENCY RELEASE KIT T01 N/81-21	1020660A03	DOOR	183
EMERGENCY RELEASE KIT T11L T01-LDU N/81-21	1020661A01	DOOR	182
EMERGENCY RELEASE KIT T11R N/81-21	1020661A02	DOOR	182
EMERGENCY RELEASE MECHANISM H056DX	2L1A130037V01	DOOR	43
EMERGENCY RELEASE MECHANISM H056SX	2L1A130037V02	DOOR	43
EMERGENCY SBLOC H41 11-31L-01C 230V	2L2A030897A12	DOOR	43
EMERGENCY SBLOC H41 11-31R-01C 230V	2L2A030897A11	DOOR	43
EMERGENCY SYSTEM WITH CONTACT 01C	1020204A01	DOOR	162
EMERGENCY SYSTEM WITH CONTACT 11L	1018042A01	DOOR	162
EMERGENCY SYSTEM WITH CONTACT 11R	1018042A02	DOOR	162
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 01C	1020204A02	DOOR	162
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 11L	1018042A03	DOOR	162
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 11R	1018042A04	DOOR	163
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 4AS-R	1009714G04	DOOR	164
EMERGENCY SYSTEM WITH CONTACT 230V REMOTE RESET 4S AND 4AS/L	1009714G03	DOOR	164

Designation	Reference	Type	Page
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 01	1020204A03	DOOR	162
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 11L	1018042A05	DOOR	163
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 11R	1018042A06	DOOR	163
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 4AS-R	1009714G06	DOOR	164
EMERGENCY SYSTEM WITH CONTACT 24V REMOTE RESET 4S AND 4AS/L	1009714G05	DOOR	164
ENCODER FOR GEARLESS	ECN1313-2048I	GEARLESS	260
ENCODER FOR RCF1 NEW MODEL	2C1A040144L150	DOOR	113
ENCODER FOR RCF1 OLD MODEL	2C1A040125	DOOR	113
ENCODER FOR WSG-S1/2	ECN413-2048I	GEARLESS	260
ENCODER FOR WSG08	ERN1387-2048	GEARLESS	260
EVO SLIM WSE DETECTOR	1001002A06	DOOR	200
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K2-4-6Z, K1-2-3L)	BL-B152ACDX01	DOOR	216
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K4Z, K2L)	BL-B152ACHX01	DOOR	216
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2L)	BL-B152ACRX01	DOOR	216
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2R)	BL-B152ACRX02	DOOR	217
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K2Z)	BL-B152ACSX02	DOOR	217
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3L)	BL-B152ACSX03	DOOR	217
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3R)	BL-B152ACSX04	DOOR	217
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2L)	BL-B152ACJX01	DOOR	216
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2R)	BL-B152ACJX02	DOOR	216
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3L K2Z	BL-B152ACQX01	DOOR	216
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3R K2Z	BL-B152ACQX02	DOOR	216
EXPANSION SKATE WITHOUT CAR DOOR LOCK (K4Z, K2R)	BL-B152ACHX02	DOOR	216
EXTRA COUNTERWEIGHT (350 G) L=50 Ø34MM	BL-B062AAHX	DOOR	233
F.I.A EMERGENCY WITH RESET LEFT	2L1A130344V02	DOOR	44, 67, 144
F.I.A EMERGENCY WITH RESET RIGHT	2L1A130344V01	DOOR	44, 68, 144
FELT FOR REOPENING SYSTEM	2C1A057001	DOOR	94
FELT/METER	1010482P07	DOOR	164
FICO KIT T02 AUG EVO	1021972A01	DOOR	190
FICO KIT T12 AUG EVO	1014498A01	DOOR	190
FILTER FOR GEARLESS FAN WL628/35	ET36131130561	GEARLESS	260
FINELINE BOARD EN81-20	903510G02SE	DOOR	157
FINELINE BOARD SERVICE DRIVE EN81-20	903510G02LE	DOOR	158
FIXED COUPLER 1119 FOR V5000 DOOR	2C1A702038P01	MISCEL- LANEOUS	268

Designation	Reference	Type	Page
FIXED COUPLER KIT TYPE 1118 AND 1119	2C2A040926	DOOR	24, 65, 83, 109, 110, 129
FIXED COUPLER M1=540	2C1A155053V02	DOOR	24, 65, 83
FIXED LOCK PART T02	1019685A01	DOOR	190
FIXED LOCK PART T12/L	1018590A01	DOOR	190
FIXED LOCK PART T12/R	1018590A02	DOOR	190
FIXED TOE GUARD 750 M1=1120	2C1A055164L112	MISCEL- LANEOUS	269
FIXED TOE GUARD 750 M1=1440	2C1A055164L144	MISCEL- LANEOUS	269
FIXED TOE GUARD 750 M1=800	2C1A055164L080	MISCEL- LANEOUS	269
FIXED TOE GUARD 750 M1=960	2C1A055164L096	MISCEL- LANEOUS	269
FIXED TOE GUARD 750 M1=960 MM	2C1A155F38L096	MISCEL- LANEOUS	269
FIXED TOE GUARD H300 A1118 GLV	2L1A055163V03	MISCEL- LANEOUS	268
FIXED TOE GUARD H300 A1438 GLV	2L1A055163V04	MISCEL- LANEOUS	268
FIXED TOE GUARD H300 A1438 INOX 304	2L1A055163V23	MISCEL- LANEOUS	268
FIXED TOE GUARD H300 A798 GLV	2L1A055163V01	MISCEL- LANEOUS	268
FIXED TOE GUARD H300 A958 GLV	2L1A055163V02	MISCEL- LANEOUS	268
FIXING AXLE FOR DIVERTING PULLEY	2C1A056222V01	DOOR	113
FIXING AXLE FOR TOOTHED PULLEY RCF1	2C1A056223	DOOR	113
FIXING BOLT SPN HOOK	2C1A156238V01	DOOR	46
FIXING BRACKET	2L1A055203	DOOR	50, 96
FIXING BRACKET LEFT OPERATOR	2C1A055217V02	DOOR	96
FIXING BRACKET RIGHT OPERATOR	2C1A055217V01	DOOR	96
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C	2C2A120865T02	DOOR	19, 61, 108
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12L AND 35L	2C2A120865T12	DOOR	19, 61, 108
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12R AND 12L	2C2A120865T35	DOOR	20, 61, 108
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42C AND 62C	2C2A120865T42-62	DOOR	20, 61, 108
FIXING KIT FOR CAR DOOR TOE-GUARD	2C2A231250	DOOR	31, 67, 131
FIXING KIT MFB	2C2A399910	DOOR	29, 67
FIXING PART	2C1A056082	DOOR	95
FIXING PLATE FOR KRONENBERG CONTACT	2L1A057112	DOOR	45, 87
FIXING POINT FOR COUPLER/ROPE	2C1A057012	DOOR	95
FIXING POINT FOR SYNCHRONISATION ROPE DOOR 43/R AND 65R	2L1A155157V02	DOOR	47, 147
FIXING SCREW FOR COVER	2L1A156216	DOOR	48, 88
FIXING SCREW M8X20	861537H02	DOOR	161

Designation	Reference	Type	Page
FIXING WASHER	2L1A056017V01	DOOR	92
GEARED MOTOR (AC-BRUSHLESS), MIDI	903375G03	DOOR	210, 211
GEARED MOTOR ASYM	903371G03	DOOR	158
GEARED MOTOR SYM	903371G04	DOOR	158
GLASS CO700-790	1011139P01	DOOR	199
GLASS CO800-1100	1011139P02	DOOR	199, 200
GLASS/WINDOW 70MM KIT 2 GLASS	2C2R390005V01	DOOR	207
GRAY SPRAY-PAINT RAL-7002	C3201159940	MISCEL- LANEOUS	268
GUID RAIL LUBRICATOR K=16	86375G16	SAFETY ELE- MENT	255
GUID RAIL LUBRICATOR K=9	86375G09	SAFETY ELE- MENT	255
GUIDESHOE	2C2R390001V01	DOOR	207
GUIDING BLOCK LEFT	2C1R050004	DOOR	207
GUIDING BLOCK RIGHT	2C1R050003	DOOR	206
HANGER ROLLER KIT (4ST) + FIXINGS	902899G01	DOOR	159
HANGER ROLLER, D50, D273MGB.045-POS.1	89628G02	DOOR	211
HINGE PINS L=1990	1007859P01	DOOR	199
HOOK FOR RE-CLOSING SPRING	2L1A059256	DOOR	49, 69, 148
IDLE TRACTION PULLEY/TRACTION SHEAVE ALUMINIUM WITH BUSHING	2C1A051026	DOOR	92
INOX SILL CO 700 4AS-L EN81-20/50	1014902A03C0700	DOOR	161
INOX SILL CO 700 4AS-R EN81-20/50	1014902A02C0700	DOOR	161
INOX SILL CO 800 4AS-L EN81-20/50	1014902A03C0800	DOOR	161
INOX SILL CO 800 4AS-R EN81-20/50	1014902A02C0800	DOOR	161
INOX SILL CO 800 4S-EN81-20/50	1014902A01C0800	DOOR	161
INOX SILL CO700 4S-EN81-20/50	1014902A01C0700	DOOR	161
INTER RUN TEST FOR ECO MIDI SUPRA	2C2A030348	DOOR	18, 59, 125, 157, 204
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2L	BL-B151AEGX01	DOOR	218
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2R	BL-B151AEGX02	DOOR	218
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3L	BL-B151AEGX03	DOOR	218
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3R	BL-B151AEGX04	DOOR	218
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW)	BL-B153ACIX03	DOOR	231, 241, 251, 252
KIT OF 2 FIXING BRACKETS B21 (TWIN)	2L2A399852V21	DOOR	49, 70
KIT OF 2 PANELS FIXINGS Ø10	2L2A399856V01	DOOR	29, 42, 67, 86, 111, 131, 144
KIT OF 2 PANELS FIXINGS Ø8 DOOR	2L2A399856V02	DOOR	30, 86, 111
KIT OF 3 FIXING BRACKETS (TYPE B12)	2L1A399852V12	DOOR	49, 70

Designation	Reference	Type	Page
KIT OF 3 LANDING DOOR ROLLERS	902794G01	DOOR	162
KIT OF 4 PANELS FIXING Ø10	2L2A39PA/D8	DOOR	71
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS	2L2A231388	DOOR	47, 68, 147
KIT OF 4 SHOES	1011631A01	DOOR	182
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS	2L2A231389	DOOR	20, 41, 61, 82, 109, 126, 143
KIT OF 6 PANELS FIXING DOOR 35	2L2A39PA/D501	DOOR	71
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L2A231397	DOOR	49, 69, 148
KIT CONTACT + ACCESORIES CLOSE END STOP	1011109A01	DOOR	198
KIT DEFLECTION WHEEL (MECHANICAL RELEASE)	2C2R390001V02	DOOR	207
KIT E-ARM SEE ANNEXE*	E-ARM	DOOR	88
KIT FOR REMPLACEMENT OF THE SDS® AC-VVVF BRUSHLESS MV	BL-B111AAUX	DOOR	220, 226
KIT FOR REPLACEMENT OF SDS® BRUSHLESS REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX03	DOOR	214, 222, 236
KIT FOR REPLACEMENT OF SDS® DC-PWM REL.4 BOARØ BRACKETS INCLUDED	BL-B111AAMX01	DOOR	214, 222, 238
KIT FOR REPLACEMENT OF SINGLE SPIRATOR WITH DOUBLE SPIRATOR	BL-301-096-000	DOOR	232
KIT FOR REPLACEMENT SZS® DC-PWM BOARD AND FIXING PLATES	BL-B111AAQX	DOOR	214
KIT FRAME FIXING DOOR 01C	1007159A01	DOOR	165
KIT FRAME FIXING DOOR 4S 4AS 11RL	1007159A02	DOOR	165
KIT MICRO EM 01 REM24NCNC C/2E	1011074A58	DOOR	186
KIT MICRO EM 01 REM24NCNC S/2E	1011074A08	DOOR	185
KIT MICRO EM 01 RM230NCNC C/2E	1011074A61	DOOR	187
KIT MICRO EM 01 RM230NCNC S/2E	1011074A11	DOOR	186
KIT MICRO EM 01 RM230NCNO C/2E	1011074A66	DOOR	187
KIT MICRO EM 01 RM230NCNO S/2E	1011074A16	DOOR	186
KIT MICRO EM T01 REM24vNCNC C/	1011074A57	DOOR	186
KIT MICRO EM T01 REM24vNCNC S/	1011074A07	DOOR	185
KIT MICRO EM T01 RM230vNCNC C/	1011074A60	DOOR	187
KIT MICRO EM T01 RM230vNCNC S/	1011074A10	DOOR	185
KIT MICRO EM T01 RM230vNCNO C/	1011074A65	DOOR	187
KIT MICRO EM T01 RM230vNCNO S/	1011074A15	DOOR	186
KIT MICRO EMER 01 C/HUE SP=100	1011074A67	DOOR	187
KIT MICRO EMER 01 C/HUE SP>100	1011074A52	DOOR	186
KIT MICRO EMER 01 S/HUE SP=100	1011074A17	DOOR	186
KIT MICRO EMER 01 S/HUE SP>100	1011074A02	DOOR	185
KIT MICRO EMER 01 SML-EPK S/HU	1011074A04	DOOR	185, 186

Designation	Reference	Type	Page
KIT MICRO EMER T11L REM230NCNC	1011028A26	DOOR	184
KIT MICRO EMER T11L REM230NCNO	1011028A35	DOOR	185
KIT MICRO EMER T11L REM24vNCNC	1011028A24	DOOR	184
KIT MICRO EMER T11L SML-EPK	1011028A22	DOOR	184
KIT MICRO EMER T11L SML-EPK 2E	1011028A23	DOOR	184
KIT MICRO EMER T11L SP100 2E	1011028A34	DOOR	185
KIT MICRO EMER T11L SP=100	1011028A33	DOOR	185
KIT MICRO EMER T11L SP>100	1011028A20	DOOR	184
KIT MICRO EMER T11L SP>100 2E	1011028A21	DOOR	184
KIT MICRO EMER T11R REM230NCNC	1011028A07	DOOR	183
KIT MICRO EMER T11R REM230NCNO	1011028A14	DOOR	184
KIT MICRO EMER T11R REM24vNCNC	1011028A05	DOOR	183
KIT MICRO EMER T11R SML-EPK	1011028A03	DOOR	183
KIT MICRO EMER T11R SML-EPK 2E	1011028A04	DOOR	183
KIT MICRO EMER T11R SP=100	1011028A12	DOOR	183
KIT MICRO EMER T11R SP=100 2E	1011028A13	DOOR	184
KIT MICRO EMER T11R SP>100	1011028A01	DOOR	183
KIT MICRO EMER T11R SP>100 2E	1011028A02	DOOR	183
KIT MICRO EMR 01 C/HU SP1002E	1011074A68	DOOR	187
KIT MICRO EMR 01 C/HU SP>1002E	1011074A53	DOOR	186
KIT MICRO EMR 01 S/HU SP100 2E	1011074A18	DOOR	186
KIT MICRO EMR 01 S/HU SP>1002E	1011074A03	DOOR	185
KIT MICRO EMR 01 SMLEPK S/HU2E	1011074A05	DOOR	185, 186
KIT MICRO EMR T11L R230NCNC 2E	1011028A27	DOOR	184
KIT MICRO EMR T11L R230NCNO 2E	1011028A36	DOOR	185
KIT MICRO EMR T11L REM24vNC 2E	1011028A25	DOOR	184
KIT MICRO EMR T11R R230NCNC 2E	1011028A08	DOOR	183
KIT MICRO EMR T11R R230NCNO 2E	1011028A15	DOOR	184
KIT MICRO EMR T11R REM24vNC 2E	1011028A06	DOOR	183
KIT OF 12 LOCK ROLLERS	2C2A231386	DOOR	46, 145
KIT OF 12 TOP ROLLERS +WASHERS	2L2A231387	DOOR	20, 41, 61, 82, 108
KIT OF ACCESSORIES MD11 DOOR 2 AND 4 PANELS	2L2D399854V11	DOOR	132, 149
KIT OF ACCESSORIES MD3 DOOR 3 AND 6 PANELS	2L2D399854V23	DOOR	132, 149
KIT OF DOOR ACCESSORIES DOOR 01/C	2L2A399895V01	DOOR	49

Designation	Reference	Type	Page
KIT OF DOOR ACCESSORIES DOOR 11RL	2L2A399895V02	DOOR	49
KIT OF DOOR ACCESSORIES DOOR 31RL	2L2A399895V03	DOOR	50
KIT OF DOOR ACCESSORIES DOOR 41C/43R	2L2A399895V05	DOOR	50
KIT OF DOOR ACCESSORIES DOOR 61C/65R	2L2A399895V06	DOOR	50
KIT OF MECHANICAL RELEASE TYPE 1200 (35/L)	2C2A230893V04	DOOR	26, 84, 110
KIT OF MECHANICAL RELEASE TYPE 1200 (35/R)	2C2A230893V03	DOOR	26, 84, 110
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/L)	2C2A230893V06	DOOR	26, 84, 110
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/R)	2C2A230893V05	DOOR	26, 84, 110
KIT OF MECHANICAL RELEASE TYPE 1201 (35/L)	2C2A230893V08	DOOR	26, 84, 110
KIT OF MECHANICAL RELEASE TYPE 1201 (35/R)	2C2A230893V07	DOOR	26, 84, 110
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/L)	2C2A230893V10	DOOR	26, 84, 111
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/R)	2C2A230893V09	DOOR	26, 84, 110
KIT OF MECHANICAL RELEASE TYPE 1202 (35/L)	2C2A230893V12	DOOR	27, 84, 111
KIT OF MECHANICAL RELEASE TYPE 1202 (35/R)	2C2A230893V11	DOOR	27, 84, 111
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/L)	2C2A230893V02	DOOR	26, 83, 110
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/R)	2C2A230893V01	DOOR	26, 83, 110
KIT OF PROVIONAL DOOR PANEL SHOES	1014920A01	DOOR	182
KIT OF ROLLER AND SUPPORT FOR COUNTERWEIGHT	903006G01	DOOR	164
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER	2C2M902047G01	DOOR	25, 66, 130
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER	2C2M902047G02	DOOR	26, 66, 130
KIT OF SAFETY SWITCH DOOR 4AS-R	1009714G02	DOOR	163
KIT OF SAFETY SWITCH DOOR 4S + 4AS-L	1009714G01	DOOR	163
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02	2C2A399890V01	DOOR	23, 64, 83, 128
KIT PULLEY SUPPORT 2 REDUCTIONS	2C2A030881	DOOR	92
KIT PULLEY SUPPORT 3 REDUCTIONS	2C2A030882	DOOR	92
KIT RETROFIT BOARD SDS AC-VVVF BRUSHLESS PLUS -IT REPLACES THE B111AAGX	BL-A157AAFX	DOOR	226
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM)	BL-0101	DOOR	215, 223, 236, 238, 246, 250
KIT TOP CENTER FIXING SHOES	1011739	DOOR	198
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3L, S4-6Z LEFT HAND)	BL-B153AAHX02	DOOR	231
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3R, S4-6Z RIGHT HAND)	BL-B153AAHX01	DOOR	231
LANDING DOOR LOCK 01C	1008063A01	DOOR	162
LANDING DOOR LOCK 11L	1006794A01	DOOR	162
LANDING DOOR LOCK 11R	1006794A02	DOOR	162
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - LEFT	BL-B153AADX02	DOOR	231

Designation	Reference	Type	Page
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - RIGHT	BL-B153AADX01	DOOR	231
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - LEFT HAND	BL-B153AAVX02	DOOR	231
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - RIGHT HAND	BL-B153AAVX01	DOOR	231
LANDING DOOR LOCK RELEASE	BL-B018AAAX	DOOR	230, 241, 247, 251
LANDING DOOR LOCK RELEASE (LEFT PANEL)	BL-B018AAPX01	DOOR	218, 224, 247, 251
LANDING DOOR LOCK RELEASE (RIGHT PANEL)	BL-B018AAPX02	DOOR	218, 224, 247, 251
LEFT BRIDGE ASSEMBLY	2C2A03088V03	DOOR	28, 85
LEFT COMPLETE EMERGENCY RELEASE	2C2A030086V01	DOOR	93
LEFT COUPLER ECO WITH CAR DOOR LOCK	2C2A901870G05	DOOR	21, 63
LEFT COUPLER MIDI SUPRA	2C2A901872G05	DOOR	22, 63, 127
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G05	DOOR	22, 23, 63, 64, 127, 128
LEFT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G05	DOOR	23, 64, 128
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G05	DOOR	23, 64, 128
LEFT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G05	DOOR	23, 64, 128
LEFT COUPLING SUPPORT FOR ROPE	2C1A055653V01	DOOR	29
LEFT LANDING DOOR LOCK	902790G01	DOOR	161
LEFT LOCK IP20 POUR EXPANSION SKATE S2L/S3L	B153ABZX05	DOOR	219
LEFT LOCK LEVER WITH ROLLER	2L1A130017V01	DOOR	46
LEFT LOCK PLATE ASSEMBLY WITH CONTACT S2L	BL-B151ACCX01	DOOR	219
LEFT LOCK PLATE ASSEMBLY WITH CONTACT S2Z/S4Z	BL-B151ACAX01	DOOR	219
LEFT MICROSWITCH CONTACT	C3201059254V02	DOOR	90
LEFT PLASTIC COVER	1012536P01	DOOR	199
LEFT SUPPORT WITH BRIDGE ON DOOR 12R-42-62	2C2A040180V02	DOOR	28, 86
LEFT UNLOCKING DEVICE DOOR 4 AND 6 PANELS	2L1A130008V02	DOOR	43
LEFT YELLOW TIP FOR REINFORCED COUPLER	2L1H050015V02	DOOR	114
LINKAGE LEFT	1007755A01	DOOR	200
LINKAGE RIGHT	1007755A02	DOOR	200
LINKAGE SYM. LANDING DOOR (FOR EMERGENCY OPENING DEVICE)	902990H02	DOOR	163
LOCK BUFFER	1005332P01	DOOR	175
LOCK COUPLER R1 NH 300 RIGHT	900650G13	DOOR	212
LOCK FELT	2L1A057060	DOOR	46, 72, 146
LOCK HOOK LEFT	2L1A055025V02	DOOR	46, 145
LOCK HOOK RIGHT	2L1A055025V01	DOOR	46, 145
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (L)	BL-B151ADFX01	DOOR	229, 241

Designation	Reference	Type	Page
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (R)	BL-B151ADFX02	DOOR	229, 241
LOCK RELEASE MECHANISM	2L1A030001V01	DOOR	43
LOCK ROLLER	2L1A150042	DOOR	71
LOCK ROLLER DOOR T11-01	2L1M050037	DOOR	175
LOCK ROLLER DR ACT	2L1A050851	MISCE- LANEOUS	268
LOCK ROLLER SMALL R1	601865G02	DOOR	212
LOCK ROLLER WITH BEARING	2L2A030121	DOOR	46, 145
LOWER ROLLER FOR TRUCK 33-35	2C2A030183	DOOR	70
MAGNET	C3215059001	DOOR	18, 59, 125, 204
MAGNET ASSEMBLY DX ECO+	1022343A06	DOOR	189
MAGNET ASSEMBLY ECO+	1022343A01	DOOR	190
MAGNET ASSEMBLY SX ECO+	1022343A05	DOOR	189
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA	2C1A055680	DOOR	23, 64, 128, 205
MAGNET ECO HYDRA	C3201159952	DOOR	19, 60
MAGNET FIXATION ECO	2C1A155T12	DOOR	19, 60
MAGNETIC FIXATION MIDI/SUPRA. KIT	2C2A030943	DOOR	19
MAIN ROLLER PEGASUS	2L1H040012	DOOR	131, 148
MANOMETER	CA100220	HYDRAULIC	264
MAXIMUM PRESSURE SWITCH	OL.PRES.MAX	HYDRAULIC	264
MECHANICAL RELEASE	2C2R030003	DOOR	197, 207
MEDBRINGARE	902771G02	DOOR	160
MEDIUM TRACTION SHEAVE	2C1A039852V01	DOOR	91
MEDIUM TRACTION SHEAVE WITH BUSHING	2C1A051025	DOOR	92
MICROSWITCH 3A - 250V	ABV1210619	GEARLESS	260
MICROSWITCH FOR WSG-S1/S2	85365007	GEARLESS	260
MICROSWITCH FOR WSG08	ET37742100807	GEARLESS	260
MICROSWITCH NS 10A 125/250V	C3201159268	DOOR	28, 86, 131
MICROSWITCH TYPE AMF WITH COVER	2C1A030256	DOOR	91
MIDI MOTOR	2C2A903374G01	DOOR	17
MIDI MOTOR FOR HYDRA 3000	3201040254V01	DOOR	70
MIDI MOTOR SUPPORT	3201050096V01	DOOR	70
MIDI SUPRA BOARD S/EN81-20/50	2C2A903376G01KE	DOOR	210
MIDI SUPRA BOARD TYPE EMS WIDE	2C2A903378G01H	DOOR	17
MIDI SUPRA BOARD TYPE OTIS FLEX	2C2A903376G01IE	DOOR	17, 59, 125

Designation	Reference	Type	Page
MIDI SUPRA TOOTH BELT PULLEY	2C2A601319G01	DOOR	19, 60, 70, 210
MIDI SUPRA TRANSFORMER	2C2A601805G01	DOOR	17, 59, 125, 210
MIDI/SUPRA CONTROL UNIT FOR RCF	2C1A903376G02R	DOOR	112
MONOSTABLE BERNSTEIN CONTACT NO/NC RESET MANUAL IP54	W002116	DOOR	44, 173
MOTOR 14 KG 230/400V 0,35/0,27A 50HZ	2C1A059001/380M	DOOR	89
MOTOR 24 KG 50 HZ 220/380V	2C1A059040/380M	DOOR	89
MOTOR 3-PHASE 30K 50H 00 200/380 900R	2C1A059249/380M	DOOR	89
MOTOR BELT 660MM (POLY-V 7 GROOVES)	BL-CX00XAXAAH	DOOR	227
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH D SUB 15 CONNECTOR	BL-H105AADX02	DOOR	226, 240
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH RJ45 CONNECTOR	BL-H105AADX01	DOOR	226, 240
MOTOR DC 24V 7,5A 120W 1200RPM	2C1A059093	DOOR	88
MOTOR DRIVING PULLEY WITH GEAR (K2-4)	BL-B130AACX	DOOR	226
MOTOR ECO T12L HORIZ	1022411A03	DOOR	189
MOTOR ECO T12L VERT	1022411A01	DOOR	189
MOTOR ECO T12R-02 HORIZ	1022411A04	DOOR	189
MOTOR ECO T12R-02 VERT	1022411A02	DOOR	189
MOTOR OPERATOR ARM 3 REDUCTIONS	2C1A051013V02	DOOR	93
MOTOR PINION Ø22MM AC	2C1A156061/22	DOOR	89
MOTOR PINION Ø22MM DC	2C1A156061/CC22	DOOR	89
MOTOR PINION Ø25MM	2C1A156061/25	DOOR	90
MOTOR PINION Ø30MM	2C1A156061/30	DOOR	90
MOTOR PINION Ø35MM	2C1A156061/35	DOOR	90
MOTOR PINION Ø42MM	2C1A156061/42	DOOR	90
MOTOR PINION Ø50MM	2C1A156061/50	DOOR	90
MOTOR PINION Ø60MM	2C1A156061/60	DOOR	90
MOTOR UNIT D1 LEFT	903370G03	DOOR	211
MOTOR UNIT D1 RIGHT	903370G04	DOOR	211
MOTOR UNIT FOR RCF UPGRADE KIT	2C1A903345G02	DOOR	113
MOTORIZATION CHAIN 2 REDUCTIONS LEN=885MM	C3201059049L088	DOOR	91
MOTORIZATION CHAIN 3 REDUCTIONS LEN=1135MM	C3201059049L113	DOOR	91
NEEDLES FOR FIX. MAGNET CLIP	2C1A156923V01	DOOR	19, 60
NUT FOR SYNCHRONISATION ROPE CLAMP	2L1A156012	DOOR	21, 42, 62, 83, 109, 127, 143
NUT M10 FOR FIXING 2C1A056051/SRN	2C1A156130	DOOR	30, 87
NUT M8	1005399P01	DOOR	175

Designation	Reference	Type	Page
OIL DRIP PAN	5P10000001	MISCEL- LANEOUS	268
OPENING DOOR RUBBER BUTTO?	2C1M050401V02	DOOR	18, 125, 157, 173, 204
OPENING DOOR RUBBER BUTTON	2C1M050401V02	DOOR	59
OPERATOR ARM PLATE	2C1A057103	DOOR	93
OPERATOR HOOK BLOCK	2C1A050011	DOOR	93
OPERATOR RAIL LEN=1190MM	3201057107V119	DOOR	93
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM)	BL-C076AACG-10000	DOOR	214, 222, 238
PANEL BOTTOM CENTER FIXING	1007883A01	DOOR	199
PANEL BUFFER	W001296	DOOR	164
PANEL EXTENSION 100 X 75MM	2C1A155448/075	DOOR	30, 67, 87, 111
PANEL EXTENSION 50 x 105MM	2C1A155448/125	DOOR	30, 67, 87, 112
PANEL EXTENSION 50MM	2C1A155448/050	DOOR	30, 67, 87, 111
PANEL FIXING FOR FRONT TRUCK FIXATION	2C1A056051/SRN	DOOR	30, 86
PANEL SLIDING SHOES KIT = 4PCS	1006949A01	DOOR	161
PANEL SLIDING SHOES KIT = 8PCS	1013789A01	DOOR	161
PANELS FIXING BOLT DOOR 33 AND 63 LEN=110MM	2L1A056079/110	DOOR	30, 86
PIN FOR RETURN MECHANISM	2C1A056015	DOOR	95
PIT EGRESS DEVICE DOOR 01/C	1013217A01	DOOR	50, 149
PIT EGRESS DEVICE DOOR 11-31-41-61	1019144A01	DOOR	149
PIT EGRESS DEVICE DOOR 11/L-31/L-41-61	1013236A01	DOOR	50
PIT EGRESS DEVICE DOOR 11/R-31/R	1013236A02	DOOR	50
PIT EGRESS DEVICE DOOR 43-65	1013399A01	DOOR	50
PIT EGRESS DEVICE GLASSED DOOR 01/C	1013217A03	DOOR	50
PLASTIC BUSHING	2C1R050001	DOOR	207
PLASTIC ROLLER	1008247P01	DOOR	198
PLATE AND PIN FIXING BELT ASSY	2C2A040206	DOOR	28
POSITION CONTACT IP67	C3201059078	DOOR	27, 85
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION	2L1A055045	DOOR	21, 41, 62, 82, 109, 126, 143
PZ 73 CONTACT	C3201059006	DOOR	45, 87, 145
RAMP ACTIVATING ROPE	1013631A01	DOOR	198
RAMP FINXING PART LOAD	1011616A01	DOOR	198
RCF1 REPLACEMENT KIT	2C2A903340G01	DOOR	112
RDB V-BELT DIN7867-6 PJ 1092	C3201159013	DOOR	91
RE-CLOSING ROPE DOOR 01/C	2L1A154023	DOOR	72

Designation	Reference	Type	Page
RE-CLOSING ROPE DOOR LEN=1310 MM	2C2C054010L131	DOOR	72
RE-CLOSING ROPE DOOR LEN=1700 MM	2L1A154026	DOOR	72
RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP	2L1A154001V07	DOOR	49, 69, 148
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP	2L1A154855L400	DOOR	49, 69, 148
RE-CLOSING ROPE LEN=6000 MM + ROPE CLAMP	2L1A154001V12	DOOR	49, 148
RE-CLOSING SPRING	2L1A053007	DOOR	48, 69, 147
REFSW CONTACT FOR ECO MIDI SUPRA	2C2C601812G02	DOOR	18, 59, 125, 204
REINFORCED FIXING FOR DRIVE ARM	2C2A030119	DOOR	94
REINFORCED EXPENSION SKATE WITH CAR DOOR LOCKING DEVISCE EN81-1/2	BL-B152ACKX02	DOOR	228, 241
REINFORCED RE-CLOSING SPRING	2L1A053019	DOOR	48, 69, 147
REMOTE CONTROL MOTOR LEFT	88970G11	SAFETY ELEMENT	258
REMOTE CONTROL MOTOR RIGHT	88970G12	SAFETY ELEMENT	258
REOPENING ARM FOR ROLL (12/R)	2C1A040854V02	DOOR	94
REOPENING ARM FOR ROLL (LEFT/CENTRAL)	2C1A040854V01	DOOR	94
REOPENING MECHANICAL ARM	2C1A055003	DOOR	94
REOPENING MECHANISM ARM SUPPORT	2C1A055095	DOOR	94
REOPENING MECHANISM ROLL	2C1A050007/Z	DOOR	95
REOPENING MECHANISM SPRING	2L1A153002	DOOR	21, 42, 62, 83, 109, 126, 143
REOPENING SYSTEM ROLLER	2C1A050006	DOOR	114
REOPENING SYSTEM SPRING	2C1A053010	DOOR	94
RETRACTABLE CAM/COUPER SHEET ARM	2C1A020118V01	DOOR	95
RIGHT BRIDGE ASSEMBLY	2C2A030888V01	DOOR	28, 85
RIGHT COMPLETE EMERGENCY RELEASE	2C2A030086V03	DOOR	93
RIGHT COUPLER ECO WITH CAR DOOR LOCK	2C2A901870G15	DOOR	21, 63
RIGHT COUPLER MIDI SUPRA	2C2A901872G15	DOOR	22, 63, 127
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK	2C2A901873G15	DOOR	22, 23, 63, 64, 127, 128
RIGHT COUPLER MIDI WITH SPACER OF 15 MM	2C2A902498G15	DOOR	23, 64, 128
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM	2C2A902480G15	DOOR	23, 64, 128
RIGHT COUPLER OP MIDI WITH SPACER OF 30MM	2C2A902494G15	DOOR	23, 64, 128
RIGHT COUPLING SUPPORT FOR ROPE	2C1A055653V02	DOOR	29
RIGHT LANDING DOOR LOCK	902790G02	DOOR	162
RIGHT LOCK IP20 POUR EXPANSION SKATE S2L/S3L	B153ABZX06	DOOR	219
RIGHT LOCK LEVER WITH ROLLER	2L1A130017V02	DOOR	46
RIGHT LOCK PLATE ASEMBLY WITH CONTACT S2R	BL-B151ACCX02	DOOR	219

Designation	Reference	Type	Page
RIGHT LOCK PLATE ASSEMBLY WITH CONTACT S2Z/S4Z	BL-B151ACAX02	DOOR	220
RIGHT MICROSWITCH CONTACT	C3201059254V01	DOOR	90
RIGHT PLASTIC COVER	1012536P02	DOOR	199
RIGHT SUPPORT WITH BRIDGE ON DOOR 12R-42-62	2C2A040180V01	DOOR	28, 86
RIGHT UNLOCKING DEVICE DOOR 4 AND 6 PANELS	2L1A130008V01	DOOR	43
RIGHT YELLOW TIP FOR REINFORCED COUPLER	2L1H050015V01	DOOR	114
RING	1007807P01	DOOR	199, 200
RIVETED BELT FIXED FLAT P01000-105	2C2R040012V06	DOOR	206
RIVETED BELT FIXED FLAT P01100-115	2C2R040012V07	DOOR	206
RIVETED BELT FIXED FLAT P0550	2C2R040012V01	DOOR	205
RIVETED BELT FIXED FLAT P0600-650	2C2R040012V02	DOOR	205
RIVETED BELT FIXED FLAT P0700-750	2C2R040012V03	DOOR	205
RIVETED BELT FIXED FLAT P0800-850	2C2R040012V04	DOOR	205
RIVETED BELT FIXED FLAT P0900-950	2C2R040012V05	DOOR	205
ROLLER FOR COUNTERWEIGHT	601115G01	DOOR	164, 210
ROLLER FOR COUPLER	2L1C056059	DOOR	113
ROLLER SUPPORT DOOR 02	2C2A040061	DOOR	95
ROLLER SUPPORT DOOR 32-35-62	2C2A040062	DOOR	95
ROLLER SUPPORT FOR DOOR 12-42	2C2A040057	DOOR	95
ROLLER SUPPORT FOR RE-CLOSING SYSTEM	2L1A030850	DOOR	48, 69, 147
ROLLER SUPPORT LEFT	2L1A155828V01	DOOR	48, 69, 147
ROLLER SUPPORT RIGHT	2L1A155828V02	DOOR	48, 69, 147
ROPE CLAMP	2L1A040160	DOOR	72
ROPE CLAMP FOR RE-CLOSING ROPE	C3201059285	DOOR	49, 70, 148
ROPE CLAMP SUPPORT FIXING POINT SYNCHRONISATION ROPE	2L1A057018	DOOR	47, 88, 146
ROPE DIVERTING ROLLER	2L1A050010	DOOR	20, 41, 62, 82, 109, 126, 143, 173
ROPE KIT FOR SKATE	BL-B088AAFX	DOOR	228, 241
ROPE PULLEY D45MM	1005476P01	DOOR	178
ROPE SUPPORT FOR DOUBLE RE-CLOSING SPRING	2L1A155447	DOOR	48, 148
ROPE SUPPORT FOR RE-CLOSING SPRNG	2L1A055040	DOOR	48, 148
ROPE TOP FRAME FIXED POINT	902915G02	DOOR	159
RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 16MM)	BL-C138AAAG02	DOOR	220
S2-3L C-MOD EN81-20/50 EMERGENCY ASSEMBLY	BL-A018AACX01	DOOR	217
S2-3R - S4Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY	BL-A018AACX02	DOOR	218

Designation	Reference	Type	Page
S2Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY	BL-A018AABX01	DOOR	217
SCHMERSAL CONTACT AZ15 ZVK-M20	C3201159111	DOOR	91
SCREW M5X8 FOR MOTOR PINION	C7056050005	DOOR	90
SCREW N°4 (PARACHUTE TEST) FOR CENTRAL NL210	8H3F0297	HYDRAULIC	264
SDS/SRS HANDSET WITH CABLE RJ45	BL-B111AAKX	DOOR	214, 222, 236, 238
SELF CLOSING WIRE	2L1A154012	DOOR	72
SEMAC DRIVE SYSTEM® POWER SUPPLY CABLE FOR BX-HYDROELITE CONNECTION	BL-B066AAMX	DOOR	214, 238
SEMAC DRIVE SYSTEM®/SEMAC ENCODER SYSTEM® MAIN LIFT BOARD ADAPTER	BL-B066AAEXN	DOOR	226
SET OF 1 SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R'	BL-B153ABIX0202	DOOR	243
SET OF 2 BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC	BL-C144AAMP	DOOR	215, 222, 236, 238, 246, 250
SET OF 2 IP20 CONTACT	BL-CX00XAAXAAM	DOOR	229, 241
SET OF 2 IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12)	BL-E073AAKX01	DOOR	217, 224, 246, 250
SET OF 2 LOCK TORSION SPRING «L-Z» (LIGHT BLUE)	BL-C102AAMI01	DOOR	220, 224, 239, 247, 251
SET OF 2 LOCK TORSION SPRING «L-Z» IP54 (WHITE)	BL-C102AAPI01	DOOR	224
SET OF 2 LOCK TORSION SPRING «R-Z» (LIGHT BLUE)	BL-C102AAMI02	DOOR	220, 224, 240, 247, 251
SET OF 2 LOCK TORSION SPRING «R-Z» IP54 (WHITE)	BL-C102AAPI02	DOOR	224
SET OF 2 PZ18 BRIDGE FOR IP20 CONTACT (STANDARD)	BL-E073AAGX01	DOOR	217, 224, 239, 246, 250
SET OF 2 PZ21 BRIDGE FOR IP20 CONTACT	BL-CX00XAAXAAU	DOOR	229, 241
SET OF 2 ROLLER Ø29MM (EXTERNAL 36MM)	BL-C144AAMP	DOOR	227
SET OF 2 ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL)	BL-MC144AAX	DOOR	215, 223, 238
SET OF 2 ROLLERS Ø53MM (EXTERNAL 60MM)	BL-C144AAMP	DOOR	215, 222, 236, 238, 246, 250
SET OF 2 RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 12MM)	BL-C138AAAG03	DOOR	232, 242
SET OF 2 RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM)	BL-C138AAAG01	DOOR	232, 242, 252
SET OF 2 TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW)	BL-B102AAEX	DOOR	217, 224, 239
SET OF 2 TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED)	BL-B102AADX	DOOR	217, 223, 239
SET OF 2 UNIFIED LANDING DOOR LOCK C-MOD ROLLER ASSEMBLY	BL-B138AAPX	DOOR	220
SET OF 2 UPPER ROLLER FOR CARRIAGE Ø74MM (EXTERNAL), NYLON PA 66 CLADDED POLYURETHANE	BL-C144AATA01	DOOR	227, 240
SET OF 4 ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C144AATA02	DOOR	232
SET OF 4 GUIDE SHOE HOLDER WITH GUIDE SHOE FOR FULL GLASS PANEL	BL-B128AAAX	DOOR	229
SET OF 4 LANDING DOOR LOCK 2000 US ROLLER WITH ECCENTRIC PIN (L=25MM)	BL-B138AAKX	DOOR	243
SET OF 4 LANDING DOOR LOCK 2000 US ROLLER Ø40MM (EXTERNAL)	BL-C144AAVG	DOOR	243
SET OF 4 LOWER ROLLER FOR RETRACTABLE SKATE (WITHOUT ECCENTRIC), Ø30MM (EXTERNAL)	BL-C056AADX	DOOR	229, 241
SET OF 4 UPPER ROLLER FOR ALUMINIUM RETRACTABLE SKATE (WITH ECCENTRIC), Ø30MM (EXTERNAL)	BL-C056AACX	DOOR	229, 241

Designation	Reference	Type	Page
SET OF 4 UPPER/LOWER STEEL ROLLER FOR RETRACTABLE SKATE	BL-C056AAAX	DOOR	229
SET OF 5 ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C138AADP01	DOOR	232
SET OF 6 ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C144ABAX	DOOR	232
SET OF 7 ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL)	BL-C144ABPX	DOOR	232, 242
SET OF 8 GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE)	BL-C116AAFP	DOOR	217, 224, 236, 239, 247, 250
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS	2L2A231385	DOOR	21, 41, 62, 82, 109, 126, 143
SET OF 12 PCS O-RING CØ 3118	BL-CX00XAAXDAW	DOOR	234, 242
SET OF 24 SHOES 2L1A050062	2L1A050062	DOOR	30, 43, 87, 112, 131, 144
SET OF 48 PANEL'S GUIDE SHOE (FOR SILL WITH 10MM GROOVE)	BL-0102	DOOR	229
SET OF MIDI SUPRA BELT CLAMPS	2C2A601345G01	DOOR	18, 60, 126, 210
SET SEALS FOR CYLINDER C97 Ø100	8H3F0085	HYDRAULIC	264
SET SEALS FOR CYLINDER C97 Ø110	8H3F0086	HYDRAULIC	265
SET SEALS FOR CYLINDER C97 Ø120	8H3F0087	HYDRAULIC	265
SET SEALS FOR CYLINDER C97 Ø130	8H3F0088	HYDRAULIC	265
SET SEALS FOR CYLINDER C97 Ø150	8H3F0089	HYDRAULIC	265
SET SEALS FOR CYLINDER C97 Ø60	8H3F0081	HYDRAULIC	265
SET SEALS FOR CYLINDER C97 Ø70	8H3F0082	HYDRAULIC	265
SET SEALS FOR CYLINDER C97 Ø80	8H3F0083	HYDRAULIC	265
SET SEALS FOR CYLINDER C97 Ø90	8H3F0084	HYDRAULIC	265
SET SEALS FOR VALEVE VALVE AND PILOTS NL210	8H3F0148	HYDRAULIC	264
SET SEALS FOR VALEVE VALVE AND PILOTS NL380	8H3F0149	HYDRAULIC	264
SET SEALS FOR VALEVE VALVE AND PILOTS NL600	8H3F0150	HYDRAULIC	264
SHUNT	W002170	DOOR	198
SICKEL ASSEMBLY LEFT LL 500-699MM	2C2R020012V01	DOOR	206
SICKEL ASSEMBLY LEFT LL 700-1100MM	2C2R020012	DOOR	206
SICKEL ASSEMBLY RIGHT LL 500-699MM	2C2R020011V01	DOOR	206
SICKEL ASSEMBLY RIGHT LL 700-1100MM	2C2R020011	DOOR	206
SICKEL LEFT LL 500-699MM	2C2R030011V03	DOOR	206
SICKEL LEFT LL 700-1000MM	2C2R030011V01	DOOR	206
SICKEL LEFT LL 700-1100MM	2C2R030011V02	DOOR	206
SILL SUPPORT BRACKET 75 MM	2L1A055056	DOOR	50, 72, 96
SILL SUPPORT BRACKET 90 MM	2C1A055126	DOOR	31, 50, 95
SIMPLE COIL 48 V	OL.BOB.48V	HYDRAULIC	264
SIMPLE COIL 60V	OL.BOB.60V	HYDRAULIC	264

Designation	Reference	Type	Page
SINCR CABEL T02 PL1000 M1=4015	1022220A07	DOOR	188
SINCR CABEL T02 PL1050 M1=4130	1022220A08	DOOR	188
SINCR CABEL T02 PL1100 M1=4230	1022220A09	DOOR	188
SINCR CABEL T02 PL700 M1=2930	1022220A01	DOOR	187
SINCR CABEL T02 PL750 M1=3130	1022220A02	DOOR	187
SINCR CABEL T02 PL800 M1=3215	1022220A03	DOOR	187
SINCR CABEL T02 PL850 M1=3330	1022220A04	DOOR	188
SINCR CABEL T02 PL900 M1=3615	1022220A05	DOOR	188
SINCR CABEL T02 PL950 M1=3730	1022220A06	DOOR	188
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'L'	BL-B153ABIX0102	DOOR	242
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R'	BL-B153ABIX1402	DOOR	243, 252
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'L'	BL-B153ABIX0502	DOOR	243
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'R'	BL-B153ABIX0602	DOOR	243
SINGLE-GROOVE ROLLERS FOR LINKING ROPE Ø32MM	BL-C144ABHX	DOOR	215
SKEWED LEFT COUPLER ECO 125-250 MM	2C2A901865G05	DOOR	22, 63
SKEWED LEFT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK	2C2A901871G05	DOOR	22, 63
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G05	DOOR	22, 63, 127
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK	2C2A901876G05	DOOR	22, 127
SKEWED RIGHT COUPLER ECO 125-250 MM	2C2A901865G15	DOOR	22, 63
SKEWED RIGHT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK	2C2A901871G15	DOOR	22, 63
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM	2C2A901875G15	DOOR	22, 64, 127
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK	2C2A901876G15	DOOR	23, 127
SLIDER LEFT	1007798A01	DOOR	198
SLIDER RIGHT	1011121A01	DOOR	198
SLIDING ELEMENT	726762H01	SAFETY ELEMENT	256
SLIDING SHOE FOR PANEL-PEGASUS	2C1A050020	DOOR	49, 131, 148
SLIDING SHOE SUPPORT	2L1D155071	DOOR	132
SLINDING JAW K=10MM (25.4<N<=32)	720498H21	SAFETY ELEMENT	256
SLINDING JAW K=10MM (N>=30)	720498H10	SAFETY ELEMENT	255
SLINDING JAW K=10MM (N>=31)	720498H16	SAFETY ELEMENT	255
SLINDING JAW K=16MM (N>=31)	720498H15	SAFETY ELEMENT	255
SLINDING JAW K=19MM (N>=32)	720498H19	SAFETY ELEMENT	255
SLINDING JAW K=9 MM	720498H09	SAFETY ELEMENT	255

Designation	Reference	Type	Page
SOUND INSULATION TUBE FOR RE-CLOSING SPRING LEN=500 MM	C3201059143	DOOR	48, 69, 147
SPACER 15 MM FOR GUIDING SHOES	2L1A056053	DOOR	48, 88
SPACER 15MM FOR DIVERTING ROLLER	2C1A056100	DOOR	47, 147
SPACER 6 MM FOR TRUCK FIXING	2C1A056010	DOOR	29, 42, 86, 131
SPACER FOR DIVERTING ROLLER DOOR 3 PANELS	2L1A056083	DOOR	47, 146
SPACER FOR UNLOCKING LEVER	902988H01	DOOR	163
SPACER H=10 MM FOR SYNCHRONIZING ROLLER	2L1A056054	DOOR	47, 88, 146
SPECIAL NUT FOR BIG BRACKET	2L1A055050V01	DOOR	31, 51, 96
SPECIAL WASHER	1012429P01	DOOR	200
SPRING	1005528P01	DOOR	175
SPRING BOLT	1007784P01	DOOR	198
SPRING CO>900MM	1005528P02	DOOR	178
SPRING FOR BRAKE KIT	2C1A053016	DOOR	90
SPRING FOR EOD	3212059501	DOOR	164
SPRING FOR RETRACTABLE CAM/COUPLER	902789H01	DOOR	160
SPRING FOR SYNCHRONISATION ROPE	88583H01	DOOR	212
SPRING FOR UNCOUPLING SYSTEM	2C1A053006	DOOR	94, 112
STANDARD FIXING FOR DRIVE ARM LEFT	2C2A030200	DOOR	93
STANDARD LEFT COUPLER DOOR 02-12-32	2C2A120218V02	DOOR	114
STANDARD LEFT COUPLER DOOR 42-62	2C2A120217V02	DOOR	114
STANDARD LOCK ROLLER AND/OR BUFFER	2C1A050013	DOOR	21, 42, 62, 83, 109, 127, 144
STANDARD RIGHT COUPLER DOOR 02-12-32	2C2A120218V01	DOOR	113
STANDARD RIGHT COUPLER DOOR 42-62	2C2A120217V01	DOOR	114
STANDARD UPPER ROLLER	2L1M050039	DOOR	174
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 L LONG BLADE)	BL-B152ACLX01	DOOR	228
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 R LONG BLADE)	BL-B152ACLX02	DOOR	228
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3L SHORT BLADE)	BL-B152ABHX01	DOOR	227
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3R SHORT BLADE)	BL-B152ABHX02	DOOR	228
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z L SHORT BLADE)	BL-B152ABVX01	DOOR	228
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z R SHORT BLADE)	BL-B152ABVX02	DOOR	228
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-L LONG BLADE)	BL-B152ACMX01	DOOR	228
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-R LONG BLADE)	BL-B152ACMX02	DOOR	228
STEUTE CONTACT AZ10 IP67	C3201159346V01	DOOR	45


Designation	Reference	Type	Page
STOP BUFFER	2C1A050034	DOOR	91
STOP TRUCK BUFFER	2C1A050001V01	DOOR	47, 68, 88, 146
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS L	BL-B152AAXX	DOOR	227, 240
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS R	BL-B152AAYX	DOOR	227, 240
SUPPORT + BRIDGE FOR CAR DOOR 02/C	2C2A030887	DOOR	28, 86
SUPPORT FOR ECO MOTOR	2C1A055951	DOOR	17
SUPPORT FOR SPRING RETURN MECH	2C1A055106	DOOR	94
SUPPORT RTR CAM ACN ROLLER	2C1A055149	DOOR	93
SUPRA MOTOR	2C2A902195G03	DOOR	17, 125
SUPRA MOTOR UNIT, D2, LH (IF RETRACTABLE CAM/COUPLER LH)	601370G03	DOOR	211
SUPRA MOTOR UNIT, D2, RH (IF RETRACTABLE CAM/COUPLER RH)	601370G04	DOOR	211
SWING DOOR UNLOCKING	902730G01	DOOR	160
SYNCHR. ROPE; AMD L=6700 MM	601116G14	DOOR	212
SYNCHR. ROPE; CAR, L=4280	601116G13	DOOR	212
SYNCHRONISATION ROLLER	1000051A01	DOOR	159
SYNCHRONISATION ROLLER KIT	902915G03	DOOR	159
SYNCHRONISATION ROPE DOOR 01/C CO=1000	1005867A07	DOOR	176
SYNCHRONISATION ROPE DOOR 01/C CO=1050	1005867A08	DOOR	176
SYNCHRONISATION ROPE DOOR 01/C CO=700	1005867A01	DOOR	175
SYNCHRONISATION ROPE DOOR 01/C CO=750	1005867A02	DOOR	175
SYNCHRONISATION ROPE DOOR 01/C CO=800	1005867A03	DOOR	175
SYNCHRONISATION ROPE DOOR 01/C CO=850	1005867A04	DOOR	176
SYNCHRONISATION ROPE DOOR 01/C CO=900	1005867A05	DOOR	176
SYNCHRONISATION ROPE DOOR 01/C CO=950	1005867A06	DOOR	176
SYNCHRONISATION ROPE DOOR 01/C PL=1100	1005867A09	DOOR	176
SYNCHRONISATION ROPE DOOR 11 CO=1000	1005867A17	DOOR	177
SYNCHRONISATION ROPE DOOR 11 CO=1050	1005867A18	DOOR	177
SYNCHRONISATION ROPE DOOR 11 CO=1100	1005867A19	DOOR	177
SYNCHRONISATION ROPE DOOR 11 CO=700	1005867A11	DOOR	176
SYNCHRONISATION ROPE DOOR 11 CO=750	1005867A12	DOOR	176
SYNCHRONISATION ROPE DOOR 11 CO=800	1005867A13	DOOR	176
SYNCHRONISATION ROPE DOOR 11 CO=850	1005867A14	DOOR	176
SYNCHRONISATION ROPE DOOR 11 CO=900	1005867A15	DOOR	176
SYNCHRONISATION ROPE DOOR 11 CO=950	1005867A16	DOOR	177

Designation	Reference	Type	Page
SYNCHRONISATION ROPE L=1025	89739H02	DOOR	159
SYNCHRONISATION ROPE L=1030MM	3212054010L103	DOOR	71
SYNCHRONISATION ROPE L=1240MM	3212054010L124	DOOR	71
SYNCHRONISATION ROPE L=1274	1008299P07	DOOR	159
SYNCHRONISATION ROPE L=2910MM	3212054011L291	DOOR	71
SYNCHRONISATION ROPE L=3210MM	3212054011L321	DOOR	70, 71
SYNCHRONISATION ROPE L=3310MM	3212054011L331	DOOR	71
SYNCHRONISATION ROPE L=3770MM	3212054011L377	DOOR	71
SYNCHRONISATION ROPE L=4150MM	3212054011L415	DOOR	71
SYNCHRONISATION ROPE L=990	902957P15	DOOR	159
SYNCHRONISATION ROPE SEE ANNEXE*		DOOR	21, 42, 62, 82, 109, 126, 143, 157
SYNCHRONIZATION ROLLER	601323G01	DOOR	211
SYNCHRONIZATION ROPE	601027H07	DOOR	212
SYNCHRONIZATION ROPE LEN=9700MM	601116G15	DOOR	212
SYNCHRONIZATION ROPE Ø3MM (L=1125MM)	BL-C088AABF11	DOOR	215, 223
SYNCHRONIZATION ROPE Ø3MM (L=1175MM)	BL-C088AABF13	DOOR	215, 223
SYNCHRONIZATION ROPE Ø3MM (L=1225MM)	BL-C088AABF15	DOOR	215, 223, 239, 246, 250
SYNCHRONIZATION ROPE Ø3MM (L=1325MM)	BL-C088AABF19	DOOR	215, 223, 239, 246, 250
SYNCHRONIZATION ROPE Ø3MM (L=1425MM)	BL-C088AABF23	DOOR	215, 223, 239, 246, 250
SYNCHRONIZATION ROPE Ø3MM (L=1525MM)	BL-C088AABF27	DOOR	215, 223, 239, 246, 250
SYNCHRONIZATION ROPE Ø3MM (L=1625MM)	BL-C088AABF31	DOOR	216, 223, 239, 246, 250
SYNCHRONIZATION ROPE Ø3MM (L=1725MM)	BL-C088AABF35	DOOR	216, 223, 239, 246
T02 SWITCH KF9074	2C2A030868T02	DOOR	27, 85
T12 SWITCH KF-2V	2C2A030868T12	DOOR	27
T13 SWITCH KF-2V	2C2A030868T12	DOOR	85
TENSION PULLEY 30-5M-25 KIT (FOR B105AASX MOTOR)	BL-B130AAJX	DOOR	242
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM)	BL-B130AAFX	DOOR	214, 222, 238
TENSION PULLEY WITH GEAR FOR TOOTHED BELT	BL-B130AABX	DOOR	227
TENSION SPRING FOR LEFT MOTOR	2C1A053014V03	DOOR	89, 112
TENSION SPRING FOR RIGHT MOTOR	2C1A053014V01	DOOR	89, 112
THREADED FIXING PLATE	2C1A057021	DOOR	29, 86, 131
THREADED PIN	2C1A056016	DOOR	94
THREADED PLATE M12	2L1A157140	MISCELLANEOUS	268
TKC MONOSTABLE CONTACT	BL-CX00XAAXCWI	DOOR	218

Designation	Reference	Type	Page
TKC MONOSTABLE CONTACT (TYPE C2-U1Z COØ600.8104.02)	BL-CX00XAAXDJJ	DOOR	218
TOOTH BELT ECO	2C1M057400	DOOR	18, 60, 157, 197, 204
TOOTH BELT LOCKED CPL (LEFT SIDE SYM: WIDE SIDE ASYM)	902754H02	DOOR	157, 158
TOOTH BELT MIDI/SUPRA	2C1A272947	DOOR	18, 60, 125, 210
TOOTH BELT TRAINING PULLEY	2C1A040123	DOOR	113
TOOTHED BELT DIVERTING PULLEY	2C1A040122	DOOR	113
TOOTHED BELT FOR RCF1	C3201059239	DOOR	113
TOOTHED BELT PULLEY Z=10 FOR CO850-CO900	902938G03	DOOR	158
TOOTHED BELT PULLEY Z=12 FOR CO750-CO800	902938G02	DOOR	158
TOOTHED BELT PULLEY Z=14 FOR CO600-CO700	902938G01	DOOR	158
TOOTHED BELT RPP8 M15 MM. L=10MT.	BL-C076AAGG-10000	DOOR	242
TOOTHED BELT RPU 5M-25MM (L=10000MM)	BL-C076AAGG-10000	DOOR	226, 240
TOP PLASTIC RING	2C1R050006	DOOR	207
TOP ROLLER AMD2 COMPLETE WITH ECCENTRIC SCREW	601106G02	DOOR	211
TOP ROLLER AMD2 WITHOUT SCREW, P. 84, Ø93	601106G01	DOOR	211
TOP ROLLER FOR SLOW TRUCK DOOR 11	1005297P01	DOOR	174
TOP ROLLER FOR SPEED TRUCK OLD MODEL	2L1M050038V01	DOOR	174
TOP ROLLER IN DELRIN AND SS BEARING	1019136A01	DOOR	20, 41, 61, 82, 108, 173
TOP ROLLER STANDARD Ø56	1005345P01	DOOR	20, 41, 61, 82, 108, 173
TOP ROLLER WITH BEARING BRONZE	2C1A140175	DOOR	20, 41
TORIC SEAL DIM 101,2 X 3,53	OL.OR.4400	HYDRAULIC	265
TRANSPORT BOW	600682H01	SAFETY ELEMENT	256
TRUCK SEE ANNEXE*		DOOR	20, 41, 61, 82, 108, 126, 143, 157, 173
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, LEFT HAND (S2-4Z AS1735.1-2001)	BL-B158AEAX05	DOOR	232, 242, 252
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND	BL-B158AAUX03	DOOR	243
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD)	BL-B158AEAX06	DOOR	232, 242, 252
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA	2C2A901784G05	DOOR	24, 65, 129
UNLOCKING SYSTEM KIT 01	1005980A02	DOOR	174
UNLOCKING SYSTEM KIT 11	1005980A01	DOOR	174
VANDALPROOF LOCK RELEASE L 2000B/C	BL-B018AAJX02	DOOR	230
VANDALPROOF LOCK RELEASE R 2000B/C	BL-B018AAJX01	DOOR	230
WASHER	W000330	DOOR	199
WITTUR PROGRAMMING TOOL	2C3A900050G01	DOOR	17, 59, 108, 125, 157, 197, 204, 210
WSE EVO LIGHT CURTAIN	1001002A04	DOOR	190



**YOUR GLOBAL PARTNER FOR COMPONENTS,
MODULES AND SYSTEMS IN THE ELEVATOR INDUSTRY**



safety **in** *motion*™

www.wittur.com

More information
about Wittur Group
available on-line.



SELECON
a WITTUR brand

Liftmaterial
a WITTUR brand

semaTIC
a WITTUR brand