
WITTUR

Spare parts catalog



safety in motion

wittur.com

WITTUR

sematic®

a WITTUR brand

SPARE PARTS CATALOGUE

This catalogue exists in order to provide an insight guide to technical teams to identify and order easily required spare parts for a proper functioning of WITTUR and SEMATIC's equipment.

For further information, our team is at your disposal from Monday to Friday during working hours from 7:00 to 16:00.

The contact details apply to the Nordic countries.
Sweden, Norway, Finland, Denmark, Island and Estonia.
Tel: +46 (0)8 564 755 40 – Email: spareparts.se@wittur.com

Thanks to our transportation partnerships and our logistic department which guarantee you a fast shipment of spare parts available in stock.



safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

WITTUR

sematic®

a WITTUR brand

WARNING



The pictures and illustrations of the entire catalogue are not legally binding and can be modified.

No reproduction of this catalogue, other than that allowed by the intellectual property code (Article L 122-5), can be made without the express authorization of Wittur



safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

WITTUR

sematic®

a WITTUR brand

HOW TO REACH WITTUR SWEDEN AND OUR WAREHOUSE

Wittur Sweden AB
Domnarvsgatan 35
163 53 Spånga
Sweden





safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

WITTUR

sematic®

a WITTUR brand

NORMS, CERTIFICATION AND TRACEABILITY

Wittur, for an environmental respect, develop high performance products, innovating and that offer an important economic energy.

All the spares part sold by Wittur will contain the certified original parts and are authenticating by our competent technical design office.

They assure a security working, an optimal output and a best performing of your lift.



We assure that the spare parts (safety parts) which are delivered under the Lift Directive 2014/33/UE (20/4/2017), will have a traceability conformity to the regulations.

safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

SUMMARY

Identification label	p. 11 to 15
Doors	
Door names abbreviations	p. 16
Hydraplus	p. 17 to 40
Hydra	p. 41 to 60
Hydra 3000	p. 61 to 82
Hydrarm	p. 83 to 112
Hydrabelt	p. 113 to 128
Pegasus	p. 129 to 147
Pegasus landing	p. 149 to 164
Fineline	p. 165 to 175
Augusta EVO	p. 177 to 185
Ecobus	p. 187 to 193
AMD	p. 195 to 205
Piuma	p. 207 to 208
C MOD Sematic	p. 209 to 216
2000B GOOD Sematic	p. 217 to 230
2000R Sematic	p. 231 to 232
2000B-MF Sematic	p. 233 to 240
2000B-CMG high Sematic	p. 241 to 244
2000B-CMG low Sematic	p. 245 to 248

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Safety elements 

Ebra 20 p. 249 to 254

OL35 p. 255 to 260

Gears 

Gears p. 261 to 268

Gearless 

Gearless p. 269 to 271

Hydraulics

Hydraulics p. 273 to 275

Miscellaneous

Miscellaneous p. 277 to 282

Index

Index p. 283 to 319

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

IDENTIFICATION LABEL

On all the WITTUR products there is an identification label as shown below.

On that label there is written all the characteristics which allow you to identify your product and make it easier for your information requests and spare parts orders.

Car door operator label:
Please be sure to note down the **Project** number or the **Customer Ref** number.



You can also find on the label, essential information such as: the door type, the clear opening, the high opening and motorization type.

Landing door mechanism label:
Please be sure to note down the **Project** number or the **Customer Ref** number.




Likewise, you can also find on the label essential information such as: the door type, the clear opening, the high opening and motorization type.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Fineline door label:

You can find several different labels on the Fineline doors that allow you to identify all door components:



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Coupler sticker:

Please be sure to note down the reference found on the reverse side of the coupler.



You can also note down the reference tag at the front of the coupler. This will allow our factories to identify your product.



Board label:

Please be sure to note down the reference below the bar code on the metallic part:



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Machine and motor label:


Please be sure to note down the **Serial Number**:



You can also find on this label essential information such as the type of machine, the reduction and the type of oil.

Gearless label:

Please be sure to note down the number highlighted Nr:



You can also find on the label essential information such as the gearless characteristics.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion ™

Overspeed governor OL35 label:

Please be sure to note down the numbers Elevator N° and Serial N°:



You can also find on this label essential information such as the nominal speed, the setting speed and the ropes diameter.

EBRA20 label:

Please be sure to note down the numbers **Elevator N°** and **Serial N°**:



You can also find on this label essential information such as the payload, the setting speed and the guide lug size.


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

SEMATIC IDENTIFICATION LABEL

On all the WITTUR or SEMATIC products there is an identification label as shown below.

You can find a lot of different stickers in the SEMATIC doors.





safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

We need the OC number to identify your original order:







No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

DOOR NAMES ABBREVIATIONS

Each door spare part reference is indexed to help you assemble your orders and manage your stock.

As a matter of fact, some spare parts are similar for several different door types.

HYDRAPLUS:	H+
HYDRA:	H
HYDRA 3000:	H3
HYDRARM:	HA
HYDRABELT:	HB
PEGASUS CAR DOOR:	PE
PEGASUS LANDING DOOR:	P1
FINELINE:	FL
ECOBUS OLD VERSION:	EB
ECOBUS NEW VERSION:	E2
AMD:	AD
AUGUSTA EVO:	AE
PUIMA:	PM
CMOD:	CM
B – GOODS:	BG
RONDE:	RD
B – MF:	MF
B – CMG HIGH:	CH
B – CMG LOW:	CL

WITTUR

sematic

For example, The “PROGRAMMATION TOOL H+/EB/FL/PE/HB/H3/AD”, could be used for the following doors:

- Hydraplus (H+)
- Hydra 3000 (H3)
- Hydrabelt (HB)
- Pegasus (PE)
- Fineline (FL)
- Ecobus (EB)
- AMD (AD)

safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice



CHARACTERISTICS OF YOUR HYDRAPLUS® DOOR



safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

PRODUCTION RANGE

SERIE	LANDING DOORS *PORTE DI PIANO* TYPE *TIPO*	ILLUSTRATION *RAPPRESENTAZIONE*	CAR DOORS *PORTE DI CABINA* TYPE *TIPO*	ILLUSTRATION *RAPPRESENTAZIONE*	C.O. *PL* mm. Min.	C.O. *PL* mm. Max.	LH mm. Min.	LH mm. Max.
3201	01/C		02/C		600	1800	1900	NOTE: MAXIMUM CLEAR OPENING HEIGHT 3500 mm. - SUBJECT TO CLEAR OPENING WIDTH *N.B.: LA MASSIMA APERTURA IN ALTEZZA È 3500 mm. DEVE ESSERE DEFINITA OGNI VOLTA IN RELAZIONE AL PASSAGGIO LIBERO DELLA PORTA*
	11/R		12/R		600	1800		
	11/L		12/L					
	31/R		32/R		600	2100		
	31/L		32/L					
	31/R		35/R		600	1400		
	31/L		35/L					
	41/C		42/C		1200	3200		
	43/R		44/R		600	1150		
	61/C		62/C		1500	3200		
	65/R		66/R		900	1450		

MOTORIZATION TYPE

The Hydraplus door is available with three different motorization types:

- ECO for installations with a Low traffic (residence, small offices)
- MIDI for installations with a medium traffic (public buildings, offices)
- SUPRA for the installations with a high traffic (hotels, hospitals, important buildings)

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ECO MOTOR H+/EB	2C2R020007	
MIDI MOTOR FOR HYDRA 3000 - ERSÄTTER 3201.04.0254V01 H+	1008588A01	
SUPRA MOTOR H+/PE	902195G03	
ECO TRANSFORMER H+/FL/EB/H3	901139G02	
MIDI SUPRA TRANSFORMER H+/PE/H3/AD	601805G01	
ECO BOARD H+/FL/H3	903510G01K	
ECO BOARD TYPE OTIS FLEX H+	903511G01T-L	
MIDI SUPRA BOARD H+/PE/H3	903376G01K	
MIDI SUPRA BOARD TYPE OTIS FLEX H+	903377G01TE	
MIDI SUPRA BOARD TYPE EMS WIDE H+	903378G01H	
SPARE PLUG SET ECO MIDI/ SUPRA H+/PE/ H3	901909G01	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
WITTUR PROGRAMMING TOOL H+/EB/FL/ PE/HB/H3/AD	900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA BOARD H+/FL/EB/PE/H3	2C2A030348	
MAGNET H+/EB/PE/H3	3215.05.9001	
CONTACT REFSW FOR LIFT DOOR BOARD H+/EB/PE/H3	601812G01	
REFSW CONTACT FOR ECO MIDI SUPRA BOARD H+/EB/PE/H3	274878	
CLOSING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V01	
OPENING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V02	
TOOTH BELT ECO L=4400MM HT=12MM H+/ FL/EB/H3	89740H04	
TOOTH BELT MIDI/SUPRA L=5450MM H=25 H+/PE/H3/AD	601278H04	
ECO BELT CLAMP H+/H3	2C2M030401	
SET OF MIDI SUPRA BELT CLAMPS H+/PE/ H3/AD	601345A01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BELT CAMP FOR 2 COUPLER VERSION H+/ PE/H3	3201.04.0175	
ECO TOOTHED PULLEY H+/FL/H3/E2	3215.04.0400	
MIDI SUPRA TOOTH BELT PULLEY H+/H3/AD	2C2A601319G01	
MAGNET ECO HYDRA H+/H3/AE	3201.15.9952	
MAGNETIC FIXATION MIDI/SUPRA. KIT H+	2C2A030943	
BELT CLIP SUPPORT H+	2C1A155T11V03	
MAGNETIC FIXATION ECO H+/H3	2C2A030942V01	
NEEDLES FOR FIX. MAGNET CLIP H+/H3	2C1A156923V01	
BELT INTERFACE/ADAPTER PLATE H+/H3	2C1A055966	
CABEL DRAG CHAIN HB/H+/H3	C3201159857	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C H+/HB/H3	2C2A757104-00	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12RL AND 35RL H+/HB/H3	2C2A757104-01	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42/C AND 62/C H+/HB/H3	2C2A757104-02	
THREADED RIVET M8 FOR TRUCK H+/H/HB/HA/H3	3201059034	
FAST TRUCK BUFFER FOR DOOR 35RL H+/H3/HA/HB	2C1A055945	Picture Not Available
TOP ROLLER STANDARD Ø56 HB/H+/HA/H/H3/AE	3201.05.0032	
TOP ROLLER IN DELRIN AND SS BEARING H/H+/HA/HB/H3	3201.14.0268V01	
REINFORCED WHITE TOP ROLLER H/H+/HA/HB/H3	1023902A01	
TOP ROLLER WITH BEARING BRONZE H+/H	3201.14.0175	
KIT OF 12 TOP ROLLERS + WASHERS HB/H+/HA/H/H3	2L1A390084	
KIT OF 4 BRONZE ROLLERS WITH FELT EXCEPT DOOR 43R AND 65R H+/H	3201.23.1393	
KIT OF 4 BRONZE ROLLERS WITH FELT DOOR 43R AND 65R H+/H	2L2A231394	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/H+/HA/H/PE/P1/H3	3201.05.0058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231389	
KIT OF 6 BOTTOM ROLLERS WITH AXIS DOOR 33-35-63 H+/H	2C2A231392	
SET OF 4 COUNTER ROLLERS IN IRON H+/H/P1	2L2A231395	
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/P1/H3	3201.05.0010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231385	
SET OF 3 SYNCHRONISATION ROPES 2M HB/H+/HA/H/PE/P1/H3	2C2A231720L200	
SET OF 3 SYNCHRONISATION ROPES 3M HB/H+/HA/H/PE/P1/H3	2C2A231720L300	
SET OF 3 SYNCHRONISATION ROPES 4M HB/H+/HA/H/PE/P1/H3	2C2A231720L400	
SET OF 3 SYNCHRONISATION ROPES 5M HB/H+/HA/H/PE/P1/H3	2C2A231720L500	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SYNCHRONISATION ROPE 6M HB/H+/HA/H/ PE/P1/H3	2L1A054001L6000	
SYNCHRONISATION ROPE 7M HB/H+/HA/H/ PE/P1/H3	2L1A054001L7015	
SYNCHRONISATION ROPE SPRING H+/HA/H/ HB/PE/P1/H3	3201.15.3002	
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/PE/P1/H3	3201.15.6012	
CLAMP FOR SYNCHRONISATION ROPE H/ H+/HA/HB/PE/P1/H3	3201.15.6013	
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	
COUPLER ECO-HYDRA+, LEFT OPENING H+/ H3	3201.12.0860V02	
COUPLER ECO-HYDRA+, RIGHT OPENING H+/ H3	3201.12.0860V01	
LEFT COUPLER ECO WITH CAR DOOR LOCK H+/H3	2C2A901870G05	
RIGHT COUPLER ECO WITH CAR DOOR LOCK H+/H3	901870G15	
SKEWED LEFT COUPLER ECO 125-250 MM H+/H3	2C2A901865G05	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SKEWED RIGHT COUPLER ECO 125-250 MM H+/H3	2C2A901865G15	
SKEWED LEFT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK H+/H3	2C2A901871G05	
SKEWED RIGHT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK H+/H3	2C2A901871G15	
LEFT COUPLER MIDI SUPRA H+/PE/H3	S0901872A05	
RIGHT COUPLER MIDI SUPRA H+/PE/H3	S0901872A15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H+/PE/H3	2C2A901873G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H++/PE/H3	2C2A901873G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G15	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LEFT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G05	
RIGHT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G15	
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G15	
LEFT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A05	
RIGHT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A15	
ADAPTER PLATE FOR FIXED LEFT COUPLER H+/PE/H3	2C1A055965V03	
ADAPTER PLATE FOR FIXED RIGHT COUPLER H+/PE/H3	2C1A055965V04	
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02 H+/HA/PE/H3	2C2A399890V01	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C1A055680	
ACTION DEVICE RETRACTABLE CAM HYDRA/ PEGASUS H+/PE/H3	3201.05.5955	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C1A055680	
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C2A901784G05	
U FIXED COUPLER TYPE ORLY LEFT AND RIGHT H+/PE/H3	S05069-01V03	
U FIXED COUPLER OTIS + DOOR BRACKET 12L MIDI H+/PE/H3	3201399917V01	
U FIXED COUPLER OTIS + DOOR BRACKET 12R MIDI H+/PE/H3	3201399917V02	
U FIXED COUPLER + DOOR BRACKET 02/C MIDI H+/PE/H3	3201399917V03	
SKEWED U FIXED COUPLER 02/C MIDI H+/PE/H3	S04600-01V01	
U FIXED COUPLER OTIS DOOR 12RL SKEWED 121-220 H+/PE/H3	2C2A399904V11	
FIXED COUPLER DOOR SORETEX 02C H+/PE/H3	S04149-01	
COUPLER KONE ADR DOOR 12R MIDI H+/PE	S06291-00	
COUPLER KONE ADR DOOR 12L 02C MIDI H+/PE	S06291-00T02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXED COUPLER KIT TYPE 1118 AND 1119 H+/HA/HB/PE/H3	2C2A040926	
FIXED COUPLER M1=540 H+/HA/H3	2C1A155053V02	
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C H+/PE/H3	2C2A901927G01	
CONTACT + BRACKET FOR CAR DOOR LOCK 12L H+/PE/H3	2C2A901927G03	
CONTACT + BRACKET FOR CAR DOOR LOCK 12R H+/PE/H3	2C2A901927G04	
CONTACT + BRACKET FOR CAR DOOR LOCK 44 H+/H3	2C2A901879G01	
CONTACT + BRACKET FOR CAR DOOR LOCK 62C H+/PE	2C2A901927G05	
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L H+/PE/H3	2C2A901927G07	
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R H+/PE/H3	2C2A901927G08	
CONTACT + BRACKET FOR CAR DOOR LOCK 66 H+/H3	2C2A902049G01	
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C H+/PE/H3	2C2A901929G01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 42C AND 62C H+/PE	2C2A901932G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 44 H+/H3	2C2A901879G02	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 66 H+/H3	2C2A902049G02	
CAR DOOR LOCK SPACER DOOR 02 72 H+/PE/H3	2C1A056266V01	
CAR DOOR LOCK SPACER DOOR 12 35 42 44 H+/PE/H3	2C1A056266V02	
CAR DOOR LOCK SPACER DOOR 32 62 66 H+/PE/H3	2C1A056266V03	
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER H+/PE/H3	902047G01	
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER H+/PE/H3	902047G02	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/R) H+	2C2A230893V01	
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/L) H+	2C2A230893V02	
KIT OF MECHANICAL RELEASE TYPE 1200 (35/R) H+	2C2A230893V03	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF MECHANICAL RELEASE TYPE 1200 (35/L) H+	2C2A230893V04	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/R) H+	2C2A230893V05	
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/L) H+	2C2A230893V06	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/R) H+	2C2A230893V07	
KIT OF MECHANICAL RELEASE TYPE 1201 (35/L) H+	2C2A230893V08	
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/R) H+	2C2A230893V09	
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/L) H+	2C2A230893V10	
KIT OF MECHANICAL RELEASE TYPE 1202 (35/R) H+	2C2A230893V11	
KIT OF MECHANICAL RELEASE TYPE 1202 (35/L) H+	2C2A230893V12	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/ PE/P1/H3	6400.00.0001	
CONTACT KF-2V HB/H+/HA/H/EB/PE/P1/H3	2C1A000001	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
CONTACT SEL2-A1Z P H+/EB/PE/AD	274095	
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/ P3/PE/P1/H3	6400.00.0002	
CONTACT SUPPORT PZ21 DOOR 4 AND 2 LATERAL PANELS H+/HA/PE	2C1A055046	
CONTACT SUPPORT FOR CAR DOOR H+/HA/ PE	2C1A055098	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/ PW/EB/P1/H3	2C1A055114	
CONTACT SUPPORT CAR DOOR (CENTRALE DOOR) H+/PE	2C1A055239	
THREADED FIXING PLATE H+/HA/PE	2C1A057021	
LEFT COUPLING SUPPORT FOR ROPE H+	2C1A55653V01	
RIGHT COUPLING SUPPORT FOR ROPE H+	2C1A55653V02	
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02/C 50MM H+	2C1A399891V02	
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02C 75MM H+	2C2A399854V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 75MM H+	2C2A399854V13	
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 90MM H+	2C2A399854V18	
SPACER 6 MM FOR TRUCK FIXING HA/H/H+/ PE	2C1A056010	
FIXING KIT MFB H+/H3	2C2A399910	
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	2L2A399856V01	
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	PA.D2	
KIT OF 2 PANELS FIXINGS Ø10 - LEN=107 MM H+	2C2A399856V05	
KIT OF 2 PANELS FIXINGS Ø8 DOOR 33/35 H+/HA/HB	2L2A399856V02	
PANELS FIXING FOR FRONT TRUCK FIXA-TION HA/H+	3201.05.6051V01	
PANELS FIXING BOLT DOOR 33 AND 63 LEN=110MM HA/H+	2L1A056079.110	
NUT M10 FOR FIXING 2C1A056051/SRN HA/ H+	2C1A156130	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
PANEL EXTENSION 50 X 105MM H+/HA/HB/H3	3201.15.5448L005	
PANEL EXTENSION 100 X 75MM H+/HA/HB/H3	3201.15.5448L007	
PANELS EXTENSION H100 MM DOOR 33/35 PL 700 MM H+/HB/HA	WE96-099	
PANELS EXTENSION H100 MM DOOR 33/35 PL 800 MM H+/HB/HA	WE96-100	
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/H+/PE/P1/H3/AE	PA.C2	
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/H3/AE	3201.05.0062	
SET OF 24 SHOES 2L1A050062 HA/H/HB/H+/PE/P1/H3	2L2A231360	
GUIDING SHOE FOR GLASSED PANELS H/H+/HA/HB/P1	2L2A130052	
FIXING KIT FOR CAR DOOR TOE-GUARD H+/H3	2C2A231250	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Lenght

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A PANEL ?

You need to give the following information:
- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels




Diagram 1

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Diagram 2





Diagram 3



Before March 2011, all the panels had a fixed height (see table).
Example for a 02/C door, with standard dimensions:

Clear opening: 2000mm
HS dimensions: 2180mm
Panel height : 2012mm

Door type	Panels height
11	HL + 12
12	HSC - 168
31	HL + 12
32/33/35	HSC - 168
01	HL + 12
02	HSC - 168
41/43	HL + 12
44	HSC - 213
61/65	HL + 12
62/63	HSC - 168
66	HSC - 213

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Since March 2011, there are 2 manufacturing types:

- Old execution (like the fabrication before March 2011).
- New execution MFB type, the height panel is 2032mm with a dimension HS between 2180mm and 2280mm; and a height of 2132mm with a dimension HS between 2281mm and 2380mm.
- These panels are «adjustable» with the operator fixing brackets (see diagram 4).
- Example for a 02/C door, with standard dimensions :

Height opening: 2000mm
HS Dimension: 2180mm
Panel height: 2032mm





Diagram 4

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

ANNEX :
THE STANDARD SILLS


There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG



Aluminum standard sills for central opening doors with 2 panels




Aluminum standard sills for lateral opening doors with 2 panels



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion TM

Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

ANNEX :
SYNCHRONIZATION ROPES TABLE

PL	11R-L	12R-L	01/C	02/C	31R-L	32/33/34 /35R-L	41/C-43/C	42/C-44R	61/C-65/R	62/C-66/R
500	1 x 2M	1 x 2M	1 x 3M	1 x 3M						
550										
600					2 x 2M	2 x 2M	2 x 2M 1 x 3M	2 x 2M 1 x 3M		
650										
700			1 x 4M	1 x 4M						
750									4 x 2M 1 x 3M	4 x 2M 1 x 3M
800										
850										
900			1 x 5M	1 x 5M			2 x 2M 1 x 4M	2 x 2M 1 x 4M		
950									4 x 2M 1 x 4M	4 x 2M 1 x 4M
1000										
1050										
1100			1 x 6M	1 x 6M						
1150										
1200							2 x 2M 1 x 5M	2 x 2M 1 x 5M		
1250										
1300									4 x 2M 1 x 5M	4 x 2M 1 x 5M
1350										
1400										
1450			1 x 7M	1 x7M						
1500										
1550					2 x 3M	2 x 3M				
1600	1 x 4M	1 x 3M					2 x 2M 1 x 6M	2 x 2M 1 x 6M	4 x 2M 1 x 6M	4 x 2M 1 x 6M
1650										
1700							2 x 3M 1 x7M	2 x 2M 1 x7M		
1800			1 x 8M	1 x 8M						
1900							2 x 3M 1 x 8M	2 x 3M 1 x 8M	4 x 2M 1 x7M	4 x 2M 1 x7M
2000										
2100										
2200										
2300										
2400										
2500										
2600										
2700										
2800										
2900										
3000										
3100										
3200										

Set of 3 synchronisation ropes LG=2M : Reference 2C2A231720L20
Set of 3 synchronisation ropes LG=3M : Reference 2C2A231720L300
Set of 3 synchronisation ropes LG=4M : Reference 2C2A231720L400
Set of 3 synchronisation ropes LG=5M : Reference 2C2A231720L500
Synchronisation ropes LG=6M : Reference 2L1A054001L6000
Synchronisation ropes LG=7M : Reference 2L1A054001L7015
Synchronization ropes LG>7M : only on request
*Only on request with the original order number




No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

CHARACTERISTICS OF YOUR HYDRA® DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

PRODUCTION RANGE

SERIE	LANDING DOORS *PORTE DI PIANO* TYPE *TIPO*	LANDING DOORS *PORTE DI PIANO* ILLUSTRATION *RAPPRESENTAZIONE*	CAR DOORS *PORTE DI CABINA* TYPE *TIPO*	CAR DOORS *PORTE DI CABINA* ILLUSTRATION *RAPPRESENTAZIONE*	C.O. *PL* mm. Min.	C.O. *PL* mm. Max.	LH mm. Min.	LH mm. Max.
3201	01/C		02/C		600	1800	1900	NOTE: MAXIMUM CLEAR OPENING HEIGHT 3500 mm. - SUBJECT TO CLEAR OPENING WIDTH *N.B.: LA MASSIMA APERTURA IN ALTEZZA È 3500 mm.* *DEVE ESSERE DEFINITA OGNI VOLTA IN RELAZIONE AL PASSAGGIO LIBERO DELLA PORTA*
	11/R		12/R		600	1800		
	11/L		12/L					
	31/R		32/R		600	2100		
	31/L		32/L					
	31/R		35/R		600	1400		
	31/L		35/L					
	41/C		42/C		1200	3200		
	43/R		44/R		600	1150		
	61/C		62/C		1500	3200		
	65/R		66/R		900	1450		

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LOCK RELEASE MECHANISM H	3201.03.0001V01	
LOCK RELEASE MECHANISM H	3201.03.0001V02	
RIGHT UNLOCKING DEVICE DOOR 4 AND 6 PANELS H	3201.13.0008V01	
LEFT UNLOCKING DEVICE DOOR 4 AND 6 PANELS H	3201.13.0008V02	
EMERGENCY RELEASE MECHANISM H056 DX H	3201.13.0037V01	
EMERGENCY RELEASE MECHANISM H056 SX H	3201.13.0037.02	
EMERGENCY SBLOC H41 11-31R-01C 230V H	1025596A04	
EMERGENCY SBLOC H41 11-31L 230V H	1025596A05	
BISTABLE CONTACT FOR UNLOCKING DEVICE EN81-21 EN81-21 DOOR 41/C 61/C H	2L2A030897A13	
MONOSTABLE BERNSTEIN CONTACT NO/NC RESET MANUAL IP54 H	W002116	
F.I.A EMERGENCY WITH RESET LEFT H/P1/H3	3201.13.0344V02	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
F.I.A EMERGENCY WITH RESET RIGHT H/P1/ H3	3201.13.0344V01	
BISTABLE CONTACT NO/NC H	W002415	Picture Not Available
UNLOCKING LEVER DOOR 01/C H	2L1A155170	
UNLOCKING LEVER DOOR 41 AND 61 H	2L1A155175	
UNLOCKING LEVER H	2L1A155176V01	
UNLOCKING LEVER H	2L1A155095	
RETRACTABLE CAM/COUPLER CURVE PIN H	3201.05.6088	
EMERGENCY KEY STANDARD H/P1/H3	3201.23.1534	
EMERGENCY KEY L=200MM H/P1/H3	3201.15.9165L020	
EMERGENCY KEY L=500MM H/P1/H3	3201.15.9165L050	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/ PE/P1/H3	6400.00.0001	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
PZ 73 CONTACT HA/H/P1	3201.05.9006	
KRONENBERG CONTACT TYPE HZS H/H3	1KKHZS00150	
CONTACT IP65 BERNSTEIN TI2-A1Z KS H/ HA/P1	C3201159276	
STEUTE CONTACT AZ10 IP67 H	3201.15.9346V01	
CONTACT STEUTE WITH CABLE 6M H	3201.15.9346V03	
LOCK CONTACT KX 3201 WITH CABLE LEN=2M H	6404.00.0002	
LOCK CONTACT KX 3201 WITH CABLE LEN=5M H	2Z6404000002.5000	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/ PW/EB/P1/H3	2C1A055114	
CONTACT SUPPORT PZ73 H/HA	2L1A055105	
FIXING PLATE FOR KRONENBERG CONTACT HA/H	2L1A057112	
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/ P3/PE/P1/H3	6400.00.0002	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRIDGE FOR LOCK KX 3201 H	6404.00.0001	
BRIDGE HOLDER DOOR 01C H	2L1A055048	
BRIDGE SPACER THICKNESS 1MM H/P1/H3	2L1A059082	
BRIDGE SPACER THICKNESS 2MM H/P1/H3	2Z6400050005V02	
BRIDGE FIXING PLATE HA/H/P1	2C1A057111	
LEFT LANDING LOCK DOOR 11/L AND 41/C H/P1	2L2A030009V01	
RIGHT LANDING LOCK DOOR 11/R AND 41/C H/P1	2L2A030009V02	
LANDING LOCK DOOR 43R/L H	2L2A231706T43	
LANDING LOCK DOOR 01/C H/P1	2L2A030019V01	
RIGHT LANDING LOCK DOOR 31/R-61/C H/P1	2L2A030050V02	
LEFT LANDING LOCK DOOR 31/L-61/C H/P1	2L2A030050V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LANDING LOCK DOOR 65/R H	2L2A231706T65	
LEFT LOCK LEVER WITH ROLLER H/P1	3201.13.0017V01	
RIGHT LOCK LEVER WITH ROLLER H/P1	2L1A130017V02	
LOCK HOOK RIGHT H/P1	3201.05.5025V01	
LOCK HOOK LEFT H/P1	3201.05.5025V02	
LOCK CONTROL ROLLER WITH BEARING H/P1	3201.14.0267	
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	
KIT OF 12 LOCK ROLLERS H/P1	2C2A231386	
LOCK FELT H/P1	3201.05.7060	
KIT OF 10 FELTS FOR LOCK H/P1	2L2A231421	
BERNSTEIN CONTACT FOR CAR DOOR LOCK 24V H/P1	6010853002	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BERNSTEIN CONTACT FOR CAR DOOR LOCK 230V H/P1	1001022A03	
BUFFER FOR LOCK H/P1	C3201059098	
THREADED RIVET M8 FOR TRUCK H+/H/HB/ HA/H3	3201059034	
ANTI-DERAILMENT KIT FOR DOOR TRUCK 01-11-31-41-61-71 H	1019288A01	
ANTI-DERAILMENT KIT FOR DOOR TRUCK 43-65 H	1019288A02	
STOP TRUCK BUFFER HA/H/P1/H3	3201.05.0001	
SPACER 6 MM FOR TRUCK FIXING HA/H/H+/ PE	2C1A056010	
SET OF 3 SYNCHRONISATION ROPES 2M HB/ H+/HA/H/PE/P1/H3	2C2A231720L200	
SET OF 3 SYNCHRONISATION ROPES 3M HB/ H+/HA/H/PE/P1/H3	2C2A231720L300	
SET OF 3 SYNCHRONISATION ROPES 4M HB/ H+/HA/H/PE/P1/H3	2C2A231720L400	
SET OF 3 SYNCHRONISATION ROPES 5M HB/ H+/HA/H/PE/P1/H3	2C2A231720L500	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SYNCHRONISATION ROPE 6M HB/H+/HA/H/PE/P1/H3	2L1A054001L6000	
SYNCHRONISATION ROPE 7M HB/H+/HA/H/PE/P1/H3	2L1A054001L7015	
SYNCHRONISATION ROPE SPRING H+/HA/H/HB/PE/P1/H3	3201.15.3002	
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/PE/P1/H3	3201.15.6012	
CLAMP FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	3201.15.6013	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	2L1A055057	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE HA/H/P1	2C1A055057V01	
CABLE CRIMPLING TUBE 05711520 H/P1/H3	C3201059115	
ROPE CLAMP SUPPORT FIXING POINT SYNCHRONISATION ROPE HA/H/P1	2L1A057018	
SPACER H=10 MM FOR SYNCHRONIZING ROLLER HA/H/P1	2L1A056054	
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/P1/H3	3201.05.0010	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231385	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	
SPACER FOR DIVERTING ROLLER DOOR 3 PANELS H/P1	2L1A056083	
SPACER 15MM FOR DIVERTING ROLLER H/P1	2C1A056100	
FIXING POINT FOR SYNCHRONISATION ROPE WITH RIVEKLET HA/H/P1	3201.05.5011	
FIXING POINT FOR SYNCHRONISATION ROPE DOOR 43/R AND 65R H/P1	2L1A155157V02	
TOP ROLLER STANDARD Ø56 HB/H+/HA/H/H3/AE	3201.05.0032	
TOP ROLLER IN DELRIN AND SS BEARING H/H+/HA/HB/H3	3201.14.0268V01	
REINFORCED WHITE TOP ROLLER H/H+/HA/HB/H3	1023902A01	
TOP ROLLER WITH BEARING BRONZE H+/H	3201.14.0175	
KIT OF 12 TOP ROLLERS + WASHERS HB/H+/HA/H/H3	2L1A390084	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF 4 BRONZE ROLLERS WITH FELT EXCEPT DOOR 43R AND 65R H+/H	3201.23.1393	
KIT OF 4 BRONZE ROLLERS WITH FELT DOOR 43R AND 65R H+/H	2L2A231394	
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/H+/HA/H/PE/P1/H3	3201.05.0058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231389	
KIT OF 6 BOTTOM ROLLERS WITH AXIS DOOR 33-35-63 H+/H	2C2A231392	
SET OF 4 COUNTER ROLLERS IN IRON H+/H/P1	2L2A231395	
KIT OF 2 PANELS FIXINGS H	2C1A390070	
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	2L2A399856V01	
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	PA.D2	
ROPE DIVERTING ROLLER H/EB/P1/H3/AE	3201.05.0037	
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS H/EB/P1/H3	2L2A231388	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037 H/P1/H3	2L1A155169	
FIXING SCREW FOR COVER H/HA	2L1A156216	
FIXING SCREW FOR COVER (GLASSED PANELS) H/HA	3201156216.AC	
ROLLER SUPPORT, LEFT H/P1/H3	3201.15.5828V01	
ROLLER SUPPORT, RIGHT H/P1/H3	3201.15.5828V02	
SPACER 15 MM FOR GUIDING SHOES HA/H	2L1A056053	
ROLLER SUPPORT FOR RE-CLOSING SYSTEM H/P1/H3	2L2A399850V10	
SELF-CLOSING SPRING 700MM H/P1/H3	3201.05.3007	
REINFORCED RE-CLOSING SPRING H/P1/H3	2L1A053019	
SOUND INSULATION TUBE FOR RE-CLOSING SPRING LEN=500 MM H/P1/H3	C3201059143	
ROPE SUPPORT FOR RE-CLOSING SPRNG H/P1	2L1A055040	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ROPE SUPPORT FOR DOUBLE RE-CLOSING SPRING H/P1	2L1A155447	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059080	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059080	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059099	
RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP H/P1/H3	3201.15.4001L210	
RE-CLOSING ROPE LEN=3700 MM + ROPE CLAMP H/P1/H3	3201.15.4001L370	
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP H/P1/H3	2L2A154001L400	
RE-CLOSING ROPE LEN=6000 MM + ROPE CLAMP H/P1	2L2A154001L600	
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP H/P1/H3	2L2A231397	
ROPE CLAMP FOR RE-CLOSING ROPE H/P1/H3	C3201059028	
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/H+/PE/P1/H3/AE	PA.C2	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/ H3/AE	3201.05.0062	
SLIDING SHOE FOR PANEL-PEGASUS HA/H/ PE/P1	3201.05.0020	
SET OF 24 SHOES 2L1A050062 HA/H/HB/ H+/PE/P1/H3	2L2A231360	
GUIDING SHOE FOR GLASSED PANELS H/H+/ HA/HB/P1	2L2A130052	
KIT OF 3 FIXING BRACKETS (TYPE B12) H/H3	2L1A399852V12	
WALL FIXINGS «TWIN» H/H3	PA.B21	
KIT OF DOOR ACCESSORIES DOOR 01/C H	2L2A399895V01	
KIT OF DOOR ACCESSORIES DOOR 11RL H	2L2A399895V02	
KIT OF DOOR ACCESSORIES DOOR 31RL H	2L2A399895V03	
KIT OF DOOR ACCESSORIES DOOR 41C/43R H	2L2A399895V05	
KIT OF DOOR ACCESSORIES DOOR 61C/65R H	2L2A399895V06	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF DOOR ACCESSORIES DOOR 43R H	2L2A232052	
PIT EGRESS DEVICE DOOR 11/L-31/L-41-61 H	1013236A01	
PIT EGRESS DEVICE DOOR 11/R-31/R H	1013236A02	
PIT EGRESS DEVICE DOOR 01/C H	1013217A01	
PIT EGRESS DEVICE GLASSED DOOR 01/C H	1013217A03	Picture Not Available
PIT EGRESS DEVICE DOOR 43-65 H	1013399A01	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Lenght

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A PANEL ?

You need to give the follow information:
- Door type
- Clear opening
- Height opening (HL)
- Panel position - see diagram 1
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 2
- Fire resistant panel – see diagram 3

The majority of information is in the identification labels

Diagram 1




Diagram 2





Diagram 3




No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

ANNEX :
THE STANDARD SILLS


There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG



Aluminum standard sills for central opening doors with 2 panels




Aluminum standard sills for lateral opening doors with 2 panels



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
SYNCHRONIZATION ROPES TABLE

PL	11R-L	12R-L	01/C	02/C	31R-L	32/33/34 /35R-L	41/C-43/C	42/C-44R	61/C-65/R	62/C-66/R
500	1 x 2M	1 x 2M	1 x 3M	1 x 3M	2 x 2M	2 x 2M	2 x 2M 1 x 3M	2 x 2M 1 x 3M	4 x 2M 1 x 3M	4 x 2M 1 x 3M
550										
600										
650										
700										
750										
800			1 x 4M	1 x 4M						
850										
900										
950										
1000			1 x 5M	1 x 5M			2 x 2M 1 x 4M	2 x 2M 1 x 4M	4 x 2M 1 x 4M	4 x 2M 1 x 4M
1050	1 x 3M									
1100										
1150										
1200										
1250			1 x 6M	1 x 6M			2 x 2M 1 x 5M	2 x 2M 1 x 5M	4 x 2M 1 x 5M	4 x 2M 1 x 5M
1300										
1350										
1400										
1450										
1500										
1550	1 x 4M	1 x 3M	1 x 7M	1 x7M	2 x 3M	2 x 3M	2 x 2M 1 x 6M	2 x 2M 1 x 6M	4 x 2M 1 x 6M	4 x 2M 1 x 6M
1600										
1650							2 x 3M 1 x7M	2 x 2M 1 x7M	4 x 2M 1 x7M	4 x 2M 1 x7M
1700										
1800			1 x 8M	1 x 8M			2 x 3M 1 x 8M	2 x 3M 1 x 8M	•	•
1900										
2000										
2100										
2200										
2300										
2400										
2500										
2600										
2700										
2800										
2900										
3000										
3100										
3200										

Set of 3 synchronisation ropes LG=2M : Reference 2C2A231720L20
Set of 3 synchronisation ropes LG=3M : Reference 2C2A231720L300
Set of 3 synchronisation ropes LG=4M : Reference 2C2A231720L400
Set of 3 synchronisation ropes LG=5M : Reference 2C2A231720L500
Synchronisation ropes LG=6M : Reference 2L1A054001L6000
Synchronisation ropes LG=7M : Reference 2L1A054001L7015
Synchronization ropes LG>7M : only on request
*Only on request with the original order number

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

CHARACTERISTICS OF YOUR HYDRA 3000® DOOR





safety in motion™

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice



PRODUCTION RANGE

Door Type *Türtyp*	Illustration *Darstellung*	Sill *Schwelle* (mm)	Clear Opening *Lichte Breite* min. (mm)	Clear Opening *Lichte Breite* max. (mm)	Clear Height *Lichte Höhe* min. (mm)	Clear Height *Lichte Höhe* max. (mm)
02/C		50	600	1200	2000	2200
12/R		75	600	1200	2000	2200
12/L		75	600	1200	2000	2200
35/R		90	600	1150	2000	2200
35/L		90	600	1150	2000	2200
44/C		75	600	1150	2000	2200

MOTORIZATION TYPE

The Hydra 3000 door is available with two different motorization types:
- ECO for installations with a Low traffic (residence, small offices)
- MIDI for installations with a medium traffic (public buildings, offices)

PRODUCTION RANGE FOR LANDING DOOR

DIM. SEUIL *SILL DIMEN.*	TYPE *TYPE*	SCHEMA *ILLUSTRATION*	PL (mm) min.	PL (mm) max.	LH (mm) max.
50	71/R-L		500	900	2100
	01/C		500	1000	
75	11/R				
	11/L				
	41/C		600	1150	
115	31/R-L		500	1000	
	61/C		900	1450	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ECO MOTOR + PULLEY 3215.05.0041 + SUP-PORT 3201.05.5A41 H3	2C2M903373G01	
MIDI MOTOR FOR HYDRA 3000. - ERSATT AV 1008588A01 H3	3201.04.0254V01	
ECO TRANSFORMER H+/FL/EB/H3	901139G02	
MIDI SUPRA TRANSFORMER H+/PE/H3/AD	601805G01	
ECO BOARD H+/FL/H3	903510G01K	
MIDI SUPRA BOARD H+/PE/H3	903376G01K	
SPARE PLUG SET ECO MIDI/ SUPRA H+/PE/ H3	901909G01	Picture Not Available
WITTUR PROGRAMMING TOOL H+/EB/FL/ PE/HB/H3/AD	900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA BOARD H+/FL/EB/PE/H3	2C2A030348	
MAGNET H+/EB/PE/H3	3215.05.9001	
CONTACT REFSW FOR LIFT DOOR BOARD H+/EB/PE/H3	601812G01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
REFSW CONTACT FOR ECO MIDI SUPRA BOARD H+/EB/PE/H3	274878	
CLOSING DOOR RUBBER BUTTON H+/FL/HB/EB/PE/H3	3215050401V01	
OPENING DOOR RUBBER BUTTON H+/FL/HB/EB/PE/H3	3215050401V02	
TOOTH BELT ECO L=4400MM HT=12MM H+/FL/EB/H3	89740H04	
TOOTH BELT MIDI/SUPRA L=5450MM H=25 H+/PE/H3/AD	601278H04	
ECO BELT CLAMP H+/H3	2C2M030401	
SET OF MIDI SUPRA BELT CLAMPS H+/PE/H3/AD	601345A01	
BELT CAMP FOR 2 COUPLER VERSION H+/PE/H3	3201.04.0175	
ECO TOOTHED PULLEY H+/FL/H3/E2	3215.04.0400	
MIDI SUPRA TOOTH BELT PULLEY H+/H3/AD	2C2A601319G01	
MAGNET ECO H+/H3/AE	3201.15.9952	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
MAGNETIC FIXATION ECO H+/H3	2C2A030942V01	
NEEDLES FOR FIX. MAGNET CLIP H+/H3	2C1A156923V01	
BELT INTERFACE/ADAPTER PLATE H+/H3	2C1A055966	
CABEL DRAG CHAIN HB/H+/H3	C3201159857	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C H+/HB/H3	2C2A757104-00	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12RL AND 35RL H+/HB/H3	2C2A757104-01	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42/C AND 62/C H+/HB/H3	2C2A757104-02	
STOP TRUCK BUFFER HA/H/P1/H3	3201.05.0001	
THREADED RIVET M8 FOR TRUCK H+/H/HB/HA/H3	3201059034	
FAST TRUCK BUFFER FOR DOOR 35RL H+/H3/HA/HB	2C1A055945	Picture Not Available
TOP ROLLER STANDARD Ø56 HB/H+/HA/H/H3/AE	3201.05.0032	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TOP ROLLER IN DELRIN AND SS BEARING H/H+/HA/HB/H3	3201.14.0268V01	
REINFORCED WHITE TOP ROLLER H/H+/HA/HB/H3	1023902A01	
KIT OF 12 TOP ROLLERS + WASHERS HB/H+/HA/H/H3	2L1A390084	
BOTTOM ROLLER WITHOUT SHAFT H3	3201.05.0026	
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/H+/HA/H/PE/P1/H3	3201.05.0058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231389	
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/P1/H3	3201.05.0010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231385	
SET OF 3 SYNCHRONISATION ROPES 2M HB/H+/HA/H/PE/P1/H3	2C2A231720L200	
SET OF 3 SYNCHRONISATION ROPES 3M HB/H+/HA/H/PE/P1/H3	2C2A231720L300	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SYNCHRONISATION ROPE LEN=3210 MM H3	2L2B054011L321	
SET OF 3 SYNCHRONISATION ROPES 4M HB/H+/HA/H/PE/P1/H3	2C2A231720L400	
SET OF 3 SYNCHRONISATION ROPES 5M HB/H+/HA/H/PE/P1/H3	2C2A231720L500	
SYNCHRONISATION ROPE 6M HB/H+/HA/H/PE/P1/H3	2L1A054001L6000	
SYNCHRONISATION ROPE 7M HB/H+/HA/H/PE/P1/H3	2L1A054001L7015	
SYNCHRONISATION ROPE SPRING H+/HA/H/HB/PE/P1/H3	3201.15.3002	
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/PE/P1/H3	3201.15.6012	
CLAMP FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	3201.15.6013	
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	
COUPLER ECO-HYDRA+, LEFT OPENING H+/H3	3201.12.0860V02	
COUPLER ECO-HYDRA+, RIGHT OPENING H+/H3	3201.12.0860V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LEFT COUPLER ECO WITH CAR DOOR LOCK H+/H3	2C2A901870G05	
RIGHT COUPLER ECO WITH CAR DOOR LOCK H+/H3	901870G15	
SKEWED LEFT COUPLER ECO 125-250 MM H+/H3	2C2A901865G05	
SKEWED RIGHT COUPLER ECO 125-250 MM H+/H3	2C2A901865G15	
SKEWED LEFT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK H+/H3	2C2A901871G05	
SKEWED RIGHT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK H+/H3	2C2A901871G15	
LEFT COUPLER MIDI SUPRA H+/PE/H3	S0901872A05	
RIGHT COUPLER MIDI SUPRA H+/PE/H3	S0901872A15	
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H+/PE/H3	2C2A901873G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H++/PE/H3	2C2A901873G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G05	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G15	
LEFT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G05	
RIGHT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G15	
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G15	
LEFT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A05	
RIGHT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A15	
ADAPTER PLATE FOR FIXED LEFT COUPLER H+/PE/H3	2C1A055965V03	
ADAPTER PLATE FOR FIXED RIGHT COUPLER H+/PE/H3	2C1A055965V04	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02 H+/HA/PE/H3	2C2A399890V01	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C1A055680	
ACTION DEVICE RETRACTABLE CAM HYDRA/ PEGASUS H+/PE/H3	3201.05.5955	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C1A055680	
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C2A901784G05	
U FIXED COUPLER TYPE ORLY LEFT AND RIGHT H+/PE/H3	S05069-01V03	
U FIXED COUPLER OTIS + DOOR BRACKET 12L MIDI H+/PE/H3	3201399917V01	
U FIXED COUPLER OTIS + DOOR BRACKET 12R MIDI H+/PE/H3	3201399917V02	
U FIXED COUPLER + DOOR BRACKET 02/C MIDI H+/PE/H3	3201399917V03	
SKEWED U FIXED COUPLER 02/C MIDI H+/ PE/H3	S04600-01V01	
U FIXED COUPLER OTIS DOOR 12RL SKEWED 121-220 H+/PE/H3	2C2A399904V11	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXED COUPLER DOOR SORETEX 02C H+/PE/ H3	S04149-01	
FIXED COUPLER KIT TYPE 1118 AND 1119 H+/HA/HB/PE/H3	2C2A040926	
FIXED COUPLER M1=540 H+/HA/H3	2C1A155053V02	
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C H+/PE/H3	2C2A901927G01	
CONTACT + BRACKET FOR CAR DOOR LOCK 12L H+/PE/H3	2C2A901927G03	
CONTACT + BRACKET FOR CAR DOOR LOCK 12R H+/PE/H3	2C2A901927G04	
CONTACT + BRACKET FOR CAR DOOR LOCK 44 H+/H3	2C2A901879G01	
CONTACT + BRACKET FOR CAR DOOR LOCK 62C H+/PE	2C2A901927G05	
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L H+/PE/H3	2C2A901927G07	
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R H+/PE/H3	2C2A901927G08	
CONTACT + BRACKET FOR CAR DOOR LOCK 66 H+/H3	2C2A902049G01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C H+/PE/H3	2C2A901929G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 42C AND 62C H+/PE	2C2A901932G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 44 H+/H3	2C2A901879G02	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 66 H+/H3	2C2A902049G02	
CAR DOOR LOCK SPACER DOOR 02 72 H+/PE/H3	2C1A056266V01	
CAR DOOR LOCK SPACER DOOR 12 35 42 44 H+/PE/H3	2C1A056266V02	
CAR DOOR LOCK SPACER DOOR 32 62 66 H+/PE/H3	2C1A056266V03	
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER H+/PE/H3	902047G01	
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER H+/PE/H3	902047G02	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0001	
CONTACT KF-2V HB/H+/HA/H/EB/PE/P1/H3	2C1A000001	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0002	
BRIDGE SPACER THICKNESS 1MM H/P1/H3	2L1A059082	
BRIDGE SPACER THICKNESS 2MM H/P1/H3	2Z6400050005V02	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/PW/EB/P1/H3	2C1A055114	
F.I.A EMERGENCY WITH RESET LEFT H/P1/H3	3201.13.0344V02	
F.I.A EMERGENCY WITH RESET RIGHT H/P1/H3	3201.13.0344V01	
FIXING KIT MFB H+/H3	2C2A399910	
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	2L2A399856V01	
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	PA.D2	
KIT OF 4 PANELS FIXING DOOR 35 H3	PA.D5	
SET OF PANEL BOLTS KIT = 4 PCS H3	PA.D8	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BERNSTEIN CONTACT H3	C3201159274	
KRONENBERG CONTACT TYPE HZS H/H3	1KKHZS00150	
BUFFER ROLLER H3	3212.04.0003	
LANDING LOCK DOOR 01/C H3	1024972A01	
LANDING LOCK DOOR 11L H3	1024972A02	
LANDING LOCK DOOR 11R H3	1024972A03	
LANDING LOCK DOOR 31L H3	1025100A01	
LANDING LOCK DOOR 31R H3	1025100A02	
LANDING LOCK DOOR 41/C H3	1025077A01	
LOCK ROLLER H3	2L1A150042	
LOCK FELT H3	2L1A157442	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
EMERGENCY KEY STANDARD	3201.23.1534	
EMERGENCY KEY L=200MM H/P1/H3	3201.15.9165L020	
EMERGENCY KEY L=500MM H/P1/H3	3201.15.9165L050	
ROPE DIVERTING ROLLER H/EB/P1/H3/AE	3201.05.0037	
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS H/EB/P1/H3	2L2A231388	
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037 H/P1/H3	2L1A155169	
ROLLER SUPPORT, LEFT H/P1/H3	3201.15.5828V01	
ROLLER SUPPORT, RIGHT H/P1/H3	3201.15.5828V02	
ROLLER SUPPORT FOR RE-CLOSING SYSTEM H/P1/H3	2L2A399850V10	
RE-CLOSING ROPE DOOR 01/C H3	2L1A154023	
RE-CLOSING ROPE DOOR LEN=1700 MM H3	2L1A154026	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
RE-CLOSING ROPE DOOR LEN=1310 MM H3	3212.05.4010L131	
ROPE CLAMP H3	2L1A040160	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059080	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059080	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059099	
CONTACT SUPPORT DOOR 12-35 H3	2C1P055A38V01	
CONTACT SUPPORT DOOR 44/R H3	2C1P055A61	
MAGNETIC CONTACT H3	2C1M059002V02	
SELF-CLOSING SPRING 700MM H/P1/H3	3201.05.3007	
SELF CLOSING WIRE H3	2L1A154012	
REINFORCED RE-CLOSING SPRING H/P1/H3	2L1A053019	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SELF CLOSING WIRE H/P1/H3	3201.15.4001L210	
COUPLING CABLE L = 3605MM H/P1/H3	3201.15.4001L370	
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP H/P1/H3	2L2A154001L400	
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP H/P1/H3	2L2A231397	
CABLE CRIMPLING TUBE H/P1/H3	C3201059115	
SOUND INSULATION TUBE FOR RE-CLOSING SPRING LEN=500 MM H/P1/H3	C3201059143	
ROPE CLAMP FOR RE-CLOSING ROPE H/P1/H3	C3201059028	
KIT OF 3 FIXING BRACKETS (TYPE B12) H/H3	2L1A399852V12	
KIT OF 2 FIXING BRACKETS B21 (TWIN) H/H3	2L2A399852V21	
PANEL EXTENSION 50 X 105MM H+/HA/HB/H3	3201.15.5448L005	
PANEL EXTENSION 100 X 75MM H+/HA/HB/H3	3201.15.5448L007	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/H+/PE/P1/H3/AE	PA.C2	
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/ H3/AE	3201.05.0062	
SET OF 24 SHOES 2L1A050062 HA/H/HB/ H+/PE/P1/H3	2L2A231360	
FIXING KIT FOR CAR DOOR TOE-GUARD H+/ H3	2C2A231250	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX:
HOW TO ORDER A PANEL OR A TRUCK?

You need to give the label in the mechanism:




No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

ANNEX :
THE STANDARD SILLS


For the standard aluminum sills for central the load (F) acceptable until 470 KG



Aluminum standard sills for central opening doors with 2 panels




Aluminum standard sills for lateral opening doors with 2 panels panels and for central opening doors with 4 panels



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Aluminum standard sills for lateral opening doors with 3 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX:
SYNCHRONIZATION ROPES TABLE

<table>
<tr><th>PL</th><th>12R-L</th><th>02/C</th><th>35R-L</th><th>44R</th></tr>
<tr><td>600</td><td rowspan="12">1 x 2M</td><td rowspan="3">1 x 3M</td><td rowspan="11">2 x 2M</td><td rowspan="6">2 x 2M
1 x 3M</td></tr>
<tr><td>650</td></tr>
<tr><td>700</td></tr>
<tr><td>750</td><td rowspan="5">1 x 4M</td></tr>
<tr><td>800</td></tr>
<tr><td>850</td></tr>
<tr><td>900</td></tr>
<tr><td>950</td><td rowspan="6">1 x 5M</td></tr>
<tr><td>1000</td><td rowspan="5">2 x 2M
1 x 4M</td></tr>
<tr><td>1050</td></tr>
<tr><td>1100</td></tr>
<tr><td>1150</td></tr>
<tr><td>1200</td><td></td><td></td></tr>
</table>

Set of 3 synchronisation ropes LG=2M : Reference 2C2A231720L200
Set of 3 synchronisation ropes LG=3M : Reference 2C2A231720L300
Set of 3 synchronisation ropes LG=4M : Reference 2C2A231720L400
Set of 3 synchronisation ropes LG=5M : Reference 2C2A231720L500

You need to give the label in the mechanism:




Or the type of door and the clear opening.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™




CHARACTERISTICS OF YOUR HYDRARM® DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

PRODUCTION RANGE

CAR DOORS *PORTE DI CABINA*		C.O. *PL* mm.		LH mm.	
TYPE *TIPO*	ILLUSTRATION *RAPPRESENTAZIONE*	Min.	Max.	Min.	Max.
02/C					
12/R		500	1800		
12/L					
32/R		600	2100		
32/L					
33/R					
33/L		600	1400		
35/R				1900	NOTE: MAXIMUM CLEAR OPENING HEIGHT 3500 mm. - SUBJECT TO CLEAR OPENING WIDTH *N.B.: LA MASSIMA APERTURA IN ALTEZZA È 3500 mm.* *DEVE ESSERE DEFINITA OGNI VOLTA IN RELAZIONE AL PASSAGGIO LIBERO DELLA PORTA*
35/L					
42/C		1200	3200		
44/R		600	1150		
62/C		1500	3200		
63/C		1200	2800		
66/R		900	1450 1700		
72/R		500	1400		
72/L					

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
MOTOR DC 48V 240W 1200RPM HA	2C1A159026	
DC MOTOR 24V 1800RPM 120W IP54 HA	3201.15.9102	
MOTOR DC 24V 7,5A 120W 1200RPM HA	2C1A059093	
DC MOTOR 48V 1600RPM 120W IP54 HA	3201.15.9161	
MOTOR 14 KG 230/400V 0,35/0,27A 50HZ HA	2C1A059001.380M	
MOTOR 24 KG 50 HZ 127/230V HA	2C1A059040.127M	
MOTOR 24 KG 50 HZ 230/400V HA	2C1A059040.380M	
MOTOR 3-PHASE 30K 50H 00 220/380 900R HA	3201.05.9249.380M	
BUFFER Ø8MM FOR MOTOR SHAFT 24V AND 48V 1200RPM HA	2C1A156208	
ELECTRIC BRAKE HYDRA ARM HA	3201.15.9943	
CONTROL BOX RC48 VOLT HA	2C1A000002	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
CONTROL BOX RC24 VOLT HA	2C1A000004	
ELECTRONIC BOARD TYPE RC48 HA	C5302059003	
ELECTRONIC BOARD TYPE RC24 HA	C5302059012	
TENSION SPRING FOR RIGHT MOTOR HB/HA	3201.05.3014V01	
TENSION SPRING FOR LEFT MOTOR HB/HA	3201.05.3014V02	
MOTOR PINION Ø22MM AC HA/HB	2C1A156061.22	
MOTOR PINION Ø22MM DC HA/HB	3201.15.6061.CC22	
MOTOR PINION Ø25 MM HB/HA	2C1A156061.25	
MOTOR PULLEY/TRACTION SHEAVE HA/HB	3201.15.6061.CC25	Picture Not Available
MOTOR PINION Ø30 MM HB/HA	2C1A156061.30	
MOTOR PULLEY/TRACTION SHEAVE HA/HB	3201.15.6061.CC30	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
MOTOR PINION Ø35 MM HB/HA	2C1A156061.35	
MOTOR PINION Ø42 MM HB/HA	2C1A156061.42	
MOTOR PINION Ø50 MM HB/HA	2C1A156061.50	
MOTOR PINION Ø60 MM HB/HA	2C1A156061.60	
SCREW M5X8 FOR MOTOR PINION HA	C700905008	
SCREW M5X6 FOR MOTOR PINION HA	C705605008	
GEAR MOTOR PINION HA	2C1A156139	
BRAKE KIT FOR LEFT MOTOR HA	3201.03.0175V01	
BRAKE KIT FOR RIGHT MOTOR HA	3201.03.0175V02	
BRAKE BELT HA	3201.05.9144.N	
SPRING FOR BRAKE KIT HA	2C1A053016	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
COMPLETE BRAKE KIT HA	3201.23.1345	
MOTOR BRAKE LEVER KIT, BRAKE, PLASTIC PIECE, WIRE, SPRINGS HA	3201.23.1697	
RIGHT MICROSWITCH CONTACT HA	3201.05.9254V01	
LEFT MICROSWITCH CONTACT HA	3201.05.9254V02	
RIGHT SCHMERSAL MICROSWITCH HA/P3	3201059025V01	
LEFT SCHMERSAL MICROSWITCH HA/P3	3201059025V02	
MICROSWITCH TYPE AMF WITH COVER HA/P3	3201.03.0256	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0001	
CONTACT KF-2V HB/H+/HA/H/EB/PE/P1/H3	2C1A000001	
PZ73 CONTACT HA/H/P1	3201.05.9006	
SCHMERSAL MICROSWITCH TK236 IP67 HA	2C1A059260	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SCHMERSAL CONTACT AZ15 ZVK-M20 HA	C3201159111	
MICROSWITCH NS 10A 125/250V HA	C3201159268	
CONTACT IP65 BERNSTEIN TI2-A1Z KS H/ HA/P1	C3201159276	
CONTACT SUPPORT PZ21 DOOR 4 AND 2 LATERAL PANELS H+/HA/PE	2C1A055046	
CONTACT SUPPORT FOR CAR DOOR H+/HA/ PE	2C1A055098	
CONTACT SUPPORT PZ73 H/HA	2L1A055105	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/ PW/EB/P1/H3	2C1A055114	
CONTACT SUPPORT DOOR TYPE 33RL HA	2C1A055136	
FIXING PLATE FOR KRONENBERG CONTACT HA/H	2L1A057112	
BRIDGE FOR IP54 OPERATOR HA	C3201159123	
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/ P3/PE/P1/H3	6400.00.0002	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRIDGE KF-9075 WITH CABEL HA/HB	2L2A159027	
CONTACT BRIDGE STAINLESS STEEL STEUTE HA/HB	3201.15.7434V01	
BRIDGE FIXING PLATE HA/H/P1	2C1A057111	
SUPPORT + BRIDGE FOR CAR DOOR 02/C H+/HA	2C2A030887	
RIGHT SUPPORT WITH BRIDGE ON DOOR 12R-42-62 H+/HA	2C2A040180V01	
LEFT SUPPORT WITH BRIDGE ON DOOR 12R-42-62 H+/HA	2C2A040180V02	
BRIDGE SUPPORT FOR CAR DOOR HA	2C1A055125	
ECCENTRIC ADJUSTMENT WASHER HA	3201.05.6105	Picture Not Available
MOTOR BELT L= 1080 HA	3201.05.9016.3V	
MOTOR BELT L= 965 HA/HB	3201.05.9152	
MOTOR BELT L= 1092 HA	3201.15.9013	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
MOTORIZATION CHAIN 2 REDUCTIONS LEN=885MM HA	C3201059049L088	
MOTORIZATION CHAIN 3 REDUCTIONS LEN=1135MM HA	C3201059049L113	
PULLEY FOR V-BELT FOR OLD MOTORIZATION HA	2C1A051022	
INTERMEDIATE PULLEY V-BELT FOR OLD MOTORIZATION HA	2C1A051023	
MEDIUM TRACTION SHEAVE HA	3201.05.1024	
MEDIUM TRACTION SHEAVE WITH BUSHING HA	3201.05.1025V01	
IDLE TRACTION PULLEY/TRACTION SHEAVE ALUMINUM WITH BUSHING HA	3201.03.9853V01	
INTERMEDIATE PULLEY FOR FLAT BELT FOR OLD MOTORIZATION HA	2C1A151008	
DIVERTING PULLEY FOR OLD FOR OLD OPERATOR HA	2C1A151010	
SUPPORT FOR OPERATOR ARM HA	2L1A056038	
SPACER FOR PULLEY (2 PER PULLEY) HA	2C1A059153	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
PULLEY SUPPORT OLD MODEL HA	2C1A040023	
TOOTHED PULLEY SUPPORT HA	2C1A051017	
AXLE FOR INTERMEDIATE PULLEY FIXATION HA	2C1A056119	
SPACER Ø32MM PULLEY HA	2C1A056033	
SPACER FOR INTERMEDIATE PULLEY HA	2C1A056036	
AXLE FOR PULLEY HA	2C1A056037	
SPACER FOR PULLEY HA	2C1A056116V02	
BEARING RING HA	2C1A055223	
BEARING BALL 45X75X16 HB/HA	C3201059015	
BEARING BALL 45X85X23 HA	C3201059096	
BEARING BALL SUPPORT HA	2C1A156019	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
GEAR WHEEL SUPPORT FOR NEW MOTORISATION HA	2C1A151023.FG	
CROWN WHEEL Ø50 HA	2C1A057024	
CROWN WHEEL Ø18 HA	2C1A057023	
KIT PULLEY SUPPORT 2 REDUCTIONS HA	2C2A030881	
KIT PULLEY SUPPORT 3 REDUCTIONS HA	2C2A030882	
FIXING WASHER HA	2L1A056017V01	
DRIVE ARM EXTENSION LEN=115MM HA	2C1A040002L011	
DRIVE ARM EXTENSION LEN=190MM HA	2C1A040002L019	
DRIVE ARM EXTENSION LEN=265MM HA	2C1A040002L026	
DRIVE ARM EXTENSION LEN=340MM HA	2C1A040002L034	
BUFFER SUPPORT AND RUBBER BUFFER HA	3201.03.0181	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BUFFER FOR OPERATOR ARM HA	2C1A050017	
OPERATOR ARM PLATE HA	2C1A057103	
MOTOR OPERATOR ARM 3 REDUCTIONS HA	2C1A051013V02	
KEY FOR OPERATOR ARM HA	C703987055	
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	
OPERATOR RAIL LEN=1190MM HA	2C1A057107.1190	Picture Not Available
REINFORCED OPERATOR RAIL LEN=2M HA	3201052052.2000	Picture Not Available
LEFT COMPLETE EMERGENCY RELEASE HA	2C2A030086V01	
RIGHT COMPLETE EMERGENCY RELEASE HA	2C2A030086V03	
KIT OF 2 OPERATOR HOOK BLOCK HA	3201.23.1441	
STANDARD FIXING FOR DRIVE ARM HA	2C1A040865V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
REINFORCED FIXING FOR DRIVE ARM HA	2C1A140146	
BRONZE WASHER HA	2C1A150013V01	
PLASTIC BUSH HA	3201.15.0012	
BUSHING BEARING IN BRASS HA	2C1A159085	
REOPENING ARM FOR ROLL (LEFT/CENTRAL) HA	3201.04.0014V02	
REOPENING ARM FOR ROLL (12/R) HA	3201.04.0014V01	
DOOR RETURN MECH. ARM	3201.05.0005	
BUFFER FOR REOPENING SYSTEM HA	2C1A050021	
SUPPORT FOR SPRING RETURN MECH HA	3201.05.5106	
THREADED PIN HA	3201.05.6016	
REOPENING SYSTEM AXLE HA	2C1A056081	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FELT FOR REOPENING SYSTEM HA	3201.05.7001	
REOPENING SYSTEM SPRING HA	2C1A053010	
BLUE SPRING HA	2C1A059114	
REOPENING MECHANICAL ARM HA	3201.05.5003	
REOPENING MECHANISM ARM SUPPORT HA	3201.05.5095	
REOPENING MECHANISM SPRING HB/HA	3201.05.3006	
REOPENING MECHANISM ROLL HA	3201.05.0006	
REOPENING MECHANISM ROLL HA	3201.05.0007	
PIN FOR RETURN MECHANISM HA	3201.05.6015	
THREADED RIVET M8 FOR TRUCK H+/H/HB/ HA/H3	3201059034	
STOP TRUCK BUFFER HA/H/P1/H3	3201.05.0001	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FAST TRUCK BUFFER FOR DOOR 35RL H+/ H3/HA/HB	2C1A055945	Picture Not Available
TOP ROLLER STANDARD Ø56 HB/H+/HA/H/ H3/AE	3201.05.0032	
TOP ROLLER IN DELRIN AND SS BEARING H/ H+/HA/HB/H3	3201.14.0268V01	
REINFORCED WHITE TOP ROLLER H/H+/HA/ HB/H3	1023902A01	
KIT OF 12 TOP ROLLERS + WASHERS HB/H+/ HA/H/H3	2L1A390084	
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/ H+/HA/H/PE/P1/H3	3201.05.0058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231389	
RETRACTABLE CAM/COUPLER SHEET ARM HA	3201.02.0118V01 A	
RETRACTABLE CAM/COUPLER SHEET ARM HA	3201.02.0118V02 B	
PART OF RETRACTABLE CAM/COUPLER HOOK/BANANA HA	3205.05.0015.V01	
PART OF RETRACTABLE CAM/COUPLER HOOK/BANANA HA	3205.05.0015.V02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
RETRACTABLE CAM/COUPLER, REINFORCED, SHORT, 400MM ARM HA	3201.02.0111.A	
RETRACTABLE CAM/COUPLER, REINFORCED, SHORT, 400MM ARM HA	3201.02.0111.B	
UNLOCKING SYSTEM TYPE 1100.R HA	2C1A120059V01	Picture Not Available
UNLOCKING SYSTEM TYPE 1100.L HA	2C1A120059V02	Picture Not Available
UNLOCKING SYSTEM TYPE 1101.R HA	2C1A120060V01	Picture Not Available
UNLOCKING SYSTEM TYPE 1100.L HA	2C1A120060V02	Picture Not Available
UNLOCKING SYSTEM TYPE 1102.R HA	2C1A120061V01	Picture Not Available
UNLOCKING SYSTEM TYPE 1100.L HA	2C1A120061V02	Picture Not Available
SKATE FOR SYSTEM 1100/L-1101/L-1102/L HA	3201059064.01	
SKATE FOR SYSTEM 1100/R-1101/R-1102/R HA	3201059064.02	
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02 H+/HA/PE/H3	2C2A399890V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXED COUPLER KIT TYPE 1118 AND 1119 H+/HA/HB/PE/H3	2C2A040926	
FIXED COUPLER M1=540 H+/HA/H3	2C1A155053V02	
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/ P1/H3	3201.05.0010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231385	
SPACER H=10 MM FOR SYNCHRONIZING ROLLER HA/H/P1	2L1A056054	
DIVERTING ROLLER SUPPORT DOOR 34/R HA	3201155380.01	
DIVERTING ROLLER SUPPORT DOOR 34/L HA	3201155380.02	
SET OF 3 SYNCHRONISATION ROPES 2M HB/ H+/HA/H/PE/P1/H3	2C2A231720L200	
SET OF 3 SYNCHRONISATION ROPES 3M HB/ H+/HA/H/PE/P1/H3	2C2A231720L300	
SET OF 3 SYNCHRONISATION ROPES 4M HB/ H+/HA/H/PE/P1/H3	2C2A231720L400	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET OF 3 SYNCHRONISATION ROPES 5M HB/ H+/HA/H/PE/P1/H3	2C2A231720L500	
SYNCHRONISATION ROPE 6M HB/H+/HA/H/ PE/P1/H3	2L1A054001L6000	
SYNCHRONISATION ROPE 7M HB/H+/HA/H/ PE/P1/H3	2L1A054001L7015	
FIXING POINT FOR SYNCHRONISATION ROPE WITH RIVEKLET HA/H/P1	3201.05.5011	
CLAMP SHEET FIXING FOR SYNCHRONISA-TION ROPE H/H+/HA/HB/PE/P1/H3	2L1A055057	
ROPE CLAMP SUPPORT FIXING POINT SYN-CHRONISATION ROPE HA/H/P1	2L1A057018	
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/PE/P1/H3	3201.15.6012	
CLAMP FOR SYNCHRONISATION ROPE H/ H+/HA/HB/PE/P1/H3	3201.15.6013	
SYNCHRONISATION ROPE SPRING H+/HA/H/ HB/PE/P1/H3	3201.15.3002	
ROLLER SUPPORT FOR DOOR 12-42 HA	2C2A040057	
ROLLER SUPPORT DOOR 02 HA	2C2A040061	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ROLLER SUPPORT DOOR 32-35-62 HA	2C2A040062	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE HA/H/P1	2C1A055057V01	
SPACER 15 MM FOR GUIDING SHOES HA/H	2L1A056053	
FIXING PART HA	2C1A056082	
FIXING POINT FOR COUPLER/ROPE HA	3201057012	
THREADED FIXING PLATE H+/HA/PE	2C1A057021	
FIXING PLATFOR COUPLER/ROPE HA	2C1A057085	
ROPE CLAMP PLATE DOOR 34/R-L HA	2C1A155382	
FIXING SCREW FOR COVER H/HA	2L1A156216	
FIXING SCREW FOR COVER (GLASSED PANELS) H/HA	3201156216.AC	
ROPE SUPPORT FOR RE-CLOSING SPRNG H/P1	2L1A055040	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
CABLE SUPPORT DOOR 33/R HA	3201055243L027D	
CABLE SUPPORT DOOR 33/L HA	3201055243L027L	
CABLE SUPPORT DOOR 34 R/L HA	2C1A155381	
SUPPORT WITH ROLLER DOOR 34 R/L HA	2C1A040057.34R-L	
ROLLER SUPPORT DOOR 35 R/L HA	2C1A140183	
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	2L2A399856V01	
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	PA.D2	
KIT OF 2 PANELS FIXINGS Ø10 - LEN=107 MM H+	2C2A399856V05	
KIT OF 2 PANELS FIXINGS Ø8 DOOR 33/35 H+/HA/HB	2L2A399856V02	
PANEL FIXING FOR GLASSED PANELS HA	2L1A156157	
PANELS FIXING FOR FRONT TRUCK FIXA-TION HA/H+	3201.05.6051V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
PANELS FIXING BOLT DOOR 33 AND 63 LEN=110MM HA/H+	2L1A056079.110	
NUT M10 FOR FIXING 2C1A056051/SRN HA/H+	2C1A156130	
DOOR BUFFER, RUBBER HA	3201.05.0061	
GUIDING SHOE FOR GLASSED PANELS H/H+/HA/HB/P1	2L2A130052	
PANEL EXTENSION 50 X 105MM H+/HA/HB/H3	3201.15.5448L005	
PANEL EXTENSION 100 X 75MM H+/HA/HB/H3	3201.15.5448L007	
PANELS EXTENSION H100 MM DOOR 33/35 PL 700 MM H+/HB/HA	WE96-099	
PANELS EXTENSION H100 MM DOOR 33/35 PL 800 MM H+/HB/HA	WE96-100	
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/H+/PE/P1/H3/AE	PA.C2	
SET OF 24 SHOES 2L1A050062 HA/H/HB/H+/PE/P1/H3	2L2A231360	
SLIDING SHOE FOR PANEL HA/H/PE/P1	3201.05.0020	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/ H3/AE	3201.05.0062	
SILL SUPPORT BRACKET 90 MM HA	2L1A055126	
SILL SUPPORT BRACKET 75 MM HA	2L1A055056	
FIXING BRACKET RIGHT OPERATOR HA	2C1A055077V01	
FIXING BRACKET LEFT OPERATOR HA	2C1A055077V02	
FIXING BRACKET HA	2L1A055203	
FIXING BRACKET RIGHT OPERATOR HA	2C1A055217V01	
FIXING BRACKET LEFT OPERATOR HA	2C1A055217V02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Lenght

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

ANNEX :
HOW TO ORDER A PANEL ?

You need to give the following information:
- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels




Diagram 1

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Diagram 2





Diagram 3



Before March 2011, all the panels had a fixed height (see table).
Example for a 02/C door, with standard dimensions:

Clear opening: 2000mm
HS dimensions: 2180mm
Panel height : 2012mm

Door type	Panels height
11	HL + 12
12	HSC - 168
31	HL + 12
32/33/34	HSC - 168
01	HL + 12
02	HSC - 168
41/43	HL + 12
42	HSC - 168
44	HSC - 213
61/65	HL + 12
62/63	HSC - 168
66	HSC - 213

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Since March 2011, there are 2 manufacturing types:

- Old execution (like the fabrication before March 2011).
- New execution MFB type, the height panel is 2032mm with a dimension HS between 2180mm and 2280mm; and a height of 2132mm with a dimension HS between 2281mm and 2380mm.

These panels are «adjustable» with the operator fixing brackets (see diagram 4).

Example for a 02/C door, with standard dimensions :

Height opening: 2000mm
HS Dimension: 2180mm
Panel height: 2032mm





Diagram 4

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion TM

ANNEX :
THE STANDARD SILLS


There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG



Aluminum standard sills for central opening doors with 2 panels




Aluminum standard sills for lateral opening doors with 2 panels





No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels







For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
SYNCHRONIZATION ROPES TABLE

PL	11R-L	12R-L	01/C	02/C	31R-L	32/33/34 /35R-L	41/C-43/C	42/C-44R	61/C-65/R	62/C-66/R
500	1 x 2M	1 x 2M	1 x 3M	1 x 3M	2 x 2M	2 x 2M	2 x 2M 1 x 3M	2 x 2M 1 x 3M	4 x 2M 1 x 3M	4 x 2M 1 x 3M
550										
600										
650										
700										
750										
800			1 x 4M	1 x 4M						
850										
900										
950										
1000			1 x 5M	1 x 5M			2 x 2M 1 x 4M	2 x 2M 1 x 4M	4 x 2M 1 x 4M	4 x 2M 1 x 4M
1050	1 x 3M									
1100										
1150										
1200										
1250			1 x 6M	1 x 6M			2 x 2M 1 x 5M	2 x 2M 1 x 5M	4 x 2M 1 x 5M	4 x 2M 1 x 5M
1300										
1350										
1400										
1450										
1500										
1550		1 x 3M	1 x 7M	1 x7M	2 x 3M	2 x 3M	2 x 2M 1 x 6M	2 x 2M 1 x 6M	4 x 2M 1 x 6M	4 x 2M 1 x 6M
1600										
1650	1 x 4M									
1700							2 x 3M 1 x7M	2 x 2M 1 x7M	4 x 2M 1 x7M	4 x 2M 1 x7M
1800			1 x 8M	1 x 8M						
1900							2 x 3M 1 x 8M	2 x 3M 1 x 8M	•	•
2000										
2100										
2200										
2300										
2400										
2500										
2600										
2700										
2800										
2900										
3000										
3100										
3200										

Set of 3 synchronisation ropes LG=2M : Reference 2C2A231720L20
Set of 3 synchronisation ropes LG=3M : Reference 2C2A231720L300
Set of 3 synchronisation ropes LG=4M : Reference 2C2A231720L400
Set of 3 synchronisation ropes LG=5M : Reference 2C2A231720L500
Synchronisation ropes LG=6M : Reference 2L1A054001L6000
Synchronisation ropes LG=7M : Reference 2L1A054001L7015
Synchronization ropes LG=8M : only on request
*Only on request with the original order number

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

ANNEX :
HOW CHOOSE A DRIVE ARM EXTENSION ?

	2C1A040002L011	2C1A040002L019	2C1A040002L026	2C1A040002L034
2 PANEL DOOR	PL 500 MM TO PL 550 MM	PL 600 MM TO PL 850 MM & PL 1500 MM	PL 900 MM TO PL 1150 MM & PL 1550 MM TO PL 1800 MM	PL 1200 MM TO PL 1450 MM
3 PANEL DOOR	PL 600 MM TO PL 800 MM	PL 850 MM TO PL 1250 MM	PL 1300 MM TO PL 1700 MM	PL 1750 MM TO PL 2100 MM
4 PANEL DOOR	PL 600 MM TO PL 1150 MM	PL 1200 MM TO PL 1700 MM & PL 2950 MM TO PL 3000 MM	PL 1750 MM TO PL 2350 MM & PL 3050 MM TO PL 3200 MM	PL 2400 MM TO PL 2900 MM
6 PANEL DOOR	PL 900 MM TO PL 1650 MM	PL 1700 MM TO PL 2600 MM	PL 2650 MM TO PL 3200 MM	/

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

CHARACTERISTICS OF YOUR HYDRABELT® DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
RCF1 REPLACEMENT KIT HB	903340G01	
MIDI/SUPRA CONTROL UNIT FOR RCF HB	903376G02R	
WITTUR PROGRAMMING TOOL H+/EB/FL/ PE/HB/H3/AD	900050G01	
CLOSING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V01	
OPENING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V02	
MOTOR UNIT FOR RCF UPGRADE KIT HB	903345G02	
MOTOR 3-PHASE 24KG 127/220V 50HZ HB	3201.05.9259	
MOTOR RCF1 30 KG/CM 900RPM 127/230V 50HZ HB	2C1A059249.127	
TENSION SPRING FOR RIGHT MOTOR HB/HA	3201.05.3014V01	
TENSION SPRING FOR LEFT MOTOR HB/HA	3201.05.3014V02	
AXLE FOR MOTOR RCF1 FIXATION HB	3201056194	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SPACER FOR MOTOR RCF1 HB	3201056202	
MOTOR PINION Ø22MM AC HA/HB	2C1A156061.22	
MOTOR PINION Ø22MM DC HA/HB	3201.15.6061.CC22	
MOTOR PINION Ø25 MM HB/HA	2C1A156061.25	
MOTOR PULLEY/TRACTION SHEAVE HA/HB	3201.15.6061.CC25	Picture Not Available
MOTOR PINION Ø30 MM HB/HA	2C1A156061.30	
MOTOR PULLEY/TRACTION SHEAVE HA/HB	3201.15.6061.CC30	Picture Not Available
MOTOR PINION Ø35 MM HB/HA	2C1A156061.35	
MOTOR PINION Ø42 MM HB/HA	2C1A156061.42	
MOTOR PINION Ø50 MM HB/HA	2C1A156061.50	
MOTOR PINION Ø60 MM HB/HA	2C1A156061.60	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET OF 2 POLY BELTS TYPE PJ-965 HB/HA	2C2A231511	
TOOTHED BELT FOR RCF1 HB	3201.05.9239	
TOOTH BELT TRAINING PULLEY HB	2C1A040123	
FIXING AXLE FOR DIVERTING PULLEY HB	3201056222	
FIXING AXLE FOR TOOTHED PULLEY RCF1 HB	2C1A056223	
PULLEY SPACER HB	3201056203	
DIVERTING PULLEY SPACER HB	3201056217	
MOTOR PULLEY WASHER RCF1 HB	3201056218	
BEARING BALL FOR PULLEY HB	C3205059022	
BEARING BALL 45X75X16 HB/HA	C3201059015	
BEARING RCF1 HB	2C1A056192	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXING BRACKET FOR MOTOR PULLEY HB	3201055339	
TOOTHED BELT DIVERTING PULLEY HB	2C1A040122	
PULLEY FIXING BOLT HB	3201056201	
KIT DIVERTING PULLEY + SUPPORT HB	2C2A130198	
BELT LINK OPERATOR HB	3201.23.1651	
KIT OF PULLEY WITH ADHESIVE DISC RCF1 OLD MODEL HB	2C2A130199V01	
SENSOR DISC HB	3201.05.7204	
ENCODER FOR RCF1 OLD MODEL HB	2C1A040125	
ENCODER FOR RCF1 NEW MODEL HB	2C1A040144L150	
KEY PIECE 8X7X20 MM RCF1 HB	C703987020	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/ PE/P1/H3	6400.00.0001	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
CONTACT KF-2V HB/H+/HA/H/EB/PE/P1/H3	2C1A000001	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/ PW/EB/P1/H3	2C1A055114	
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/ P3/PE/P1/H3	6400.00.0002	
CONTACT BRIDGE STAINLESS STEEL STEUTE HA/HB	3201.15.7434V01	
BRIDGE KF-9075 WITH CABEL HA/HB	2L2A159027	
CABEL DRAG CHAIN HB/H+/H3	C3201159857	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C H+/HB/H3	2C2A757104-00	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12RL AND 35RL H+/HB/H3	2C2A757104-01	
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42/C AND 62/C H+/HB/H3	2C2A757104-02	
THREADED RIVET M8 FOR TRUCK H+/H/HB/ HA/H3	3201059034	
FAST TRUCK BUFFER FOR DOOR 35RL H+/ H3/HA/HB	2C1A055945	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TOP ROLLER STANDARD Ø56 HB/H+/HA/H/H3/AE	3201.05.0032	
TOP ROLLER IN DELRIN AND SS BEARING H/H+/HA/HB/H3	3201.14.0268V01	
REINFORCED WHITE TOP ROLLER H/H+/HA/HB/H3	1023902A01	
KIT OF 12 TOP ROLLERS + WASHERS HB/H+/HA/H/H3	2L1A390084	
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/H+/HA/H/PE/P1/H3	3201.05.0058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231389	
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	
ROLLER FOR COUPLER HB	2L1C056059	
STANDARD RIGHT COUPLER DOOR 02-12-32 HB	3201.12.0218V01	
STANDARD LEFT COUPLER DOOR 02-12-32 HB	3201.12.0218V02	
STANDARD RIGHT COUPLER DOOR 42-62 HB	3201120220V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
STANDARD LEFT COUPLER DOOR 42-62 HB	3201120220V02	
RETRACTABLE CAM/COUPLER - REINFORCED RIGHT HB	3201.12.0153V01	
RETRACTABLE CAM/COUPLER - REINFORCED LEFT HB	3201.12.0153V02	
RETRACTABLE CAM/COUPLER -LONG 700 REINFORCED FOR BELT HB	3201.12.0188V01	
RETRACTABLE CAM/COUPLER -LONG 700 REINFORCED LEFT HB	3201.12.0188V02	
RIGHT YELLOW TIP FOR REINFORCED COUPLER HB	2L1H050015V01	
LEFT YELLOW TIP FOR REINFORCED COUPLER HB	2L1H050015V02	
FIXED COUPLER KIT TYPE 1118 AND 1119 H+/HA/HB/PE/H3	2C2A040926	
REOPENING SYSTEM ROLLER HB	2C1A050006	
SPRING FOR UNCOUPLING SYSTEM HB/HA	2C1A053006	
SYNCHRONISATION ROPE SPRING H+/HA/H/HB/PE/P1/H3	3201.15.3002	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET OF 3 SYNCHRONISATION ROPES 2M HB/H+/HA/H/PE/P1/H3	2C2A231720L200	
SET OF 3 SYNCHRONISATION ROPES 3M HB/H+/HA/H/PE/P1/H3	2C2A231720L300	
SET OF 3 SYNCHRONISATION ROPES 4M HB/H+/HA/H/PE/P1/H3	2C2A231720L400	
SET OF 3 SYNCHRONISATION ROPES 5M HB/H+/HA/H/PE/P1/H3	2C2A231720L500	
SYNCHRONISATION ROPE 6M HB/H+/HA/H/PE/P1/H3	2L1A054001L6000	
SYNCHRONISATION ROPE 7M HB/H+/HA/H/PE/P1/H3	2L1A054001L7015	
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/PE/P1/H3	3201.15.6012	
CLAMP FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	3201.15.6013	
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/P1/H3	3201.05.0010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231385	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	2L2A399856V01	
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	PA.D2	
KIT OF 2 PANELS FIXINGS Ø8 DOOR 33/35 H+/HA/HB	2L2A399856V02	
PANEL EXTENSION 50 X 105MM H+/HA/HB/ H3	3201.15.5448L005	
PANEL EXTENSION 100 X 75MM H+/HA/HB/ H3	3201.15.5448L007	
PANELS EXTENSION H100 MM DOOR 33/35 PL 700 MM H+/HB/HA	WE96-099	
PANELS EXTENSION H100 MM DOOR 33/35 PL 800 MM H+/HB/HA	WE96-100	
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/H+/PE/P1/H3/AE	PA.C2	
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/ H3/AE	3201.05.0062	
SET OF 24 SHOES 2L1A050062 HA/H/HB/ H+/PE/P1/H3	2L2A231360	
GUIDING SHOE FOR GLASSED PANELS H/H+/ HA/HB/P1	2L2A130052	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Lenght

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A PANEL ?

You need to give the following information:
- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels




Diagram 1

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Diagram 2





Diagram 3



Before March 2011, all the panels had a fixed height (see table).
Example for a 02/C door, with standard dimensions:


Clear opening: 2000mm
HS dimensions: 2180mm
Panel height : 2012mm

Door type	Panels height
11	HL + 12
12	HSC - 168
31	HL + 12
32/33/34	HSC - 168
01	HL + 12
02	HSC - 168
41/43	HL + 12
42	HSC - 168
44	HSC - 213
61/65	HL + 12
62/63	HSC - 168
66	HSC - 213


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
THE STANDARD SILLS


There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG



Aluminum standard sills for central opening doors with 2 panels




Aluminum standard sills for lateral opening doors with 2 panels



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion TM

Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™


ANNEX :
SYNCHRONIZATION ROPES TABLE

PL	11R-L	12R-L	01/C	02/C	31R-L	32/33/34 /35R-L	41/C-43/C	42/C-44R	61/C-65/R	62/C-66/R
500	1 x 2M	1 x 2M	1 x 3M	1 x 3M	2 x 2M	2 x 2M	2 x 2M 1 x 3M	2 x 2M 1 x 3M	4 x 2M 1 x 3M	4 x 2M 1 x 3M
550										
600										
650										
700										
750										
800			1 x 4M	1 x 4M						
850										
900										
950										
1000			1 x 5M	1 x 5M			2 x 2M 1 x 4M	2 x 2M 1 x 4M	4 x 2M 1 x 4M	4 x 2M 1 x 4M
1050	1 x 3M									
1100										
1150										
1200										
1250			1 x 6M	1 x 6M			2 x 2M 1 x 5M	2 x 2M 1 x 5M	4 x 2M 1 x 5M	4 x 2M 1 x 5M
1300										
1350										
1400										
1450										
1500										
1550		1 x 3M	1 x 7M	1 x7M	2 x 3M	2 x 3M	2 x 2M 1 x 6M	2 x 2M 1 x 6M	4 x 2M 1 x 6M	4 x 2M 1 x 6M
1600										
1650	1 x 4M									
1700							2 x 3M 1 x7M	2 x 3M 1 x7M	4 x 2M 1 x7M	4 x 2M 1 x7M
1800			1 x 8M	1 x 8M						
1900							2 x 3M 1 x 8M	2 x 3M 1 x 8M	•	•
2000										
2100										
2200										
2300										
2400										
2500										
2600										
2700										
2800										
2900										
3000										
3100										
3200										

Set of 3 synchronisation ropes LG=2M : Reference 2C2A231720L20
Set of 3 synchronisation ropes LG=3M : Reference 2C2A231720L300
Set of 3 synchronisation ropes LG=4M : Reference 2C2A231720L400
Set of 3 synchronisation ropes LG=5M : Reference 2C2A231720L500
Synchronisation ropes LG=6M : Reference 2L1A054001L6000
Synchronisation ropes LG=7M : Reference 2L1A054001L7015
Synchronization ropes LG=8M : only on request
*Only on request with the original order number

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

CHARACTERISTICS OF YOUR PEGASUS® DOOR




No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

PRODUCTION RANGE

LANDING DOORS *SCHACHTTÜREN*		CAR DOORS *FAHRKORBTÜRE*		CLEAR OPENING *LICHTE BREITE* mm		CLEAR HEIGHT *LICHTE HÖHE* mm	
TYPE *TYP*	ILLUSTRATION *DARSTELLUNG*	TYPE *TYP*	ILLUSTRATION *DARSTELLUNG*	Min.	Max.	Min.	Max.
01/C		02/C		750	1800	2000	NOTE: MAXIMUM CLEAR OPENING HEIGHT 3800 mm. - SUBJECT TO CLEAR OPENING WIDTH *ACHTUNG: FÜR DIE MAX. LICHTE HÖHE 3800 mm – LICHTE BREITE UNTER VORBEHALT*
11/R		12/R		800	1800		
11/L		12/L					
31/R		32/R		900	2100		
31/L		32/L					
41/C		42/C		1300	3200		
61/C		62/C		1800	3200		
71/R		72/R		600	1400		
71/L		72/L					

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SUPRA MOTOR H+/PE	902195G03	
MIDI SUPRA TRANSFORMER H+/PE/H3/AD	601805G01	
MIDI SUPRA BOARD H+/PE/H3	903376G01K	
SPARE PLUG SET ECO MIDI/ SUPRA H+/PE/ H3	901909G01	Picture Not Available
WITTUR PROGRAMMING TOOL H+/EB/FL/ PE/HB/H3/AD	900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA BOARD H+/FL/EB/PE/H3	2C2A030348	
MAGNET H+/EB/PE/H3	3215.05.9001	
CONTACT REFSW FOR LIFT DOOR BOARD H+/EB/PE/H3	601812G01	
REFSW CONTACT FOR ECO MIDI SUPRA BOARD H+/EB/PE/H3	274878	
CLOSING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V01	
OPENING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TOOTH BELT MIDI/SUPRA L=5450MM H=25 H+/PE/H3/AD	601278H04	
SET OF MIDI SUPRA BELT CLAMPS H+/PE/ H3/AD	601345A01	
BELT CAMP FOR 2 COUPLER VERSION H+/ PE/H3	3201.04.0175	
MAIN ROLLER PEGASUS PE/P1	3205.04.0012	
DOOR ROLLER PEGASUS CATAPOL WITH BUSHING PE/P1	3205.14.0054	
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/ H+/HA/H/PE/P1/H3	3201.05.0058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231389	
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/ P1/H3	3201.05.0010	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	
SET OF 8 ROPE DIVERTING ROLLERS + WAS-HERS HB/H+/HA/H/PE/P1/H3	2L2A231385	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET OF 3 SYNCHRONISATION ROPES 2M HB/H+/HA/H/PE/P1/H3	2C2A231720L200	
SET OF 3 SYNCHRONISATION ROPES 3M HB/H+/HA/H/PE/P1/H3	2C2A231720L300	
SET OF 3 SYNCHRONISATION ROPES 4M HB/H+/HA/H/PE/P1/H3	2C2A231720L400	
SET OF 3 SYNCHRONISATION ROPES 5M HB/H+/HA/H/PE/P1/H3	2C2A231720L500	
SYNCHRONISATION ROPE 6M HB/H+/HA/H/PE/P1/H3	2L1A054001L6000	
SYNCHRONISATION ROPE 7M HB/H+/HA/H/PE/P1/H3	2L1A054001L7015	
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/PE/P1/H3	3201.15.6012	
CLAMP FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	3201.15.6013	
SYNCHRONISATION ROPE SPRING H+/HA/H/HB/PE/P1/H3	3201.15.3002	
LEFT COUPLER MIDI SUPRA H+/PE/H3	S0901872A05	
RIGHT COUPLER MIDI SUPRA H+/PE/H3	S0901872A15	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H+/PE/H3	2C2A901873G05	
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H++/PE/H3	2C2A901873G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G15	
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G05	
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G15	
LEFT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G05	
RIGHT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G15	
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G05	
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G15	
LEFT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A05	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
RIGHT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A15	
ADAPTER PLATE FOR FIXED LEFT COUPLER H+/PE/H3	2C1A055965V03	
ADAPTER PLATE FOR FIXED RIGHT COUPLER H+/PE/H3	2C1A055965V04	
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02 H+/HA/PE/H3	2C2A399890V01	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C1A055680	
ACTION DEVICE RETRACTABLE CAM H+/PE/H3	3201.05.5955	
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C1A055680	
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C2A901784G05	
U FIXED COUPLER TYPE ORLY LEFT AND RIGHT H+/PE/H3	S05069-01V03	
U FIXED COUPLER OTIS + DOOR BRACKET 12L MIDI H+/PE/H3	3201399917V01	
U FIXED COUPLER OTIS + DOOR BRACKET 12R MIDI H+/PE/H3	3201399917V02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
U FIXED COUPLER + DOOR BRACKET 02/C MIDI H+/PE/H3	3201399917V03	
SKEWED U FIXED COUPLER 02/C MIDI H+/PE/H3	S04600-01V01	
U FIXED COUPLER OTIS DOOR 12RL SKEWED 121-220 H+/PE/H3	2C2A399904V11	
FIXED COUPLER DOOR SORETEX 02C H+/PE/H3	S04149-01	
COUPLER KONE ADR DOOR 12R MIDI H+/PE	S06291-00	
COUPLER KONE ADR DOOR 12L 02C MIDI H+/PE	S06291-00T02	
FIXED COUPLER KIT TYPE 1118 AND 1119 H+/HA/HB/PE/H3	2C2A040926	
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C H+/PE/H3	2C2A901927G01	
CONTACT + BRACKET FOR CAR DOOR LOCK 12L H+/PE/H3	2C2A901927G03	
CONTACT + BRACKET FOR CAR DOOR LOCK 12R H+/PE/H3	2C2A901927G04	
CONTACT + BRACKET FOR CAR DOOR LOCK 44 H+/H3	2C2A901879G01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
CONTACT + BRACKET FOR CAR DOOR LOCK 62C H+/PE	2C2A901927G05	
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L H+/PE/H3	2C2A901927G07	
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R H+/PE/H3	2C2A901927G08	
CONTACT + BRACKET FOR CAR DOOR LOCK 66 H+/H3	2C2A902049G01	
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C H+/PE/H3	2C2A901929G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 42C AND 62C H+/PE	2C2A901932G01	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 44 H+/H3	2C2A901879G02	
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 66 H+/H3	2C2A902049G02	
CAR DOOR LOCK SPACER DOOR 02 72 H+/PE/H3	2C1A056266V01	
CAR DOOR LOCK SPACER DOOR 12 35 42 44 H+/PE/H3	2C1A056266V02	
CAR DOOR LOCK SPACER DOOR 32 62 66 H+/PE/H3	2C1A056266V03	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER H+/PE/H3	902047G01	
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER H+/PE/H3	902047G02	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0001	
CONTACT KF-2V HB/H+/HA/H/EB/PE/P1/H3	2C1A000001	
CONTACT SEL2-A1Z P H+/EB/PE/AD	274095	
CONTACT SUPPORT FOR CAR DOOR H+/HA/PE	2C1A055098	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/PW/EB/P1/H3	2C1A055114	
CONTACT SUPPORT CAR DOOR (CENTRALE DOOR) H+/PE	2C1A055239	
THREADED FIXING PLATE H+/HA/PE	2C1A057021	
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0002	
BRIDGE RIGHT SUPPORT 02C PE	3214055145V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRIDGE LEFT SUPPORT 02C PE	3214055145V02	
KIT OF ACCESSORIES MD3 DOOR 3 AND 6 PANELS PE/P1	2L2D399854V03	
KIT OF ACCESSORIES MD11 DOOR 2 AND 4 PANELS PE/P1	2L2D399854V11	
SPACER 6 MM FOR TRUCK FIXING HA/H/H+/ PE	2C1A056010	
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	2L2A399856V01	
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/ PE/P1/H3	PA.D2	
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/H+/PE/P1/H3/AE	PA.C2	
SLIDING SHOE FOR PANEL HA/H/PE/P1	3201.05.0020	
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/ H3/AE	3201.05.0062	
SET OF 24 SHOES 2L1A050062 HA/H/HB/ H+/PE/P1/H3	2L2A231360	
SLIDING SHOE SUPPORT PE	3214.15.5071	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SPACER FOR CAM SUPPORT 4MM THICKNESS PE/P1	3214.15.5073	
SLIDING SHOE PE/P1	2L1A150033V05	
SLIDING SHOE KIT PE/P1	3214.23.0054	
SLIDING SHOE KIT PE/P1	3201.05.5051	Picture Not Available
SLIDING SHOE KIT PE/P1	3214.05.5051B	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Lenght

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A PANEL ?

You need to give the following information:
- Door type
- Clear opening
- Height opening (HL)
- For the car door panels, the HS dimension – see diagram 1
- Panel position - see diagram 2
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 3

The majority of information is in the identification labels




Diagram 1

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Diagram 2





Diagram 3



Before March 2011, all the panels had a fixed height (see table).
Example for a 02/C door, with standard dimensions:

Clear opening: 2000mm
HS dimensions: 2180mm
Panel height : 2012mm

Door type	Panels height
11	HL + 12
12	HSC - 168
31	HL + 12
32/33/34	HSC - 168
01	HL + 12
02	HSC - 168
41/43	HL + 12
42	HSC - 168
44	HSC - 213
61/65	HL + 12
62/63	HSC - 168
66	HSC - 213

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Since March 2011, there are 2 manufacturing types:

- Old execution (like the fabrication before March 2011).
- New execution MFB type, the height panel is 2032mm with a dimension HS between 2180mm and 2280mm; and a height of 2132mm with a dimension HS between 2281mm and 2380mm.

These panels are «adjustable» with the operator fixing brackets (see diagram 4).

Example for a 02/C door, with standard dimensions :

Height opening: 2000mm
HS Dimension: 2180mm
Panel height: 2032mm





Diagram 4

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion TM

ANNEX :
THE STANDARD SILLS


There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG



Aluminum standard sills for central opening doors with 2 panels




Aluminum standard sills for lateral opening doors with 2 panels



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
SYNCHRONIZATION ROPES TABLE


PL	11R-L	12R-L	01/C	02/C	31R-L	32/33/34 /35R-L	41/C-43/C	42/C-44R	61/C-65/R	62/C-66/R
500	1 x 2M	1 x 2M	1 x 3M	1 x 3M	2 x 2M	2 x 2M	2 x 2M 1 x 3M	2 x 2M 1 x 3M	4 x 2M 1 x 3M	4 x 2M 1 x 3M
550										
600										
650										
700										
750										
800			1 x 4M	1 x 4M						
850										
900										
950										
1000			1 x 5M	1 x 5M			2 x 2M 1 x 4M	2 x 2M 1 x 4M	4 x 2M 1 x 4M	4 x 2M 1 x 4M
1050	1 x 3M									
1100										
1150										
1200										
1250			1 x 6M	1 x 6M			2 x 2M 1 x 5M	2 x 2M 1 x 5M	4 x 2M 1 x 5M	4 x 2M 1 x 5M
1300										
1350										
1400										
1450		1 x 3M								
1500										
1550			1 x 7M	1 x7M	2 x 3M	2 x 3M	2 x 2M 1 x 6M	2 x 2M 1 x 6M	4 x 2M 1 x 6M	4 x 2M 1 x 6M
1600	1 x 4M									
1650							2 x 3M 1 x7M	2 x 2M 1 x7M	4 x 2M 1 x7M	4 x 2M 1 x7M
1700										
1800			1 x 8M	1 x 8M			2 x 3M 1 x 8M	2 x 3M 1 x 8M	•	•
1900										
2000										
2100										
2200										
2300										
2400										
2500										
2600										
2700										
2800										
2900										
3000										
3100										
3200										


Set of 3 synchronisation ropes LG=2M : Reference 2C2A231720L20
Set of 3 synchronisation ropes LG=3M : Reference 2C2A231720L300
Set of 3 synchronisation ropes LG=4M : Reference 2C2A231720L400
Set of 3 synchronisation ropes LG=5M : Reference 2C2A231720L500
Synchronisation ropes LG=6M : Reference 2L1A054001L6000
Synchronisation ropes LG=7M : Reference 2L1A054001L7015
Synchronization ropes LG=8M : only on request
*Only on request with the original order number

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™






WITTUR JOINS FORCES WITH SEMATIC
60+
COUNTRIES SERVED BY OUR LOCAL TEAMS






CHARACTERISTICS OF YOUR PEGASUS® LANDING DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

PRODUCTION RANGE

LANDING DOORS *SCHACHTTÜREN*		CAR DOORS *FAHRKORBTÜRE*		CLEAR OPENING *LICHTE BREITE* mm		CLEAR HEIGHT *LICHTE HÖHE* mm	
TYPE *TYP*	ILLUSTRATION *DARSTELLUNG*	TYPE *TYP*	ILLUSTRATION *DARSTELLUNG*	Min.	Max.	Min.	Max.
01/C		02/C		750	1800		
11/R		12/R		800	1800		
11/L		12/L					
31/R		32/R		900	2100	2000	NOTE: MAXIMUM CLEAR OPENING HEIGHT 3800 mm. - SUBJECT TO CLEAR OPENING WIDTH *ACHTUNG: FÜR DIE MAX. LICHTE HÖHE 3800 mm – LICHTE BREITE UNTER VORBEHALT*
31/L		32/L					
41/C		42/C		1300	3200		
61/C		62/C		1800	3200		
71/R		72/R		600	1400		
71/L		72/L					

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
EMERGENCY KEY STANDARD H/P1/H3	3201.23.1534	
EMERGENCY KEY L=200MM H/P1/H3	3201.15.9165L020	
EMERGENCY KEY L=500MM H/P1/H3	3201.15.9165L050	
F.I.A EMERGENCY WITH RESET LEFT H/P1/H3	3201.13.0344V02	
F.I.A EMERGENCY WITH RESET RIGHT H/P1/H3	3201.13.0344V01	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0001	
PZ 73 CONTACT HA/H/P1	3201.05.9006	
CONTACT IP65 BERNSTEIN TI2-A1Z KS H/HA/P1	C3201159276	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/PW/EB/P1/H3	2C1A055114	
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0002	
BRIDGE SPACER THICKNESS 1MM H/P1/H3	2L1A059082	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRIDGE SPACER THICKNESS 2MM H/P1/H3	2Z6400050005V02	
BRIDGE FIXING PLATE HA/H/P1	2C1A057111	
COMPLETE HOOK ASSEMBLY 11/L-41 H/P1	3214.03.0002V01	
COMPLETE HOOK ASSEMBLY 11/R-41 H/P1	3214.03.0002V02	
LANDING LOCK DOOR 01/C H/P1	2L2A030019V01	
RIGHT LANDING LOCK DOOR 31/R-61/C H/P1	2L2A030050V02	
LEFT LANDING LOCK DOOR 31/L-61/C H/P1	2L2A030050V01	
LEFT LOCK LEVER WITH ROLLER H/P1	3201.13.0017V01	
RIGHT LOCK LEVER WITH ROLLER H/P1	3201.13.0017V02	
LOCK HOOK RIGHT H/P1	3201.05.5025V01	
LOCK HOOK LEFT H/P1	3201.05.5025V02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LOCK ROLLER WITH BEARING H/P1	2L2A030121	
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	
KIT OF 12 LOCK ROLLERS H/P1	2C2A231386	
LOCK FELT H/P1	3201.05.7060	
KIT OF 10 FELTS FOR LOCK H/P1	2L2A231421	
BERNSTEIN CONTACT FOR CAR DOOR LOCK 24V H/P1	6010853002	
BERNSTEIN CONTACT FOR CAR DOOR LOCK 230V H/P1	1001022A03	
BUFFER FOR LOCK H/P1	C3201059098	
STOP TRUCK BUFFER HA/H/P1/H3	3201.05.0001	
SET OF 3 SYNCHRONISATION ROPES 2M HB/ H+/HA/H/PE/P1/H3	2C2A231720L200	
SET OF 3 SYNCHRONISATION ROPES 3M HB/ H+/HA/H/PE/P1/H3	2C2A231720L300	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET OF 3 SYNCHRONISATION ROPES 4M HB/H+/HA/H/PE/P1/H3	2C2A231720L400	
SET OF 3 SYNCHRONISATION ROPES 5M HB/H+/HA/H/PE/P1/H3	2C2A231720L500	
SYNCHRONISATION ROPE 6M HB/H+/HA/H/PE/P1/H3	2L1A054001L6000	
SYNCHRONISATION ROPE 7M HB/H+/HA/H/PE/P1/H3	2L1A054001L7015	
SYNCHRONISATION ROPE SPRING H+/HA/H/HB/PE/P1/H3	3201.15.3002	
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/PE/P1/H3	3201.15.6012	
CLAMP FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	3201.15.6013	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	2L1A055057	
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE HA/H/P1	2C1A055057V01	
CABLE CRIMPLING TUBE H/P1/H3	C3201059115	
ROPE CLAMP SUPPORT FIXING POINT SYNCHRONISATION ROPE HA/H/P1	2L1A057018	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SPACER H=10 MM FOR SYNCHRONIZING ROLLER HA/H/P1	2L1A056054	
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/P1/H3	3201.05.0010	
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231385	
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	
SPACER FOR DIVERTING ROLLER DOOR 3 PANELS H/P1	2L1A056083	
SPACER 15MM FOR DIVERTING ROLLER H/P1	2C1A056100	
FIXING POINT FOR SYNCHRONISATION ROPE WITH RIVEKLET HA/H/P1	3201.05.5011	
FIXING POINT FOR SYNCHRONISATION ROPE DOOR 43/R AND 65R H/P1	2L1A155157V02	
DOOR ROLLER CATAPOL WITH BUSHING PE/P1	3205.14.0054	
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/H+/HA/H/PE/P1/H3	3201.05.0058	
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/H+/HA/H/PE/P1/H3	2L2A231389	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET OF 4 COUNTER ROLLERS IN IRON H+/H/P1	2L2A231395	
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	2L2A399856V01	
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	PA.D2	
PANEL BOLT PEGASUS GLASS P1	3214.15.6011	Picture Not Available
ROPE DIVERTING ROLLER H/EB/P1/H3/AE	3201.05.0037	
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS H/EB/P1/H3	2L2A231388	
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037 H/P1/H3	2L1A155169	
ROLLER SUPPORT, LEFT H/P1/H3	3201.15.5828V01	
ROLLER SUPPORT, RIGHT H/P1/H3	3201.15.5828V02	
ROLLER SUPPORT FOR RE-CLOSING SYSTEM H/P1/H3	2L2A399850V10	
SELF-CLOSING SPRING 700MM H/P1/H3	3201.05.3007	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
REINFORCED RE-CLOSING SPRING H/P1/H3	2L1A053019	
SOUND INSULATION TUBE FOR RE-CLOSING SPRING LEN=500 MM H/P1/H3	C3201059143	
ROPE SUPPORT FOR RE-CLOSING SPRNG H/P1	2L1A055040	
ROPE SUPPORT FOR DOUBLE RE-CLOSING SPRING H/P1	2L1A155447	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059080	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059080	
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059099	
SELF CLOSING WIRE H/P1/H3	3201.15.4001L210	
COUPLING CABLE L = 3605MM H/P1/H3	3201.15.4001L370	
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP H/P1/H3	2L2A154001L400	
RE-CLOSING ROPE LEN=6000 MM + ROPE CLAMP H/P1	2L2A154001L600	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP H/P1/H3	2L2A231397	
ROPE CLAMP FOR RE-CLOSING ROPE H/P1/H3	C3201059028	
KIT OF ACCESSORIES MD3 DOOR 3 AND 6 PANELS PE/P1	2L2D399854V03	
KIT OF ACCESSORIES MD11 DOOR 2 AND 4 PANELS PE/P1	2L2D399854V11	
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/H+/PE/P1/H3/AE	PA.C2	
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/H3/AE	3201.05.0062	
SLIDING SHOE FOR PANEL HA/H/PE/P1	3201.05.0020	
SET OF 24 SHOES 2L1A050062 HA/H/HB/H+/PE/P1/H3	2L2A231360	
SPACER FOR CAM SUPPORT 4MM THICKNESS PE/P1	3214.15.5073	
SLIDING SHOE PE/P1	2L1A150033V05	
SLIDING SHOE KIT PE/P1	3214.23.0054	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
GUIDING SHOE FOR GLASSED PANELS H/H+/ HA/HB/P1	2L2A130052	
PIT EGRESS DEVICE DOOR 01/C P1	1019147A01	
PIT EGRESS DEVICE DOOR 11-31-41-61 P1	1019144A01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK ?

You need to give the following information:

- Door type
- Panel type (speed, middle speed or slow)
- Clear opening
- Lenght

The majority of information is in the identification labels.

See the chapter «IDENTIFICATION LABELS»

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A PANEL ?

You need to give the follow information:
- Door type
- Clear opening
- Height opening (HL)
- Panel position - see diagram 1
- Panel width
- Panel height
- Panel thickness
- Panel finishing
- Panel with or without runby – see diagram 2
- Fire resistant panel – see diagram 3

The majority of information is in the identification labels

Diagram 1




Diagram 2





Diagram 3




No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

ANNEX :
THE STANDARD SILLS


There are 2 types of standard aluminum sills:
Not reinforced: Load (F) acceptable until 470 KG
Reinforced: Load (F) acceptable until 920 KG



Aluminum standard sills for central opening doors with 2 panels




Aluminum standard sills for lateral opening doors with 2 panels



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Aluminum standard sills for lateral opening doors with 3 panels or for central opening doors with 6 panels



For all the other sills, please be sure to give the information below:

- Door type
- Clear opening
- Finishing
- Sill type (reinforced or not)

The majority of information is in the identification label

Read the chapter « THE IDENTIFICATION LABELS »

Stainless steel standards sills

Dimensions for stainless steel sills that are not reinforced are identical to those of the aluminum ones.

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

ANNEX :
SYNCHRONIZATION ROPES TABLE

PL	11R-L	12R-L	01/C	02/C	31R-L	32/33/34 /35R-L	41/C-43/C	42/C-44R	61/C-65/R	62/C-66/R
500	1 x 2M	1 x 2M	1 x 3M	1 x 3M	2 x 2M	2 x 2M	2 x 2M 1 x 3M	2 x 2M 1 x 3M	4 x 2M 1 x 3M	4 x 2M 1 x 3M
550										
600										
650										
700										
750										
800			1 x 4M	1 x 4M						
850										
900										
950										
1000			1 x 5M	1 x 5M			2 x 2M 1 x 4M	2 x 2M 1 x 4M	4 x 2M 1 x 4M	4 x 2M 1 x 4M
1050	1 x 3M									
1100										
1150										
1200										
1250			1 x 6M	1 x 6M			2 x 2M 1 x 5M	2 x 2M 1 x 5M	4 x 2M 1 x 5M	4 x 2M 1 x 5M
1300										
1350										
1400										
1450										
1500		1 x 3M	1 x 7M	1 x7M	2 x 3M	2 x 3M	2 x 2M 1 x 6M	2 x 2M 1 x 6M	4 x 2M 1 x 6M	4 x 2M 1 x 6M
1550	1 x 4M									
1600										
1650							2 x 3M 1 x7M	2 x 2M 1 x7M	4 x 2M 1 x7M	4 x 2M 1 x7M
1700										
1800			1 x 8M	1 x 8M			2 x 3M 1 x 8M	2 x 3M 1 x 8M	•	•
1900										
2000										
2100										
2200										
2300										
2400										
2500										
2600										
2700										
2800										
2900										
3000										
3100										
3200										

Set of 3 synchronisation ropes LG=2M : Reference 2C2A231720L20
Set of 3 synchronisation ropes LG=3M : Reference 2C2A231720L300
Set of 3 synchronisation ropes LG=4M : Reference 2C2A231720L400
Set of 3 synchronisation ropes LG=5M : Reference 2C2A231720L500
Synchronisation ropes LG=6M : Reference 2L1A054001L6000
Synchronisation ropes LG=7M : Reference 2L1A054001L7015
Synchronization ropes LG=8M : only on request
*Only on request with the original order number





No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

CHARACTERISTICS OF YOUR FINELINE® DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

PRODUCTION RANGE

Type	Illustration	C.O. (mm) Min.	C.O. (mm) Max	C.H. (mm) Min.	C.H. (mm) Max.	Package width
4/S		600	900	1900	2100	115
4/AS-L		600	900	1900	2100	115
4/AS-R		600	900	1900	2100	115
01 / 02		600	900	1900	2100	85
11 / 12		600	900	1900	2100	115

MOTORIZATION TYPE

The Fineline door is available with the ECO motorization only

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
GEARED MOTOR ASYM FL	903371G03	
GEARED MOTOR SYM FL	903371G04	
ECO TRANSFORMER H+/FL/EB/H3	901139G02	
ECO BOARD H+/FL/H3	903510G01K	
WITTUR PROGRAMMING TOOL H+/EB/FL/PE/HB/H3/AD	900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA BOARD H+/FL/EB/PE/H3	2C2A030348	
CLOSING DOOR RUBBER BUTTON H+/FL/HB/EB/PE/H3	3215050401V01	
OPENING DOOR RUBBER BUTTON H+/FL/HB/EB/PE/H3	3215050401V02	
TOOTH BELT ECO L=4400MM HT=12MM H+/FL/EB/H3	89740H04	
TOOTHBELT SHORT: 12.5X855MM ASYM FL	902754H02	Picture Not Available
TOOTH BELT LOCKED CPL (LEFT SIDE SYM: WIDE SIDE ASYM) FL	89744G02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
RIGHT BELT FIXING FL	902767G01	
ECO TOOTHED PULLEY H+/FL/H3/E2	3215.04.0400	
TOOTHED BELT PULLEY Z=14 FOR CO600-CO700 FL	902938G01	
TOOTHED BELT PULLEY Z=12 FOR CO750-CO800 FL	902938G02	
TOOTHED BELT PULLEY Z=10 FOR CO850-CO900 FL	902938G03	
DIVERTING PULLEY, CLOSING WEIGHT SYM+ASYM LEFT OP FL	903006G11	
DIVERTING PULLEY SET FL	601397G01	
CAR DOOR LOCK AMD, TRANSPARENT CONTACT FL/AD	274093	
DOOR CONTACT, SHORT CIRCUIT PIECE FL/AD	274094	
DOOR CONTACT. LEFT LANDING SIDE IP54. KIT FL	905016G01	Picture Not Available
DOOR CONTACT. RIGHT LANDING SIDE IP54. KIT FL	905016G02	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
DOOR CONTACT. LEFT CAR SIDE IP54. KIT FL	905016G03	Picture Not Available
DOOR CONTACT. RIGHT CAR SIDE IP54. KIT FL	905016G04	Picture Not Available
ROPE TOP FRAME FIXED POINT FL	902915G02	
SYNCHRONIZATION ROLLER FL	602767G01	
SYNCHRONIZATION ROLLER KIT FL	2C1H602767G02	
SYNCHRONISATION ROPE L=1025 FL	89739H02	
CLAMP FOR SYNCHRONIZATION ROPE FL	902915G01	
HANGER ROLLER KIT (4ST) + FIXINGS FL	902899G01	
COUPLER SET LH FL	902770G11	
COUPLER SET RH FL	902770G12	
COUPLER SYMETRICAL OPENING FL	902770G13	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
COUPLER FL	902771G01	Picture Not Available
COUPLER FL	902771G02	Picture Not Available
COUPLER CH1900 2 PANEL FL	902771G04	Picture Not Available
COUPLER CH1900 2 PANEL FL	902771G03	Picture Not Available
SPRING FOR RETRACTABLE CAM/COUPLER FL	902789H01	
SWING DOOR UNLOCKING FL	902730G01	
PANELBOLT KIT FL	902995G01	
ALUMINIUM SILL CO700 DOOR 4S OLD VERSION FL	3212057500P070	
ALUMINIUM SILL CO700 DOOR 4S-L OLD VERSION FL	3212057500P070L	
ALUMINIUM SILL CO700 DOOR 4S-R OLD VERSION FL	3212057500P070R	
ALUMINIUM SILL CO800 DOOR 4S OLD VERSION FL	3212057500P080	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ALUMINIUM SILL CO800 DOOR 4S-L OLD VERSION FL	3212057500P080L	
ALUMINIUM SILL CO800 DOOR 4S-R OLD VERSION FL	3212057500P080R	
ALUMINIUM SILL CO700 DOOR 4S EN81-20/50 FL	1014473P03CO700	Picture Not Available
ALUMINIUM SILL CO700 DOOR 4S-L EN81-20/50 FL	1014473P02CO700	Picture Not Available
ALUMINIUM SILL CO700 DOOR 4S-R EN81-20/50 FL	1014473P01CO700	Picture Not Available
ALUMINIUM SILL CO800 DOOR 4S EN81-20/50 FL	1014473P03CO800	Picture Not Available
ALUMINIUM SILL CO800 DOOR 4S-L EN81-20/50 FL	1014473P02CO800	Picture Not Available
ALUMINIUM SILL CO800 DOOR 4S-R EN81-20/50 FL	1014473P01CO800	Picture Not Available
ALUMINIUM SILL CO900 DOOR 4S EN81-20/50 FL	1014473P03C0900	Picture Not Available
SILL PROFILE CAR/LANDING CO=900;SYM FL	902974H15	Picture Not Available
PANEL SLIDING SHOES KIT = 8PCS FL	903015G01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXING SCREW M8X20 FL	861537H02	
LEFT LANDING DOOR LOCK FL	902790G01	
RIGHT LANDING DOOR LOCK FL	902790G02	
EMERGENCY OPENING LEFT FL	900279G01	Picture Not Available
EMERGENCY OPENING RIGHT FL	900279G02	Picture Not Available
KIT OF 3 LANDING DOOR ROLLERS FL	902794G01	
LINKAGE SYM. LANDING DOOR (FOR EMERGENCY OPENING DEVICE) FL	902990H02	
LINKAGE ASYM. LANDING DOOR (FOR EMERGENCY OPENING DEVICE) FL	902990H01	Picture Not Available
SCREW FOR UNLOCKING LEVER M4X10 FL	260532	
SPACER FOR UNLOCKING LEVER FL	902988H01	
KIT OF SAFETY SWITCH DOOR 4S + 4AS-L FL	1009714A01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT OF SAFETY SWITCH DOOR 4AS-R FL	1009714A02	
BI-STABLE SAFETY SWITCH SYMMETRIC AND ASYMMETRIC LEFT FL	1009714A03	Picture Not Available
BI-STABLE SAFETY SWITCH ASYMMETRIC RIGHT FL	1009714A04	Picture Not Available
BERNSTEIN SWITCH 188-U1Z FL	S102798	Picture Not Available
PANEL BUFFER FL	3215395013	
ROLLER FOR COUNTERWEIGHT FL	601115G01	
KIT OF ROLLER AND SUPPORT FOR COUNTERWEIGHT FL	903006G01	
WEIGHT CLOSING WIRE =1548 FL	3212.04.0521	Picture Not Available
FELT/METER FL	C1264	
COUNTERWEIGHT GUIDING SHOE FL	2L1H230509V02	
LSE-LIGHT SENSOR SYS/LSE FIXING BRACKET (MOUNTING BRACKET) FL	903070G02	Picture Not Available


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TOP TRACK FIXING (LANDING DOOR) FL	903028G01	Picture Not Available
BRACKET, WALL FIXING (SET 4) FL	902968G01	
CAR FIXING BRACKET, FL	902948G01	
BOTTOM BRACKET KIT TOE GUARD FL	2L1H230502	Picture Not Available
PIT EGRESS EOD LEFT FL	1014530A01	Picture Not Available
PIT EGRESS EOD RIGHT FL	1014530A02	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK, A PANEL OR A SILL ?

You need to give the label in the panel for order panels and you need to give the label in the operator for order trucks and sills:



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™



Take a look at the Wall of Fame in our «Special projects» office! A selection of top design & performance elevators and components, where special materials and unconventional solutions are creatively designed & engineered to be then manufactured with our excellent quality standards.

CHARACTERISTICS OF YOUR AUGUSTA EVO® DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™



PRODUCTION RANGE

Landing Doors				
Sill width (mm)	Type	Illustration	Clear Opening (mm)*	H (mm)
40	01/C		800	2000
80	11/R		900	2100
80	11/L			

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
UNLOCKING SYSTEM KIT 11 AE	1005980A01	
UNLOCKING SYSTEM KIT 01 AE	1005980A02	
CONTACT AE	W002532	
BRIDGE AE	W002533	
TOP ROLLER STANDARD Ø56 HB/H+/HA/H/ H3/AE	3201.05.0032	
TOP ROLLER FOR SLOW TRUCK DOOR 11 AE	1005297P01	
BOTTOM ROLLER AE	1005343A01	
BUFFER AE	1005355P01	
SPRING AE	1005528P01	
LOCK BUFFER AE	1005332P01	
LOCK ROLLER 20MM SILL SPACER AE	3215.05.0037	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LOCK ROLLER FIXING PLUG AE	2L1M055065	
BOTTOM ROLLER SUPPORT DOOR 01/C AND 11L AE	1005347A01	
BOTTOM ROLLER SUPPORT DOOR 11R AE	1005347A11	
NUT M8 AE	1005399P01	
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/ H3/AE	3201.05.0062	
ROPE DIVERTING ROLLER H/EB/P1/H3/AE	3201.05.0037	
ACCESSOIRIES KIT FOR DOOR INSTALLED IN THE LANDING AE	1006224A01	
ACCESSOIRIES KIT FOR DOOR INSTALLED IN THE SHAFT AE	1006061A01	
ALUMINIUM SILL PL700 DOOR 11 AE	1005716P070	
ALUMINIUM SILL PL800 DOOR 11 AE	1005716P080	
SHOE SUPPORT AE	1006062P01	




No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SPRING CO>900MM AE	1005528P02	
SYNCHRONISATION ROPE DOOR 01/C PL=800 MM AE	1005867A307	
SYNCHRONISATION ROPE DOOR 01/C PL=900 MM AE	1005867A347	
SYNCHRONISATION ROPE DOOR 01/C PL=1000 MM AE	1005867A387	
SYNCHRONISATION ROPE DOOR 01/C PL=1100 MM AE	1005867A407	
SYNCHRONISATION ROPE DOOR 11 PL=750 MM AE	1005867A158	
SYNCHRONISATION ROPE DOOR 11 PL=800 MM AE	1005867A163	
SYNCHRONISATION ROPE DOOR 11 PL=900 MM AE	1005867A183	
SYNCHRONISATION ROPE DOOR 11 PL=1000 MM AE	1005867A203	
SYNCHRONISATION ROPE DOOR 11 PL=1100 MM AE	1005867A213	
BOTTOM ROLLER FOR HIGH SPEED TRUCK AE	3212.04.0002	



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FAST DOOR UPPER ROLLER AE	3215.05.0038	
LOW SPEED TRUCK UPPER UPPER ROLLER AE	3215.05.0039	
SELF CLOSING WIRE 01/C AE	2L1M054001	
SELF CLOSING WIRE 11/L-R AE	2L1M054002	
SYNCHRONIZING WIRE L=163 AE	2L1M054051L163	
SYNCHRONIZING WIRE L=183 AE	2L1M054051L183	
SYNCHRONIZING WIRE L=203 AE	2L1M054051L203	
SYNCHRONIZING WIRE L=294 AE	2L1M054051L294	
SYNCHRONIZING WIRE L=334 AE	2L1M054051L334	
SYNCHRONIZING WIRE L=374 AE	2L1M054051L374	
BELT TENSIONING SPRING AE	2C1A053001	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
STANDARD UPPER ROLLER AE	2L1M050039	
ALUMINIUM SILL SUPPLEMENT CO750 01/11 AE	1006556A04	
ALUMINIUM SILL SUPPLEMENT CO800 01/11 AE	1006556A01	
ALUMINIUM SILL SUPPLEMENT CO900 01/11 AE	1006556A02	
ALUMINIUM SILL SUPPLEMENT CO1000 01/11 AE	1006556A07	
ALUMINIUM SILL SUPPLEMENT CO1100 01/11 AE	1006556A09	
ALUMINIUM SILL PL700 DOOR 01 AE	1005734P070	
ALUMINIUM SILL PL750 DOOR 11 AE	1005716P075	
ALUMINIUM SILL PL800 DOOR 01 AE	1005734P080	
ALUMINIUM SILL PL900 DOOR 11 AE	1005716P090	
ALUMINIUM SILL PL1000 DOOR 11 AE	1005716P100	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ALUMINIUM SILL PL1100 DOOR 11 AE	1005716P110	
ALUMINIUM SILL PL900 DOOR 01 AE	1005734P090	
ALUMINIUM SILL PL1000 DOOR 01 AE	1005734P100	
ALUMINIUM SILL PL1100 DOOR 01 AE	1005734P110	
KIT OF 4 SHOES AE	1011631A01	
EMERGENCY DEVICE DOOR 11R AE	1008226A01	
EMERGENCY DEVICE DOOR 01/C 11L AE	1008226A02	
UNLOCKING KIT WITH CONTACT AND LIP DOOR 01/C AE	1008108A03	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX :
HOW TO ORDER A TRUCK, A PANEL OR A SILL ?

You need to give the label in the mechanism:



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™



C-MOD

WITTUR

CHARACTERISTICS OF YOUR ECOBUS® DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

PRODUCTION RANGE

TYPE DE PORTE *DOOR TYPE*	SCHEMA *ILLUSTRATION*
Version "W2" avec vantaux pliés *W version*	

PC mm	550	600	650	700	750	800	850	900	950	1000	1050	1100	1150
CO mm	500	550	600	650	700	750	800	850	900	950	1000	1050	1100

PC = Clear wide for installation / *largeur entrée decabine* CO = Clear opening / *passage libre*



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ECO MOTOR H+/EB	2C2R020007	
ECO TRANSFORMER H+/FL/EB/H3	901139G02	
ECO BOARD EB	2C2M903510G02F	
ECO BOARD TYPE OTIS FLEX (3 WIRE) EB	2C2M903511G02U	
WITTUR PROGRAMMING TOOL H+/EB/FL/ PE/HB/H3/AD	900050G01	
INTER RUN TEST FOR ECO MIDI SUPRA BOARD H+/FL/EB/PE/H3	2C2A030348	
MAGNET H+/EB/PE/H3	3215.05.9001	
CONTACT REFSW FOR LIFT DOOR BOARD H+/EB/PE/H3	601812G01	
REFSW CONTACT FOR ECO MIDI SUPRA BOARD H+/EB/PE/H3	274878	
CLOSING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V01	
OPENING DOOR RUBBER BUTTON H+/FL/HB/ EB/PE/H3	3215050401V02	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TOOTH BELT ECO L=4400MM HT=12MM H+/ FL/EB/H3	89740H04	
BELT CLAMP EB	2C1A050098	
ECO TOOTHED PULLEY H+/FL/H3/E2	3215.04.0400	
DIVERTING PULLEY ECO WITH SUPPORT EB	2C2M030400	
SICKEL ASSEMBLY RIGHT LL 700-1100MM EB	2C2R020011	
SICKEL ASSEMBLY RIGHT LL 500-699MM EB	2C2R020011V01	
SICKEL ASSEMBLY LEFT LL 700-1100MM EB	2C2R020012	
SICKEL ASSEMBLY LEFT LL 500-699MM EB	2C2R020012V01	
SICKEL LEFT LL 700-1100MM EB	2C2R030011V01	
SICKEL LEFT LL 500-699MM EB	2C2R030011V05	
SICKEL RIGHT LL 700-1100MM EB	2C2R030011V02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SICKEL RIGHT LL 500-699MM EB	2C2R030011V04	
GUIDING BLOCK RIGHT EB	2C1R050003	
GUIDING BLOCK LEFT EB	2C1R050004	
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0001	
CONTACT KF-2V HB/H+/HA/H/EB/PE/P1/H3	2C1A000001	
CONTACT SEL2-A1Z P H+/EB/PE/AD	274095	
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/PW/EB/P1/H3	2C1A055114	
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0002	
BRIDGE PZ18 EB	1KKPZ180155	
MECHANICAL RELEASE EB	2C2R030003	
FIXING FOR MECHANICAL RELEASE EB	2C1R055034V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXING FOR MECHANICAL RELEASE L=1700MM EB	2C1R055034V04	Picture Not Available
COUPLER OPERATING LEVER EB	2C2R020005V02	
KIT DEFLECTION WHEEL (MECHANICAL RELEASE) EB	2C2R390001V02	
ROPE DIVERTING ROLLER H/EB/P1/H3/AE	3201.05.0037	
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS H/EB/P1/H3	2L2A231388	
PLASTIC BUSHING EB	2C1R050001	
TOP PLASTIC RING EB	2C1R050006	
GLASS/WINDOW 70MM KIT 2 GLASS EB	2C2R390005V01	
GLASS 430X62X6 AND 350X60X3 EB	2C1L057011V02	
GUIDESHOE EB	2C2R390001V01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX:
HOW TO ORDER A TRUCK, A PANEL OR A SILL?

You need to give the label in the mechanism:



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

COMPACT DOOR FOR MODERNISATION

FINELINE®




Accessibility




Energy performance



Small dimensions



YOUR AMD DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
ECO BOARD AD	903512G02J	
LIFT DOOR CONTROL PCB, ECO+ (SD) AD	903510G01K	
MIDI SUPRA BOARD AD	2C2A903376G01K	Picture Not Available
MOTOR UNIT D1 WITH ENCODER RIGHT AD	89717G04	Picture Not Available
GEARED MOTOR (AC-BRUSHLESS), MIDI LH AD	903375G03	Picture Not Available
GEARED MOTOR (AC-BRUSHLESS), MIDI RH AD	903375G04	Picture Not Available
SUPRA MOTOR UNIT, D2, LH (IF RETRAC-TABLE CAM/COUPLER LH) AD	601370G03	
SUPRA MOTOR UNIT, D2, RH (IF RETRAC-TABLE CAM/COUPLER RH) AD	601370G04	
MOTOR UNIT D1 WITH ENCODER LEFT AD	89717G03	Picture Not Available
MOTOR UNIT D1 LEFT AD	903370G03	
MOTOR UNIT D1 RIGHT AD	903370G04	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
MIDI SUPRA TRANSFORMER H+/PE/H3/AD	601805G01	
TRAFO UNIV. 127V/230V/400V, D1 AD	89794G04	Picture Not Available
TRANSFORMER 230V AD	901139G02	
WITTUR PROGRAMMING TOOL H+/EB/FL/ PE/HB/H3/AD	900050G01	
TOOTH BELT MIDI/SUPRA L=5450MM H=25 H+/PE/H3/AD	601278H04	
SET OF MIDI SUPRA BELT CLAMPS H+/PE/ H3/AD	601345A01	
MIDI SUPRA TOOTH BELT PULLEY H+/H3/AD	2C2A601319G01	
TOP ROLLER AMD2 WITHOUT SCREW, P. 84, Ø93 AD	601106G01	
TOP ROLLER AMD2 COMPLETE WITH EC-CENTRIC SCREW AD	601106G02	
BOTTOM ROLLER NORDIC. R2 AD	378032G01	
SYNCHRONIZATION ROLLER AD	601323G01	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
HANGER ROLLER, R1 D50 (WITH PU-LAYER, POLYURETAN) AD	89350G01	
SYNCHRONIZATION ROLLER, D52, D273MG-B.041-POS.2 AD	89627G02	Picture Not Available
HANGER ROLLER, D50, D273MGB.045-POS.1 AD	89628G02	Picture Not Available
COUNTER ROLLER, D44, D273MGB.045-POS.3 AD	89629G02	Picture Not Available
ANTI DIP ROLLER FOR CAR DOOR Ø44 AD	89629G04	Picture Not Available
COMPLETE LOCK, AMD2, LEFT AD	603153G01	
COMPLETE LOCK, AMD2,RIGHT AD	603153G02	
COMPLETE LOCK, AMD2,(PLACED TO THE LEFT) AD	603153G03	
LANDING LOCK COMPLETE C/O, COUPLER RH AD	603153G04	
COMPLETE LOCK FOR TOP TRACK R1, LEFT AD	602489G01	
COMPLETE LOCK FOR TOP TRACK R1, RIGHT AD	602489G02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LOCK ROLLER SMALL R1 AD	601865G02	
ROLLER UNIT V/C, LEVER CURVED R2, LOCK AT LEFT AD	603150G01	
ROLLER UNIT R, LEVER CURVED R2, LOCK AT RIGHT AD	603150G02	
ROLLER UNIT, LEVER STRAIGHT L/C, LOCK AT LEFT AD	603150G03	
ROLLER UNIT LEVER STRAIGHT R, LOCK AT RIGHT AD	603150G04	
LANDING LOCK ROLLER UNIT AD	903283G01	Picture Not Available
ROLLER CLOS:WEIGHT, D48X9MM, PLASTIC AD	601115G01	
SYNCHR. ROPE; LANDING , L=4000 AD	601116G03	
SYNCHR. ROPE; CAR, L=4280 AD	601116G13	
SYNCHR. ROPE; AMD L=6700 MM AD	601116G14	
SYNCHRONIZATION ROPE LEN=9700MM AD	601116G15	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SPRING FOR SYNCHRONISATION ROPE AD	88583H01	Picture Not Available
SYNCHRONIZATION ROPE AD	601027H07	Picture Not Available
CABLE WITHOUT END PIECES (1725MM CUT TO LENGTH) AD	89739H06	
DOOR CONTACT, CAR DOOR LOCKING DEVICE AD	274095	
CONTACT BRIDGE FOR COUPLER AD	274100	
CONTACT TI-A1Z KS IP54 AD	274626	Picture Not Available
DOOR CONTACT R2 TELESCOPE TOP TRACK, AZ 05 KT 1697-Z P. 69 BLACK AD	254995	
DOOR CONTACT/CONTACT BRIDGE AZ05-B-SPEZ. 1684 R2 AD	601341H01	
DOOR CONTACT LOCK, INCLUDING FIXING FOR R1 LEFT AD	902066G01	
DOOR CONTACT LOCK, INCLUDING FIXING FOR R1 RIGHT AD	902066G02	
SAFETY SWITCH AD	904260A03	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SAFETY SWITCH AD	904260A04	Picture Not Available
OSCILLATOR SWITCH IP40, 24/60VD OS6.3 AD	86420G01	Picture Not Available
LOCK COUPLER R1 NH 300 RIGHT AD	900650G13	
LOCK COUPLER R1 NH 400 RIGHT AD	900650G14	Picture Not Available
LOCK COUPLER R1 NH 400 LEFT AD	900650G04	Picture Not Available
COUPLER AD	900650G03	Picture Not Available
RETRACTABLE COUPLER AMD, RH, R2, NH=500, AD	601400G15	
RETRACTABLE COUPLER AMD, CPL, LH NH=300 R1 AD	602324G03	Picture Not Available
RETRACTABLE COUPLER AMD, CPL, LH NH=400 R1 AD	602324G04	Picture Not Available
RETRACTABLE COUPLER AMD, CPL, RH NH=300 R1 AD	602324G13	
RETRACTABLE COUPLER AMD, CPL, RH NH=400 R1 AD	602324G14	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LOCK COUPLER LH NH=500 AMDC2R AD	601500G05	
LOCK COUPLER RH NH=500 AMDC2R AD	601500G15	
RETRACTABLE CAM/COUPLER VANE SET, 500MM 1PAR AD	602493G05	Picture Not Available
SPRING FOR AMDS SELCOM-RETRACTABLE CAM/COUPLER AD	901940H01	
SPRING, FOR RETRACTABLE CAM/COUPLER 602324G AD	89756H01	
SPRING CLOSER AD	902694G01	Picture Not Available
SPRING CLOSER AD	902694G02	Picture Not Available
PART LOAD, R2 PANEL FIXING AMD0/1/2 AD	900480G01	
STANDARD-RETRACTABLE COUPLER AMD HYDRA R1 LH AD	901960G05	Picture Not Available
STANDARD-RETRACTABLE COUPLER AMD HYDRA R1 RH AD	901960G15	
RETRACTABLE COUPLER SYSTEM SELCOM AMD2 R2 LH AD	902070G05	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
RETRACTABLE COUPLER SYSTEM SELCOM AMD2 R2 RH AD	902070G15	Picture Not Available
SELCOM R2 LOCK COUPLER LEFT AD	902080G05	
SELCOM R2 LOCK COUPLER RIGHT AD	902080G15	
SELCOM R2 LOCK COUPLER RIGHT AD	900669G01	Picture Not Available
SELCOM R2 LOCK COUPLER RIGHT AD	900669G02	Picture Not Available
CAR DOOR CONTACT R2 SIDE OPENING LEFT AD	902083G01	
CAR DOOR CONTACT R2 SIDE OPENING RIGHT AD	902083G02	
CAR DOOR CONTACT R2 CENTRAL OPENING LEFT AD	900349G01	
CAR DOOR CONTACT R2 CENTRAL OPENING RIGHT AD	900349G02	
CAR DOOR CONTACT R2 SIDE OPENING LEFT AD	900350G01	Picture Not Available
CAR DOOR CONTACT R2 SIDE OPENING RIGHT AD	900350G02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


Designation	Reference	Picture
EMERGENCY OPENING FOR RETRACTABLE CAM/COUPLER R2 LEFT & LEFT-CENTRAL CAR DOOR LOCK AD	601554G01	
EMERGENCY OPENING FOR RETRACTABLE CAM/COUPLER R2 RIGHT & RIGHT-CENTRAL CAR DOOR LOCK AD	601554G02	
PANEL ADAPTER TOP FIXING R1 AD	603782G01	
PANEL ADAPTER FRONT FIXING R1 AD	603782G02	Picture Not Available
PLUG 4 POLES AMDVC *ECO* AD	901144H01	
PLUG 4 POLES AMDVC *ECO* AD	901144H02	
ACCESSOIRIES KIT DOOR 02/C - 12RL AD	1013981A01	
LOCK ROLLER COMPLETE AD	601107G03	
LANDING ROLLER Ø31,5 LEN=26,5MM AD	S601107G04	Picture Not Available
KIT OF 4 PANEL FIXINGS R2 AD	901963G11	Picture Not Available
KIT OF 8 PANEL FIXINGS R2 AD	901963G31	Picture Not Available


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
EMERGENCY OPEN AMD, EXTENDED +25MM AD	600928G03	
SWITCH, REMOTE, SERVICE DRIVE AD	602714G01	
EURO LOCK RELEASE, SHORT L=38; D30/M24 AD	603349G01	
EURO LOCK RELEASE, LONG L=63; D30/M24 AD	603349G02	
TOOTHED, BELT DIV.PULLEY, D2 AD	601275G01	
DIVERTING ROPE PULLEY RIGHT AD	601091G01	Picture Not Available
COUNTERWEIGHT WIRE R2 AD	89738H04	
CLOSING WEIGHT ROPE AMD L=2900MM WIRE WITH SCREW AD	618396G01	
DOM OPTION LEFT OPENING DOOR AD	603152G01	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice







WITTUR JOINS FORCES WITH SEMATIC
60+
COUNTRIES SERVED BY OUR LOCAL TEAMS





YOUR PIUMA DOOR



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
EMERGENCY OPENING DEVICE LEFT PM	901123G05	Picture Not Available
EMERGENCY OPENING DEVICE RIGHT PM	901123G06	Picture Not Available
HANGER BOLT PM	3212.39.0004	
GUIDE SHOE PM	3212.39.0005	
SYNCHRONIZING WIRE L1310MM PM	3212.05.4010L131	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

YOUR CMOD DOOR SEMATIC








No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 1500MM CM/BG	BL-B105AAIX02	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 1500MM CM/BG	BL-B105AAJX02	
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AALX02	
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AANX02	
KIT FOR REPLACEMENT OF SDS© DC-PWM REL.4 BOARØ BRACKETS INCLUDED CM/BG/MF	BL-B111AAMX01	
KIT FOR REPLACEMENT OF SDS© BRUSHLESS REL.4 BOARØ BRACKETS INCLUDED CM/BG/RD	BL-B111AAMX03	
KIT FOR REPLACEMENT SZS© DC-PWM BOARD AND FIXING PLATES CM	BL-B111AAQX	
SEMATIC DRIVE SYSTEM© POWER SUPPLY CABLE FOR BX-HYDROELITE CONNECTION CM/MF	BL-B066AAMX	
SDS/SRS HANDSET WITH CABLE RJ45 CM/BG/RD/MF	BL-B111AAKX	
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM) CM/BG/MF	BL-C076AACG-10000	
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM) CM/BG/MF	BL-B130AAFX	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2 X ROLLERS Ø53MM (EXTERNAL 60MM) CM/BG/RD/MF/CH/CL	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC CM/BG/RD/MF/CH/CL	BL-C144AAOP	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM) CM/BG/RD/MF/CH/CL	BL-0101	
SINGLE-GROOVE ROLLERS FOR LINKING ROPE Ø32MM CM	BL-C144ABHX	
2 X ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL) CM/BG/MF	BL-MC144AAX	
SYNCHRONIZATION ROPE Ø3MM (L=1125MM) CM/BG	BL-C088AABF11	
SYNCHRONIZATION ROPE Ø3MM (L=1175MM) CM/BG	BL-C088AABF13	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM) CM/BG/MF/CH/CL	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM) CM/BG/MF/CH/CL	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM) CM/BG/MF/CH/CL	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM) CM/BG/MF/CH/CL	BL-C088AABF27	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SYNCHRONIZATION ROPE Ø3MM (L=1625MM) CM/BG/MF/CH/CL	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM) CM/BG/MF/CH	BL-C088AABF35	
SYNCHRONIZATION ROPE Ø3MM (L=5000MM) CM/BG/MF/CH	BL-C088AABF-5000	
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K4Z, K2L) CM	BL-B152ACHX01	
EXPANSION SKATE WITHOUT CAR DOOR LOCK (K4Z, K2R) CM	BL-B152ACHX02	
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K2-4-6Z, K1-2-3L) CM	BL-B152ACDX01	
C-MOD EXP SKATE K2-4-6Z K-1-2-3R CM	BL-B152ACDX02	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2L) CM	BL-B152ACJX01	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2R) CM	BL-B152ACJX02	
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3L K2Z CM	BL-B152ACQX01	
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3R K2Z CM	BL-B152ACQX02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2L) CM	BL-B152ACRX01	
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2R) CM	BL-B152ACRX02	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K2Z,) CM	BL-B152ACSX02	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3L) CM	BL-B152ACSX03	
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3R) CM	BL-B152ACSX04	
2 X TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED) CM/BG/MF	BL-B102AADX	
2 X TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW) CM/BG/MF	BL-B102AAEX	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD) CM/BG/MF/CH/CL	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12) CM/BG/CH/CL	BL-E073AAKX01	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE) CM/BG/RD/MF/CH/CL	BL-C116AAFP	Picture Not Available
S2Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY CM	BL-A018AABX01	Picture Not Available


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
S2-3L C-MOD EN81-20/50 EMERGENCY ASSEMBLY CM	BL-A018AACX01	Picture Not Available
S2-3R - S4Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY CM	BL-A018AACX02	Picture Not Available
LANDING DOOR LOCK RELEASE (LEFT PANEL) CM/BG/CH/CL	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGH PANEL) CM/BG/CH/CL	BL-B018AAPX02	
TKC MONOSTABLE CONTACT CM	BL-CX00XAAXCWI	
TKC MONOSTABLE CONTACT (TYPE C2-U1Z COØ600.8104.02) CM	BL-CX00XAAXDJJ	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2L CM	BL-B151AEGX01	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2R CM	BL-B151AEGX02	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3L CM	BL-B151AEGX03	
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3R CM	BL-B151AEGX04	
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3L CM	BL-B153ACJX01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


Designation	Reference	Picture
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3R CM	BL-B153ACJX02	
C-MOD UNIFIED ADDITIONAL ROLLER SUP-PORT PLATE ASSEMBLY RIGHT HAND CM	BL-B158AEFX02	
C-MOD UNIFIED LOCK REPLACEMENT KIT FOR CENTER DOOR CM	BL-H153ADAX	
C-MOD UNIFIED LOCK REPLACEMENT KIT S2L CM	BL-H153ADBX	
C-MOD UNIFIED LOCK REPLACEMENT KIT S2R CM	BL-H153ADCX	
C-MOD UNIFIED LOCK REPLACEMENT KIT S3L CM	BL-H153ADGX	
C-MOD UNIFIED LOCK REPLACEMENT KIT S3R CM	BL-H153ADHX	
LEFT LOCK IP20 POUR EXPANSION SKATE S2L/S3L CM	B153ABZX05	
RIGHT LOCK IP20 POUR EXPANSION SKATE S2L/S3L CM	B153ABZX06	
LEFT LOCK PLATE ASEMBLY WITH CONTACT S2L CM	BL-B151ACCX01	
RIGHT LOCK PLATE ASEMBLY WITH CONTACT S2R CM	BL-B151ACCX02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LEFT LOCK PLATE ASEMBLY WITH CONTACT S2Z/S4Z CM	BL-B151ACAX01	
RIGHT LOCK PLATE ASEMBLY WITH CONTACT S2Z/S4Z CM	BL-B151ACAX02	
2 X UNIFIED LANDING DOOR LOCK C-MOD ROLLER ASSEMBLY CM	BL-B138AAPX	
RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 16MM)	BL-C138AAAG02	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI02	
2 X LOCK TORSION SPRING «L-Z» IP54 (WHITE) BG	BL-C102AAPI01	
2 X LOCK TORSION SPRING «R-Z» IP54 (WHITE) BG	BL-C102AAPI02	
DOOR CLOSE SPIRATOR Ø127MM CM/BG/MF	BL-CX00XAAXDEV	
DOOR CLOSE SPIRATOR Ø86MM CM/BG/MF	BL-CX00XAAXDFW	
COUNTERWEIGHT ROPE (LENGTH: 2320 MM) CM	BL-C088AARX05	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

YOUR 2000B-GOODS DOOR SEMATIC





No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
1 NM DC MOTOR WITH OPTICAL ENCODER, 200V DC BG	BL-B105AAAX01	
2 NM DC MOTOR WITH OPTICAL ENCODER, 60V DC BG	BL-B105AAAX02	
1 NM DC MOTOR IP54 WITH OPTICAL ENCO-DER, 200V DC BG	BL-B105AABX01	
2 NM DC MOTOR IP54 WITH OPTICAL ENC BG	BL-B105AABX02	
1 X DC MOTOR 1NM (STANDARD - WITHOUT ENCODER)	BL-CX00XAAXAAJ	
2,4 NM PREWIRED AC BRUSHLESS MOTOR, 24VCC - CABLE 2000MM BG	BL-B105AAGX	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 500MM BG	BL-B105AAIX01	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 1500MM CM/BG	BL-B105AAIX02	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 500MM BG	BL-B105AAJX01	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 1500MM CM/BG	BL-B105AAJX02	
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AALX02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 500MM BG	BL-B105AANX01	
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AANX02	
DUNKER PREWIRED DC MOTOR GR 63X25 IP54, 24V CC - CABLE 2000MM BG	BL-B105AAPX01	
DUNKER PREWIRED DC MOTOR GR 63X55 IP54, 24V CC - CABLE 2000MM BG	BL-B105AAQX01	
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60 IP54, 40V CC - CABLE 2000MM BG	BL-B105AARX01	
DUNKER BG 62X30 SG80K IP54 L=2000 BG BG	BL-B105AATX01	
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH RJ45 CONNECTOR BG/MF	BL-H105AADX01	
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH D SUB 15 CONNECTOR BG/MF	BL-H105AADX02	
1 X SDS CONNECTIONS FOR MOOG MOTOR	BL-H147AATX	
MOTOR DRIVING PULLEY WITH GEAR (K2-4) BG	BL-B130AACX	
KIT FOR REPLACEMENT OF SDS© DC-PWM REL.4 BOARØ BRACKETS INCLUDED CM/BG/MF	BL-B111AAMX01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
KIT FOR REPLACEMENT OF SDS© BRUSHLESS REL.4 BOARØ BRACKETS IN-CLUDED CM/BG/RD	BL-B111AAMX03	
KIT FOR REMPLACEMENT OF THE SDS© AC-VVVF BRUSHLESS MV CM/BG	BL-B111AAUX	
BOARD SDS© DC-PWM COMPATIBLE REL.3 BG	BL-B157AAEX02	
BOARD SDS© BRUSHLESS PLUS REL. 3 BG	BL-B157AAEX05	
KIT RETROFIT BOARD SDS AC-VVVF BRUSHLESS PLUS -IT REPLACES THE B111AAGX BG	BL-A157AAFX	
SEMATIC DRIVE SYSTEM©/SEMATIC ENCO-DER SYSTEM© MAIN LIFT BOARD ADAPTER BG	BL-B066AAEXN	
SDS/SRS HANDSET WITH CABLE RJ45 CM/BG/RD/MF	BL-B111AAKX	
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM) CM/BG/MF	BL-C076AACG-10000	
TOOTHED BELT RPU 5M-25MM (L=10000MM) BG/MF	BL-C076AAFG-10000	
MOTOR TOOTHED BELT RPP 5M/9-675MM BG	BL-CX00XAAXACW	
5 GROOVES MOTOR BELT FOR OPERATOR (POLY-V) BG	BL-CX00XAAXAAL	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
MOTOR BELT 660MM (POLY-V 7 GROOVES) BG	BL-CX00XAAXAAH	
TENSION PULLEY WITH GEAR FOR TOOTHED BELT BG	BL-B130AABX	
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM) CM/BG/MF	BL-B130AAFX	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE) BG/MF	BL-B106AAKX	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE) BG/MF	BL-B106AANX	
2 BELT TENSION ROLLER BG	BL-B138AABX	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM) CM/BG/RD/MF/CH/CL	BL-0101	
2 X ROLLER Ø29MM (EXTERNAL 36MM) BG	BL-C144AAMP	
2 X ROLLERS Ø53MM (EXTERNAL 60MM) CM/BG/RD/MF/CH/CL	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC CM/BG/RD/MF/CH/CL	BL-C144AAOP	
2 X UPPER ROLLER FOR CARRIAGE Ø74MM (EXTERNAL), NYLON PA 66 CLADDED POLYURETHANE BG/MF	BL-C144AATA01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SYNCHRONIZATION ROPE Ø3MM (L=1125MM) CM/BG	BL-C088AABF11	
SYNCHRONIZATION ROPE Ø3MM (L=1175MM) CM/BG	BL-C088AABF13	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM) CM/BG/MF/CH/CL	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM) CM/BG/MF/CH/CL	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM) CM/BG/MF/CH/CL	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM) CM/BG/MF/CH/CL	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM) CM/BG/MF/CH/CL	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM) CM/BG/MF/CH	BL-C088AABF35	
SYNCHRONIZATION ROPE Ø3MM (L=5000MM) CM/BG/MF/CH	BL-C088AABF-5000	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS L BG/MF	BL-B152AAXX	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS R BG/MF	BL-B152AAYX	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3L SHORT BLADE) BG	BL-B152ABHX01	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3R SHORT BLADE) BG	BL-B152ABHX02	
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 L STD SHORT BLADE BG	BL-B152ABOX01	
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 R STD SHORT BLADE BG	BL-B152ABOX02	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z L SHORT BLADE) BG	BL-B152ABVX01	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z R SHORT BLADE) BG	BL-B152ABVX02	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 L LONG BLADE) BG	BL-B152ACLX01	Picture Not Available
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 R LONG BLADE) BG	BL-B152ACLX02	Picture Not Available
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-L LONG BLADE) BG	BL-B152ACMX01	
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-R LONG BLADE) BG	BL-B152ACMX02	
REINFORCED EXPENSION SKATE WITH CAR DOOR LOCKING DEVISCE EN81-1/2 BG/MF	BL-B152ACKX02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2 X TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED) CM/BG/MF	BL-B102AADX	
2 X TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW) CM/BG/MF	BL-B102AAEX	
ROPE KIT FOR SKATE BG/MF	BL-B088AAFX	
4 X UPPER/LOWER STEEL ROLLER FOR RETRACTABLE SKATE BG	BL-C056AAAX	
4 X UPPER ROLLER FOR ALUMINIUM RETRACTABLE SKATE (WITH ECCENTRIC), Ø30MM (EXTERNAL) BG/MF	BL-C056AACX	
4 X LOWER ROLLER FOR RETRACTABLE SKATE (WITHOUT ECCENTRIC), Ø30MM (EXTERNAL) BG/MF	BL-C056AADX	
CONTACT SUPPORT LOCK PLATE BG/CH/CL	BL-B151ADBX	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (L) BG/MF	BL-B151ADFX01	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (R) BG/MF	BL-B151ADFX02	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD) CM/BG/MF/CH/CL	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12) CM/BG/CH/CL	BL-E073AAKX01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2 X IP20 CONTACT BG/MF	BL-CX00XAAXAAM	
2 X MAGNETIC SWITCH (ONLY FOR F28-F29 - DYNAMO)	BL-MC074AAP	
2 X PZ21 BRIDGE FOR IP20 CONTACT BG/MF	BL-CX00XAAXAAU	
2 X ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL) CM/BG/MF	BL-MC144AAX	
SCREWS PACKAGING FOR PANELS FIXING BG/MF	BL-SEM-E6	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE) CM/BG/RD/MF/CH/CL	BL-C116AAFP	Picture Not Available
48 X PANEL'S GUIDE SHOE (FOR SILL WITH 10MM GROOVE) BG	BL-0102	
4 X GUIDE SHOE HOLDER WITH GUIDE SHOE FOR FULL GLASS PANEL BG	BL-B128AAAX	
LANDING DOOR LOCK RELEASE BG/MF/CH/CL	BL-B018AAAX	
VANDALPROOF LOCK RELEASE R 2000B/C BG	BL-B018AAJX01	
VANDALPROOF LOCK RELEASE L 2000B/C BG	BL-B018AAJX02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LANDING DOOR LOCK RELEASE (LEFT PANEL) CM/BG/CH/CL	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGH PANEL) CM/BG/CH/CL	BL-B018AAPX02	
EMERGENCY LOCK RELEASE ROPE KIT FOR PANEL BG	BL-B088AABX	
COMPLETE ROPE ANCHOR (WITHOUT ROPE) BG	BL-B098AAKX	
COMPLETE ROPE ANCHOR (WITHOUT ROPE) BG	BL-B098AALX	
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3L) BG	BL-B151AAAX	
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3R) BG	BL-B151AABX	
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S2-4-6Z) BG	BL-B151AACX	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L) BG/CH/CL	BL-B151AAXX03	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R) BG/CH/CL	BL-B151AAXX04	
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX03	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX04	
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - RIGHT BG	BL-B153AADX01	
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - LEFT BG	BL-B153AADX02	
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3R,S4-6Z RIGHT HAND) BG	BL-B153AAHX01	
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3L, S4-6Z LEFT HAND) BG	BL-B153AAHX02	
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - RIGHT HAND BG	BL-B153AAVX01	
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - LEFT HAND BG	BL-B153AAVX02	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW) BG/MF/CL	BL-B153ACIX03	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW) BG/MF/CL	BL-B153ACIX06	
ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY HR-LOW (S2/4/6Z STANDARD) BG/MF	BL-B158ACUX06	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, LEFT HAND (S2-4Z AS1735.1-2001) BG/MF/CL	BL-B158AEAX05	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD) BG/MF/CL	BL-B158AEAX06	
4 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL) BG	BL-B138AACX	
2 X LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL) BG	BL-C138AADP01	
4 X LANDING DOOR LOCK ROLLER Ø44MM (EXTERNAL) WITH BALL BEARING (2000B-HR) BG	BL-C144ABAX	
2 X UNIFIED LANDING DOOR LOCK ROLLER Ø34MM (EXTERNAL) BG/MF	BL-C144ABPX	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM) BG/MF/CL	BL-C138AAAG01	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 12MM) BG/MF	BL-C138AAAG03	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI02	
2 X LOCK TORSION SPRING «L-Z» IP54 (WHITE) BG	BL-C102AAPI01	
2 X LOCK TORSION SPRING «R-Z» IP54 (WHITE) BG	BL-C102AAPI02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
DOOR CLOSE SPIRATOR Ø127MM CM/BG/ MF	BL-CX00XAAXDEV	
DOOR CLOSE SPIRATOR Ø86MM CM/BG/MF	BL-CX00XAAXDFW	
KIT FOR REPLACEMENT OF SINGLE SPIRATOR WITH DOUBLE SPIRATOR BG	BL-301-096-000	
COUNTERWEIGHT FOR LANDING DOORS «L/R» (L=330MM; 2400G; Ø34MM) BG/MF	BL-B062AAFX01	
COUNTERWEIGHT FOR LANDING DOORS «Z» (L=250MM; 1800G; Ø34MM) BG/MF	BL-B062AAFX02	
EXTRA COUNTERWEIGHT (350 G) L=50 Ø34MM BG	BL-B062AAHX	
DOOR CLOSE SPRING. LENGTH: 230MM BG	BL-B102AAAX03	
DOOR CLOSE SPRING. LENGTH: 300MM BG	BL-B102AAAX06	
DOOR CLOSE SPRING. LENGTH: 400MM BG	BL-B102AAAX10	
DOOR CLOSE SPRING. LENGTH: 475MM BG	BL-B102AAAX13	
DOOR CLOSE SPRING. LENGTH: 575MM BG	BL-B102AAAX17	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
DOOR CLOSE SPRING. LENGTH: 160MM BG	BL-B102AABX00	
DOOR CLOSE SPRING. LENGTH: 240MM BG	BL-B102AABX01	
DOOR CLOSE SPRING. LENGTH: 315MM BG	BL-B102AABX05	
DOOR CLOSE SPRING. LENGTH: 440MM BG	BL-B102AABX10	
DOOR CLOSE SPRING. LENGTH: 530MM BG	BL-B102AABX14	
DOOR CLOSE SPRING. LENGTH: 615MM BG	BL-B102AABX17	
DOOR CLOSE SPRING (S3L/R 700<TB<1300; S6Z 1400<TB<2600) BG	BL-B102AACX01	
12 X PCS O-RING COØ 3118 BG/MF	BL-CX00XAAXDAW	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

YOUR 2000R DOOR SEMATIC



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
BL-1 PREWIRED AC BRUSHLESS MOTOR ROUND RD	BL-B105AAHX	
1 MOTOR PINION RD/CH	BL-C130AAOP	
KIT FOR REPLACEMENT OF SDS© BRUSHLESS REL.4 BOARØ BRACKETS INCLUDED CM/BG/RD	BL-B111AAMX03	
SDS/SRS HANDSET WITH CABLE RJ45 CM/BG/RD/MF	BL-B111AAKX	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM) CM/BG/RD/MF/CH/CL	BL-0101	
2 X ROLLERS Ø53MM (EXTERNAL 60MM) CM/BG/RD/MF/CH/CL	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC CM/BG/RD/MF/CH/CL	BL-C144AAOP	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE) CM/BG/RD/MF/CH/CL	BL-C116AAFP	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

YOUR 2000B - MF DOOR SEMATIC



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AALX02	
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AANX02	
DUNKER PREWIRED DC MOTOR GR 63X25 IP54, 24V CC - CABLE 2000MM BG	BL-B105AAPX01	
DUNKER PREWIRED DC MOTOR GR 63X55 IP54, 24V CC - CABLE 2000MM BG	BL-B105AAQX01	
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH RJ45 CONNECTOR BG/MF	BL-H105AADX01	
KIT FOR REPLACEMENT OF SDS© DC-PWM REL.4 BOARØ BRACKETS INCLUDED CM/BG/MF	BL-B111AAMX01	
KIT FOR REMPLACEMENT OF THE SDS© AC-VVVF BRUSHLESS MV CM/BG	BL-B111AAUX	
SDS/SRS HANDSET WITH CABLE RJ45 CM/BG/RD/MF	BL-B111AAKX	
SEMATIC DRIVE SYSTEM© POWER SUPPLY CABLE FOR BX-HYDROELITE CONNECTION CM/MF	BL-B066AAMX	
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM) CM/BG/MF	BL-C076AACG-10000	
TOOTHED BELT RPU 5M-25MM (L=10000MM) BG/MF	BL-C076AAFG-10000	



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TOOTHED BELT RPP8 M15 MM. L=10MT. MF	BL-C076AAGG-10000	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM) CM/BG/RD/MF/CH/CL	BL-0101	
KIT FOR REPLACEMENT OF SINGLE SPIRATOR WITH DOUBLE SPIRATOR BG	BL-301-096-000	
LANDING DOOR LOCK RELEASE BG/MF/CH/CL	BL-B018AAAX	
COUNTERWEIGHT FOR LANDING DOORS «L/R» (L=330MM; 2400G; Ø34MM) BG/MF	BL-B062AAFX01	
COUNTERWEIGHT FOR LANDING DOORS «Z» (L=250MM; 1800G; Ø34MM) BG/MF	BL-B062AAFX02	
ROPE KIT FOR SKATE BG/MF	BL-B088AAFX	
2 X TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED) CM/BG/MF	BL-B102AADX	
2 X TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW) CM/BG/MF	BL-B102AAEX	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE) BG/MF	BL-B106AAKX	
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE) BG/MF	BL-B106AANX	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM) CM/BG/MF	BL-B130AAFX	
TENSION PULLEY 30-5M-25 KIT (FOR B105AASX MOTOR) MF	BL-B130AAJX	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM) CM/BG/MF/CH/CL	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM) CM/BG/MF/CH/CL	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM) CM/BG/MF/CH/CL	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM) CM/BG/MF/CH/CL	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM) CM/BG/MF/CH/CL	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM) CM/BG/MF/CH	BL-C088AABF35	
SYNCHRONIZATION ROPE Ø3MM (L=5000MM) CM/BG/MF/CH	BL-C088AABF-5000	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS L BG/MF	BL-B152AAXX	
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS R BG/MF	BL-B152AAYX	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
COMPLETE SET OF SKATE ARMS WITH SPRING, WITHOUT MAGNET MF	BL-B152AAZX	
REINFORCED EXPENSION SKATE WITH CAR DOOR LOCKING DEVISCE EN81-1/2 BG/MF	BL-B152ACKX02	
2 X UPPER ROLLER FOR CARRIAGE Ø74MM (EXTERNAL), NYLON PA 66 CLADDED POLYURETHANE BG/MF	BL-C144AATA01	
2 X ROLLERS Ø53MM (EXTERNAL 60MM) CM/BG/RD/MF/CH/CL	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC CM/BG/RD/MF/CH/CL	BL-C144AAOP	
4 X UPPER ROLLER FOR ALUMINIUM RETRACTABLE SKATE (WITH ECCENTRIC), Ø30MM (EXTERNAL) BG/MF	BL-C056AACX	
4 X LOWER ROLLER FOR RETRACTABLE SKATE (WITHOUT ECCENTRIC), Ø30MM (EXTERNAL) BG/MF	BL-C056AADX	
2 X ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL) CM/BG/MF	BL-MC144AAX	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (L) BG/MF	BL-B151ADFX01	
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (R) BG/MF	BL-B151ADFX02	
2 X IP20 CONTACT BG/MF	BL-CX00XAAXAAM	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2 X PZ21 BRIDGE FOR IP20 CONTACT BG/MF	BL-CX00XAAXAAU	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD) CM/BG/MF/CH/CL	BL-E073AAGX01	
SCREWS PACKAGING FOR PANELS FIXING BG/MF	BL-SEM-E6	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE) CM/BG/RD/MF/CH/CL	BL-C116AAFP	Picture Not Available
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'L' MF	BL-B153ABIX0102	
1X SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R' MF	BL-B153ABIX0202	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'L' MF	BL-B153ABIX0502	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'R' MF	BL-B153ABIX0602	
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R' MF/CL	BL-B153ABIX1402	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW) BG/MF/CL	BL-B153ACIX03	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW) BG/MF/CL	BL-B153ACIX06	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
DOUBLE SKATE EXECUTION ADDITIONAL ROLLER 2000US SUPPORT PLATE ASSEMBLY S2-4-6Z L MF	BL-B158AAUX04	
ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY HR-LOW (S2/4/6Z STANDARD) BG/MF	BL-B158ACUX06	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD) BG/MF/CL	BL-B158AEAX06	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND S2-4-6Z MF	BL-B158AAUX03	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI02	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM) BG/MF/CL	BL-C138AAAG01	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 12MM) BG/MF	BL-C138AAAG03	
4 X LANDING DOOR LOCK 2000 US ROLLER Ø40MM (EXTERNAL) MF	BL-C144AAVG	
4 X LANDING DOOR LOCK 2000 US ROLLER WITH ECCENTRIC PIN (L=25MM) MF	BL-B138AAKX	
4 X LANDING DOOR LOCK 2000 US ROLLER WITH ECCENTRIC PIN (L=20MM) MF	BL-B138AAHX	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2 X UNIFIED LANDING DOOR LOCK ROLLER Ø34MM (EXTERNAL) BG/MF	BL-C144ABPX	
12 X PCS O-RING COØ 3118 BG/MF	BL-CX00XAAXDAW	
DOOR CLOSE SPIRATOR Ø127MM CM/BG/MF	BL-CX00XAAXDEV	
DOOR CLOSE SPIRATOR Ø86MM CM/BG/MF	BL-CX00XAAXDFW	



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

YOUR 2000B – CMG HIGH DOOR SEMATIC



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
1 MOTOR PINION RD/CH	BL-C130AAOP	
SYNCHRONIZATION ROPE Ø3MM (L=1225MM) CM/BG/MF/CH/CL	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM) CM/BG/MF/CH/CL	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM) CM/BG/MF/CH/CL	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM) CM/BG/MF/CH/CL	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM) CM/BG/MF/CH/CL	BL-C088AABF31	
SYNCHRONIZATION ROPE Ø3MM (L=1725MM) CM/BG/MF/CH	BL-C088AABF35	
SYNCHRONIZATION ROPE Ø3MM (L=5000MM) CM/BG/MF/CH	BL-C088AABF-5000	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM) CM/BG/RD/MF/CH/CL	BL-0101	
2 X ROLLERS Ø53MM (EXTERNAL 60MM) CM/BG/RD/MF/CH/CL	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC CM/BG/RD/MF/CH/CL	BL-C144AAOP	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD) CM/BG/MF/CH/CL	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12) CM/BG/CH/CL	BL-E073AAKX01	
CONTACT SUPPORT LOCK PLATE BG/CH/CL	BL-B151ADBX	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L) BG/CH/CL	BL-B151AAXX03	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R) BG/CH/CL	BL-B151AAXX04	
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX03	
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX04	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE) CM/BG/RD/MF/CH/CL	BL-C116AAFP	Picture Not Available
LANDING DOOR LOCK RELEASE BG/MF/CH/CL	BL-B018AAAX	
LANDING DOOR LOCK RELEASE (LEFT PANEL) CM/BG/CH/CL	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGH PANEL) CM/BG/CH/CL	BL-B018AAPX02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI02	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

YOUR 2000B – CMG LOW DOOR SEMATIC



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
SYNCHRONIZATION ROPE Ø3MM (L=1225MM) CM/BG/MF/CH/CL	BL-C088AABF15	
SYNCHRONIZATION ROPE Ø3MM (L=1325MM) CM/BG/MF/CH/CL	BL-C088AABF19	
SYNCHRONIZATION ROPE Ø3MM (L=1425MM) CM/BG/MF/CH/CL	BL-C088AABF23	
SYNCHRONIZATION ROPE Ø3MM (L=1525MM) CM/BG/MF/CH/CL	BL-C088AABF27	
SYNCHRONIZATION ROPE Ø3MM (L=1625MM) CM/BG/MF/CH/CL	BL-C088AABF31	
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM) CM/BG/RD/MF/CH/CL	BL-0101	
2 X ROLLERS Ø53MM (EXTERNAL 60MM) CM/BG/RD/MF/CH/CL	BL-C144AANP	
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC CM/BG/RD/MF/CH/CL	BL-C144AAOP	
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD) CM/BG/MF/CH/CL	BL-E073AAGX01	
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12) CM/BG/CH/CL	BL-E073AAKX01	
CONTACT SUPPORT LOCK PLATE BG/CH/CL	BL-B151ADBX	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L) BG/CH/CL	BL-B151AAXX03	
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R) BG/CH/CL	BL-B151AAXX04	
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX03	
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX04	
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE) CM/BG/RD/MF/CH/CL	BL-C116AAFP	Picture Not Available
LANDING DOOR LOCK RELEASE BG/MF/CH/CL	BL-B018AAAX	
LANDING DOOR LOCK RELEASE (LEFT PANEL) CM/BG/CH/CL	BL-B018AAPX01	
LANDING DOOR LOCK RELEASE (RIGH PANEL) CM/BG/CH/CL	BL-B018AAPX02	
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI01	
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI02	
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM) BG/MF/CL	BL-C138AAAG01	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R' MF/CL	BL-B153ABIX1402	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW) BG/MF/CL	BL-B153ACIX03	
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW) BG/MF/CL	BL-B153ACIX06	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, LEFT HAND (S2-4Z AS1735.1-2001) BG/MF/CL	BL-B158AEAX05	
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD) BG/MF/CL	BL-B158AEAX06	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

CHARACTERISTICS OF YOUR EBRA 20

CAR OVER SPEED PROTECTION SAFETY DEVICE




safety in motion™


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Max. rated speed	v= 2,0 m/s
Max. rated load one brake max. 1.000 kg two brakes max. 2.000 kg	Q= 240...2.000 kg
Applicable width of guide rail head (oiled)	k= 7...19 mm
Min. width of guide rail running surface 	n= 29 mm (k=7-9) 30 mm (k=10-12) 31 mm (k=14-16) 32 mm (k=19)
Max. guide shoe forces during load	4.000 N
Max. guide shoe forces during normal run	2.000 N
Weight	30 kg
Range of temperature during operation	-20...+50°C
Power supply	230VAC ±10%
Power usage (continuous use)	20W per Coil
Battery for emergency power supply	24V; 2,1Ah

ADAPTATER PLATE



Adapter plate 601775G01/G02



Adapter plate 601775G03

A [mm]	X [mm]	D [mm]	Arcade type	RA [mm]	Référence
290	234±18	30	WCF06, WCS10	180	601775G01
350	280±36	50	WCF10/16/25, WCS10	180-200	601775G02
450	340±76	90	WCF10/16/25	230-300	601775G03

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ELECTRONIC BOX WITH BATTERY	728849G03	
CONTROL BOARD	720504G01	
ELECTRONIC BOX TRANSFORMER	604200G01	
ELECTRONIC BOX BATTERY12V 2.1 AH	SW002062	
BERNSTEIN CONTACT	265244	
GUID RAIL LUBRICATOR K=9	86375G09	
GUID RAIL LUBRICATOR K=16	86375G16	
SLINDING JAW K=9 MM	720498H09	
SLINDING JAW K=10MM (N>=30)	720498H10	
SLINDING JAW K=15MM (N>=31)	720498H15	
SLINDING JAW K=16MM (N>=31)	720498H16	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SLINDING JAW K=19MM (N>=32)	720498H19	
SLINDING JAW K=10MM (25.4=<N>=32)	720498H21	
SLIDING ELEMENT	726762H01	
BRAKE LINING EBRA20	724488H01	
ADAPTER PLATE X= 234MM	S601775G01	
ADAPTER PLATE X= 280MM	S601775G02	
ADAPTER PLATE X= 340MM	S601775G03	
TRANSPORT BOW	600682H01	
EBRA20 CU=375KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB03750925117	
EBRA20 CU=375KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB03751029117	
EBRA20 CU=375KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB03751632117	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
EBRA20 CU=400KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB04000925117	
EBRA20 CU=400KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB04001029117	
EBRA20 CU=400KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB04001632117	
EBRA20 CU=525KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB05250925117	
EBRA20 CU=525KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB05251029117	
EBRA20 CU=525KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB05251632117	
EBRA20 CU=630KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB06300925117	
EBRA20 CU=630KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB06301029117	
EBRA20 CU=630KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB06301632117	
EBRA20 CU=1000KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB10000925117	
EBRA20 CU=1000KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB10001029117	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
EBRA20 CU=1000KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB10001632117	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

CHARACTERISTICS OF YOUR OVERSPEED GOVERNOR OL35



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
BERNSTEIN CONTACT	265244	
REMOTE CONTROL MOTOR LEFT	88970G11	
REMOTE CONTROL MOTOR RIGHT	88970G12	
VERTICAL GUIDED TENSION WEIGHT Ø206	OL35206D371570	Picture Not Available
RIGHT SWINGARM TENSION WEIGHT Ø206	OL35206D662135	Picture Not Available
LEFT SWINGARM TENSION WEIGHT Ø206	OL35206G662135	Picture Not Available
RIGHT SWINGARM TENSION WEIGHT Ø262	OL35262D662135	Picture Not Available
LEFT SWINGARM TENSION WEIGHT Ø262	OL35262G662135	Picture Not Available
TENSION WEIGHT PULLEY Ø198	602135G01	Picture Not Available
OVERSPEED GOVERNOR ROPE Ø6MM (METER)	ON REQUEST	
OVERSPEED GOVERNOR ROPE Ø6,5MM (METER)	ON REQUEST	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
RIGHT OL35 Ø206 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_206_063_RC_D	
RIGHT OL35 Ø206 NS=0,63 TS=0,82	STOL35_206_063_D	
LEFT OL35 Ø206 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_206_063_RC_G	
LEFT OL35 Ø206 NS=0,63 TS=0,82	STOL35_206_063_G	
RIGHT OL35 Ø206 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_206_070_RC_D	
RIGHT OL35 Ø206 NS=0,7 TS=0,91	STOL35_206_070_D	
LEFT OL35 Ø206 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_206_070_RC_G	
LEFT OL35 Ø206 NS=0,7 TS=0,91	STOL35_206_070_G	
RIGHT OL35 Ø206 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_206_100_RC_D	
RIGHT OL35 Ø206 NS=1 TS=1,3	STOL35_206_100_D	
LEFT OL35 Ø206 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_206_100_RC_G	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LEFT OL35 Ø206 NS=1 TS=1,3	STOL35_206_100_G	
RIGHT OL35 Ø206 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_206_160_RC_D	
RIGHT OL35 Ø206 NS=1,6 TS=2	STOL35_206_160_D	
LEFT OL35 Ø206 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_206_160_RC_G	
LEFT OL35 Ø206 NS=1,6 TS=2	STOL35_206_160_G	
RIGHT OL35 Ø262 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_262_063_RC_D	
RIGHT OL35 Ø262 NS=0,63 TS=0,82	STOL35_262_063_D	
LEFT OL35 Ø262 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_262_063_RC_G	
LEFT OL35 Ø262 NS=0,63 TS=0,82	STOL35_262_063_G	
RIGHT OL35 Ø262 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_262_070_RC_D	
RIGHT OL35 Ø262 NS=0,7 TS=0,91	STOL35_262_070_D	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
LEFT OL35 Ø262 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_262_070_RC_G	
LEFT OL35 Ø262 NS=0,7 TS=0,91	STOL35_262_070_G	
RIGHT OL35 Ø262 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_262_100_RC_D	
RIGHT OL35 Ø262 NS=1 TS=1,3	STOL35_262_100_D	
LEFT OL35 Ø262 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_262_100_RC_G	
LEFT OL35 Ø262 NS=1 TS=1,3	STOL35_262_100_G	
RIGHT OL35 Ø262 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_262_160_RC_D	
RIGHT OL35 Ø262 NS=1,6 TS=2	STOL35_262_160_D	
LEFT OL35 Ø262 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_262_160_RC_G	
LEFT OL35 Ø262 NS=1,6 TS=2	STOL35_262_160_G	


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

ANNEX : THE TENSION WEIGHTS FOR OL35

371570:




662135:



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

THE SPARE PARTS OF YOUR GEAR BOX



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice


safety in motion™

Designation	Reference	Picture
ENCODER + FIXING KIT FOR MR10	ENC0090 + XEN0031	
ENCODER + FIXING KIT FOR SH110/SH130	ENC0096 + XEN0040	Picture Not Available
ENCODER + FIXING KIT FOR MR12	ENC0090 + XEN0011	Picture Not Available
ENCODER + FIXING KIT FOR MR13	ENC0090 + XEN0033	
ENCODER + FIXING KIT FOR MR14	ENC0052 + XEN0029	
ENCODER + FIXING KIT FOR MR16	ENC0090 + XEN0034	
ENCODER + FIXING KIT FOR MR17	ENC0082 + XEN0001	
ENCODER + FIXING KIT FOR MR21/26/35	ENC0082 + XEN0002	
STATOR - MR10 - VVVF - 1000RPM - 3,6KW	XST1994	
STATOR - MR10 - VVVF - 1500RPM - 4KW	XST2004	
STATOR - SH110 - VVVF - 1000RPM - 3,6KW	XST2186	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
STATOR - SH110 - VVVF - 1500RPM - 4KW	XST2196	
STATOR - SH110 - VVVF - 1500RPM - 5.5KW	XST2195	
STATOR - MR13 - VVVF - 1500RPM - 4,8KW	XST1927	
STATOR - MR13 - VVVF - 1000RPM - 4,2KW	XST2035	
STATOR - MR14 - VVVF - 1500RPM - 7,5KW	XST1908	
BRAKE POWER SUPPLY CBC 140-5 XXX	GEN0122	
OIL LEVEL PLUG MR10/13/16 - SH110/130	TAP0019	
OIL LEVEL PLUG MR14	COP0052	
VENTING PLUG FOR MR13/16	TAP0030	Picture Not Available
TRANSPORT EYE FOR MR10	GOL0003	
TRANSPORT EYE FOR MR12/MR13	GOL0008	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
TRANSPORT EYE FOR MR14 - SH110	GOL0005	
TRANSPORT EYE FOR MR14 - SH110	GOL0005	
TRANSPORT EYE FOR MR16	GOL0009	
SSB BRAKE CAOUTCHOU PROTECTION FOR MR12/13/14	PRO0225	Picture Not Available
SSB BRAKE CAOUTCHOU PROTECTION FOR MR16/21	PRO0226	Picture Not Available
SSB BRAKE PROTECTION FOR MR10/12/13/14 - SH110	XPF0011	
SSB BRAKE PROTECTION FOR MR16	XPF0012	
SSB BRAKE MICRO CONTACT FOR WSR200/201	GEN0128	
MICRO SWITCH A3	GEN0173	
SSB BRAKE MICRO CONTACT FOR MR16	GEN0302	
ELECTROMAGNET 110V FOR MR10 MR13	ELT0104	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ELECTROMAGNET 48V FOR MR10 MR13	ELT0107	
ELECTROMAGNET 48V FOR SH110 SH130	ELT0153	
ELECTROMAGNET 110V FOR SH110 SH130	ELT0131	
ELECTROMAGNET 200V FOR SH110 SH130	ELT0130	
ELECTROMAGNET 80V FOR SH110 SH130	ELT0132	
ELECTROMAGNET 60V FOR SH110 SH130	ELT0133	
ELECTROMAGNET 24V FOR SH110 SH130	ELT0135	
ELECTROMAGNET 200V FOR SH110 SH130	ELT0149	
ELECTROMAGNET 80V FOR SH110 SH130	ELT0132	
ELECTROMAGNET 60V FOR SH110 SH130	ELT0133	
ELECTROMAGNET 48V FOR MR12 MR14	ELT0119	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ELECTROMAGNET 110V FOR MR16	ELT0110	
ELECTROMAGNET 48V FOR MR16	ELT0113	
0	ELT0149	
SSB BRAKE SEAL FOR MR10/13	AOR0097	
SSB BRAKE SEAL FOR MR14	AOR0088	
KIT OF BRAKE SHOES FOR SH110	PCF0030	Picture Not Available
SPRING AND AXLE FOR KIT FOR SH110 KIT OF BRAKE SHOES	TIR0005 + MOL0016	Picture Not Available
FAN FOR VVVF SH110	XVE0022	Picture Not Available
FAN FOR AC2 SH110	XVE0024	Picture Not Available
NYLON FLYWHEEL FOR SH110	XVO0194--VOL0335	
FAN FOR MR14	XVE0007	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FAN FOR VVVF MR10/MR13	XVE0018	
FAN FOR AC2 MR10/13	XVE0019	
COMPLET BS KIT FOR MR13/SH110/SH130	GEN0282+XGE0011	Picture Not Available
COMPLET BS KIT FOR MR14	GEN0273+ XGE0011	Picture Not Available
COMPLET BS KIT FOR MR17	GEN0424 + XGE0012	Picture Not Available
COMPLET BS KIT FOR MR16	GEN0419 + XGE0011	Picture Not Available
COMPLET BS KIT FOR MR10	GEN0278+ XGE0011	Picture Not Available
COMPLET BS KIT FOR MR21/26	GEN0420 + XGE0012	Picture Not Available
COMPLET BS KIT FOR MR35	GEN0421 + XGE0012	Picture Not Available
NYLON FLYWHEEL FOR MR14	XVO0169--VOL0325	
NYLON FLYWHEEL FOR MR10	XVO0170--VOL0330	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
NYLON FLYWHEEL FOR MR13	XVO0176--VOL0341	
ACCESSOIRIES KIT OF 4 INSULATIONS FOR MR16	XGE0013+TAI0111	Picture Not Available
DRAINING PLUG AND SEALS FOR MR10/12/13/14/16 - SH110	GUA0003	
ACCESSOIRIES KIT OF 4 INSULATIONS FOR MR10/13/14	XGE0004+TAI0110	Picture Not Available
BUFFER IN ACLACELL Ø165 HT 80 MM	300403	Picture Not Available
BUFFER IN ACLACELL Ø125 HT 80 MM	300402	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

THE SPARE PARTS OF YOUR GEARLESS



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
MICROSWITCH FOR WSG-S1/S2	85365007	
MICROSWITCH 3A - 250V	ABV1210619	
MICROSWITCH FOR WSG08	ET37742100807	
ENCODER FOR GEARLESS	ECN1313-2048I	
ENCODER CABLE ECN1313 Z-ABEGG 2SY/ KW:10M	K508749-022-010	Picture Not Available
ENCODER FOR WSG-S1/2	ECN413-20481	
SPARE PART ENCODER READY PREPARED FOR ASSEMBLING WITH WSG-S1/2.X	ECN413ENDS	Picture Not Available
BRAKE CONTROL UNIT FOR WSG08	ET35372100116	
FILTER FOR GERALESS FAN WLG28/35	ET36131130561	
BRAKE CONTROL UNIT FOR WSG08	ET35372100116	
BRAKE CONTROL UNIT FOR XLG28	ET35372100105	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
BRAKE CONTROL UNIT FOR XLG29	ET35372100107	
BEG-561-255-130 (INTORQ) OVEREXCITATION RECTIFIER	ET35372100111	
BRAKE CONTROL UNIT FOR WSG3	ET35372100119	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice



Take a look at the Wall of Fame in our «Special projects» office! A selection of top design & performance elevators and components, where special materials and unconventional solutions are creatively designed & engineered to be then manufactured with our excellent quality standards.

YOUR HYDRAULIC SPARE PARTS



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

safety in motion™

Designation	Reference	Picture
DESCENT PILOT BLOCK 180LT/MIN 48VDC	BLOCDES_ OL180_48	
DESCENT PILOT BLOCK 180LT/MIN 60VDC	BLOCDES_ OL180_60	
SCREW N°4 (PARACHUTE TEST) FOR CENTRAL NL210	8H3F0297	
SET SEALS FOR VALEVE VALVE AND PILOTS NL210	8H3F0148	
SET SEALS FOR VALEVE VALVE AND PILOTS NL380	8H3F0149	
SET SEALS FOR VALEVE VALVE AND PILOTS NL600	8H3F0150	
MANOMETER	CA100132	
MAXIMUM PRESSURE SWITCH	CA100354	Picture Not Available
SET SEALS FOR CYLINDER C97 Ø100	8H3F0085	
SET SEALS FOR CYLINDER C97 Ø110	8H3F0086	
SET SEALS FOR CYLINDER C97 Ø120	8H3F0087	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SET SEALS FOR CYLINDER C97 Ø130	8H3F0088	
SET SEALS FOR CYLINDER C97 Ø150	8H3F0089	
SET SEALS FOR CYLINDER C97 Ø60	8H3F0657	
SET SEALS FOR CYLINDER C97 Ø70	8H3F0658	
SET SEALS FOR CYLINDER C97 Ø80	8H3F0083	
SET SEALS FOR CYLINDER C97 Ø90	8H3F0084	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice





C-MOD

WITTUR

THE DIFFERENT SPARE PARTS



No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
COUNTERWEIGHT. 90 CM FOR NORDIC	L-00481	
LOCK ROLLER IN NYLON, EXTENDED.	22990	
FIXING, FOR LIGHT CURTAIN (38) RIGHT CENTRAL & TELESCOPIC OPENING R1	L-00075-1	
FIXING, FOR LIGHT CURTAIN (38) LEFT CENTRAL & TELESCOPIC OPENING R1	L-00075-0	
FIXING, FOR LIGHT CURTAIN (122) RIGHT TELESCOPIC OPENING R2	L-00076-1	
FIXING, FOR LIGHT CURTAIN (122) LEFT TELESCOPIC OPENING R2	L-00076-0	
FIXING, FOR LIGHT CURTAIN (70) RIGHT CENTRAL OPENING R2	L-00077-1	
FIXING, FOR LIGHT CURTAIN (70) LEFT CENTRAL OPENING R2	L-00077-0	
SILL IN ALUMINIUM. NORDIC. L=1220 MM	92660060-001	Picture Not Available
SILL IN ALUMINIUM. NORDIC. L=1370 MM	92660060-002	Picture Not Available
SILL IN ALUMINIUM. NORDIC. L=1520 MM	92660060-003	Picture Not Available

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
SILL IN ALUMINIUM. NORDIC.	92660060-005 . 3201.00.014	Picture Not Available
FIXING, FOR PANEL. +50 MM	L-00035	
ROOF FIXING. MODEL 11. KIT=RIGHT + LEFT	L-00061	
MOTOR FIXING. KIT=RIGHT + LEFT	L-00062	
ANCHOR BRACKET, FOR ROOF FIXING, MODEL 11.	L-00068	
SCREW-KIT, FOR NORDIC LIGHT CURTAIN.	L-00078	Picture Not Available
FIXING, FOR NORDIC LIGHT CURTAIN. TWO (2) PIECES ARE NEEDED.	L-00228	
FIXING, FOR FINELINE LIGHT CURTAIN.	L-00228	
FIXING, FOR COUNTERWEIGHT.	L-00298	
REBUILD KIT. HYDRA / FINELINE	L-00447	
FIXING, FOR COUNTERWEIGHT. KIT=RIGHT + LEFT	L-01024	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
FIXING, FOR COUNTERWEIGHT. KIT=RIGHT + LEFT	L-01025	
FIXING, FOR A BRACKET. RIGHT.	L-01053	
JOINING PLATE	L-01054	
WALL FIXING, FOR TOPTRACK.	L-01055	
FIXING, FOR TOPTRACK. LEFT	L-01056	
FIXING, FOR TOPTRACK. RIGHT	L-01085	
FIXING, FOR TOPTRACK. LEFT	L-01086	
ROOF FIXING. MODEL 11. SPECIAL. KIT=RIGHT + LEFT	L-02073	
FIXING, FOR TOPTRACK. FRONT	L-02130	
FIXING, FOR TOPTRACK. CENTRAL LEFT	L-02131	
FIXING, FOR TOPTRACK. CENTRAL RIGHT	L-02133	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
ROOF FIXING. MODEL 12. LOW CAR.	L-02148	
FIXING, FOR PANEL. +80 MM	L-02200	
ROOF FIXING KIT. FINELINE. RIGHT X 1 + LEFT X 1 + FIXING X 2	L-02206	Picture Not Available
SMST SWITCH, FOR LOW TOPP / PIT. HYDRA 3000	L-02309	
FIXING, FOR PANEL. QKF 6, 8, 9	L-02344	
FIXING BRACKET, FOR DOOR ZONE MAGNETS.	L-02350	
FIXING BRACKET, FOR SCHAFT INFORMATION MATERIAL.	L-02368	
SCHIMS. 2,0X16X220	L-02371	
ANCHOR BRACKET. SMST SPECIAL.	L-02467	
GUIDE SHOE.	OAK31	Picture Not Available
WSE EVO LIGHT CURTAIN	WSE Evo 1001002A04	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Picture
WSE81-LIGHT CURTAIN	WSE81-1001002A01	

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

INDEX

Designation	Reference	Type	Page
0	ELT0149	MOTOR GROUP	265,266,283
1 MOTOR PINION RD/CH	BL-C130AAOP	2000R	232,283,242
1 NM DC MOTOR IP54 WITH OPTICAL ENCODER, 200V DC BG	BL-B105AABX01	2000B-GOODS	218,283
1 NM DC MOTOR WITH OPTICAL ENCODER, 200V DC BG	BL-B105AAAX01	2000B-GOODS	218,283
1 X DC MOTOR 1NM (STANDARD - WITHOUT ENCODER)	BL-CX00XAAXAAJ	2000B-GOODS	218,283
1 X SDS CONNECTIONS FOR MOOG MOTOR	BL-H147AATX	2000B-GOODS	219,283
12 X PCS O-RING COØ 3118 BG/MF	BL-CX00XAAXDAW	2000B-GOODS	230,283,240
1X SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R' MF	BL-B153ABIX0202	2000B-MF	238,283
2 BELT TENSION ROLLER BG	BL-B138AABX	2000B-GOODS	221,283
2 NM DC MOTOR IP54 WITH OPTICAL ENC BG	BL-B105AABX02	2000B-GOODS	218,283
2 NM DC MOTOR WITH OPTICAL ENCODER, 60V DC BG	BL-B105AAAX02	2000B-GOODS	218,283
2 X BOTTOM ROLLERS Ø29MM (EXTERNAL 36MM) WITH ECCENTRIC CM/BG/RD/MF/CH/CL	BL-C144AAOP	C MOD	211,283,221,232,237,242,246
2 X IP20 CONTACT BG/MF	BL-CX00XAAXAAM	2000B-GOODS	225,283,237
2 X IP20 SWITCH FOR STANDARD EXECUTION (MATERIAL: PA066 + PA12) CM/BG/CH/CL	BL-E073AAKX01	C MOD	213,283,224,243,246
2 X LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL) BG	BL-C138AADP01	2000B-GOODS	228,283
2 X LOCK TORSION SPRING «L-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI01	C MOD	216,283,228,239,244,247
2 X LOCK TORSION SPRING «L-Z» IP54 (WHITE) BG	BL-C102AAPI01	C MOD	216,283,228
2 X LOCK TORSION SPRING «R-Z» (LIGHT BLUE) CM/BG/MF/CH/CL	BL-C102AAMI02	C MOD	216,283,228,239,244,247
2 X LOCK TORSION SPRING «R-Z» IP54 (WHITE) BG	BL-C102AAPI02	C MOD	216,283,228
2 X MAGNETIC SWITCH (ONLY FOR F28-F29 - DYNAMO)	BL-MC074AAP	2000B-GOODS	225,283
2 X PZ18 BRIDGE FOR IP20 CONTACT (STANDARD) CM/BG/MF/CH/CL	BL-E073AAGX01	C MOD	213,283,224,238,243,246
2 X PZ21 BRIDGE FOR IP20 CONTACT BG/MF	BL-CX00XAAXAAU	2000B-GOODS	225,283,238
2 X ROLLER Ø29MM (EXTERNAL 36MM) BG	BL-C144AAMP	2000B-GOODS	221,283
2 X ROLLERS FOR WIRE ROPE Ø45MM (EXTERNAL) CM/BG/MF	BL-MC144AAX	C MOD	211,283,225,237
2 X ROLLERS Ø53MM (EXTERNAL 60MM) CM/BG/RD/MF/CH/CL	BL-C144AANP	C MOD	211,283,221,232,237,242,246

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 12MM) BG/MF	BL-C138AAAG03	2000B-GOODS	228,284,239
2 X RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 20MM) BG/MF/CL	BL-C138AAAG01	2000B-GOODS	228,284,239,247
2 X TRACTION SPRING FOR EXPANSION SKATE WITH CAR DOOR LOCK (YELLOW) CM/BG/MF	BL-B102AAEX	C MOD	213,284,224,235
2 X TRACTION SPRING FOR EXPANSION SKATE WITHOUT CAR DOOR LOCK (RED) CM/BG/MF	BL-B102AADX	C MOD	213,284,224,235
2 X UNIFIED LANDING DOOR LOCK C-MOD ROLLER ASSEMBLY CM	BL-B138AAPX	C MOD	216,284
2 X UNIFIED LANDING DOOR LOCK ROLLER Ø34MM (EXTERNAL) BG/MF	BL-C144ABPX	2000B-GOODS	228,284,240
2 X UPPER ROLLER FOR CARRIAGE Ø74MM (EXTERNAL), NYLON PA 66 CLADDED POLYURETHANE BG/MF	BL-C144AATA01	2000B-GOODS	221,284,237
2,4 NM PREWIRED AC BRUSHLESS MOTOR, 24VCC - CABLE 2000MM BG	BL-B105AAGX	2000B-GOODS	218,284
2000US IP20 S1/2/3L LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX03	2000B-GOODS	226,284,243,247
2000US IP20 S1/2/3R LOCK PLATE ASSEMBLY ASTRA BG/CH/CL	BL-B151ABRX04	2000B-GOODS	227,284,243,247
4 X ECCENTRIC LANDING DOOR LOCK ROLLER Ø30MM (EXTERNAL) BG	BL-B138AACX	2000B-GOODS	228,284
4 X GUIDE SHOE HOLDER WITH GUIDE SHOE FOR FULL GLASS PANEL BG	BL-B128AAAX	2000B-GOODS	225,284
4 X LANDING DOOR LOCK 2000 US ROLLER WITH EC-CENTRIC PIN (L=20MM) MF	BL-B138AAHX	2000B-MF	239,284
4 X LANDING DOOR LOCK 2000 US ROLLER WITH EC-CENTRIC PIN (L=25MM) MF	BL-B138AAKX	2000B-MF	239,284
4 X LANDING DOOR LOCK 2000 US ROLLER Ø40MM (EXTERNAL) MF	BL-C144AAVG	2000B-MF	239,284
4 X LANDING DOOR LOCK ROLLER Ø44MM (EXTERNAL) WITH BALL BEARING (2000B-HR) BG	BL-C144ABAX	2000B-GOODS	228,284
4 X LOWER ROLLER FOR RETRACTABLE SKATE (WITHOUT ECCENTRIC), Ø30MM (EXTERNAL) BG/MF	BL-C056AADX	2000B-GOODS	224,284,237
4 X UPPER ROLLER FOR ALUMINIUM RETRACTABLE SKATE (WITH ECCENTRIC), Ø30MM (EXTERNAL) BG/MF	BL-C056AACX	2000B-GOODS	224,284,237
4 X UPPER/LOWER STEEL ROLLER FOR RETRACTABLE SKATE BG	BL-C056AAAX	2000B-GOODS	224,284
48 X PANEL'S GUIDE SHOE (FOR SILL WITH 10MM GROOVE) BG	BL-0102	2000B-GOODS	225,284
5 GROOVES MOTOR BELT FOR OPERATOR (POLY-V) BG	BL-CX00XAAXAAL	2000B-GOODS	220,284
8 X GUIDE SHOE FOR PANELS (FOR SILL WITH 10MM GROOVE) CM/BG/RD/MF/CH/CL	BL-C116AAFP	C MOD	213,284,225,232,238,243,247
ACCESSOIRIES KIT DOOR 02/C - 12RL AD	1013981A01	AMD	204,284
ACCESSOIRIES KIT FOR DOOR INSTALLED IN THE LANDING AE	1006224A01	AUGUSTA EVO	180,284
ACCESSOIRIES KIT FOR DOOR INSTALLED IN THE SHAFT AE	1006061A01	AUGUSTA EVO	180,284
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02/C 50MM H+	2C1A399891V02	HYDRAPLUS	31,284

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 02C 75MM H+	2C2A399854V01	HYDRAPLUS	31,285
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 75MM H+	2C2A399854V13	HYDRAPLUS	32,285
ACCESSOIRIES KIT FOR OPERATOR ECO MIDI SUPRA TYPE 12RL 90MM H+	2C2A399854V18	HYDRAPLUS	32,285
ACCESSOIRIES KIT OF 4 INSULATIONS FOR MR10/13/14	XGE0004+TAI0110	MOTOR GROUP	268,285
ACCESSOIRIES KIT OF 4 INSULATIONS FOR MR16	XGE0013+TAI0111	MOTOR GROUP	268,285
ACTION DEVICE RETRACTABLE CAM H+/PE/H3	3201.05.5955	PEGASUS PLUS	135,285,26,285,70
ACTION DEVICE RETRACTABLE CAM HYDRA/PEGASUS H+/PE/H3	3201.05.5955	HYDRAPLUS	135,285,26,285,70
ADAPTER PLATE FOR FIXED LEFT COUPLER H+/PE/H3	2C1A055965V03	HYDRAPLUS	135,26,285,69
ADAPTER PLATE FOR FIXED RIGHT COUPLER H+/PE/H3	2C1A055965V04	HYDRAPLUS	135,26,285,69
ADAPTER PLATE X= 234MM	S601775G01	EBRA 20	252,285
ADAPTER PLATE X= 280MM	S601775G02	EBRA 20	252,285
ADAPTER PLATE X= 340MM	S601775G03	EBRA 20	252,285
ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY HR-LOW (S2/4/6Z STANDARD) BG/MF	BL-B158ACUX06	2000B-GOODS	227,285,239
ALUMINIUM SILL CO700 DOOR 4S EN81-20/50 FL	1014473P03CO700	FINELINE	171,285
ALUMINIUM SILL CO700 DOOR 4S OLD VERSION FL	3212057500P070	FINELINE	170,285
ALUMINIUM SILL CO700 DOOR 4S-L EN81-20/50 FL	1014473P02CO700	FINELINE	171,285
ALUMINIUM SILL CO700 DOOR 4S-L OLD VERSION FL	3212057500P070L	FINELINE	170,285
ALUMINIUM SILL CO700 DOOR 4S-R EN81-20/50 FL	1014473P01CO700	FINELINE	171,285
ALUMINIUM SILL CO700 DOOR 4S-R OLD VERSION FL	3212057500P070R	FINELINE	170,285
ALUMINIUM SILL CO800 DOOR 4S EN81-20/50 FL	1014473P03CO800	FINELINE	171,285
ALUMINIUM SILL CO800 DOOR 4S OLD VERSION FL	3212057500P080	FINELINE	170,285
ALUMINIUM SILL CO800 DOOR 4S-L EN81-20/50 FL	1014473P02CO800	FINELINE	171,285
ALUMINIUM SILL CO800 DOOR 4S-L OLD VERSION FL	3212057500P080L	FINELINE	171,285
ALUMINIUM SILL CO800 DOOR 4S-R EN81-20/50 FL	1014473P01CO800	FINELINE	171,285
ALUMINIUM SILL CO800 DOOR 4S-R OLD VERSION FL	3212057500P080R	FINELINE	171,285
ALUMINIUM SILL CO900 DOOR 4S EN81-20/50 FL	1014473P03C0900	FINELINE	171,285
ALUMINIUM SILL PL1000 DOOR 01 AE	1005734P100	AUGUSTA EVO	184,285
ALUMINIUM SILL PL1000 DOOR 11 AE	1005716P100	AUGUSTA EVO	183,285
ALUMINIUM SILL PL1100 DOOR 01 AE	1005734P110	AUGUSTA EVO	184,285
ALUMINIUM SILL PL1100 DOOR 11 AE	1005716P110	AUGUSTA EVO	184,285
ALUMINIUM SILL PL700 DOOR 01 AE	1005734P070	AUGUSTA EVO	183,285
ALUMINIUM SILL PL700 DOOR 11 AE	1005716P070	AUGUSTA EVO	180,285
ALUMINIUM SILL PL750 DOOR 11 AE	1005716P075	AUGUSTA EVO	183,285
ALUMINIUM SILL PL800 DOOR 01 AE	1005734P080	AUGUSTA EVO	183,285

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
ALUMINIUM SILL PL800 DOOR 11 AE	1005716P080	AUGUSTA EVO	180,286
ALUMINIUM SILL PL900 DOOR 01 AE	1005734P090	AUGUSTA EVO	184,286
ALUMINIUM SILL PL900 DOOR 11 AE	1005716P090	AUGUSTA EVO	183,286
ALUMINIUM SILL SUPPLEMENT CO1000 01/11 AE	1006556A07	AUGUSTA EVO	183,286
ALUMINIUM SILL SUPPLEMENT CO1100 01/11 AE	1006556A09	AUGUSTA EVO	183,286
ALUMINIUM SILL SUPPLEMENT CO750 01/11 AE	1006556A04	AUGUSTA EVO	183,286
ALUMINIUM SILL SUPPLEMENT CO800 01/11 AE	1006556A01	AUGUSTA EVO	183,286
ALUMINIUM SILL SUPPLEMENT CO900 01/11 AE	1006556A02	AUGUSTA EVO	183,286
ANCHOR BRACKET, FOR ROOF FIXING, MODEL 11.	L-00068	MISCELLANEOUS	279,286
ANCHOR BRACKET. SMST SPECIAL.	L-02467	MISCELLANEOUS	281,286
ANTI DIP ROLLER FOR CAR DOOR Ø44 AD	89629G04	AMD	198,286
ANTI-DERAILMENT COVER FOR ROLLER 2L1A050037 H/P1/H3	2L1A155169	HYDRA	156,52,286,75
ANTI-DERAILMENT KIT FOR DOOR TRUCK 01-11-31-41-61-71 H	1019288A01	HYDRA	48,286
ANTI-DERAILMENT KIT FOR DOOR TRUCK 43-65 H	1019288A02	HYDRA	48,286
AXLE FOR INTERMEDIATE PULLEY FIXATION HA	2C1A056119	HYDRARM	92,286
AXLE FOR MOTOR RCF1 FIXATION HB	3201056194	HYDRABELT	114,286
AXLE FOR PULLEY HA	2C1A056037	HYDRARM	92,286
BEARING BALL 45X75X16 HB/HA	C3201059015	HYDRARM	116,92,286
BEARING BALL 45X85X23 HA	C3201059096	HYDRARM	92,286
BEARING BALL FOR PULLEY HB	C3205059022	HYDRABELT	116,286
BEARING BALL SUPPORT HA	2C1A156019	HYDRARM	92,286
BEARING RCF1 HB	2C1A056192	HYDRABELT	116,286
BEARING RING HA	2C1A055223	HYDRARM	92,286
BEG-561-255-130 (INTORQ) OVEREXCITATION RECTIFIER	ET35372100111	MOTOR GROUP GEARLESS	271,286
BELT CAMP FOR 2 COUPLER VERSION H+/PE/H3	3201.04.0175	HYDRAPLUS	132,21,286,64
BELT CLAMP EB	2C1A050098	ECOBUS	190,286
BELT CLAMP FOR CAR DOOR (FOR EXPANSION SKATE) BG/MF	BL-B106AAKX	2000B-GOODS	221,286,235
BELT CLIP SUPPORT H+	2C1A155T11V03	HYDRAPLUS	21,286
BELT INTERFACE/ADAPTER PLATE H+/H3	2C1A055966	HYDRAPLUS	21,286,65
BELT LINK OPERATOR HB	3201.23.1651	HYDRABELT	117,286
BELT TENSIONING SPRING AE	2C1A053001	AUGUSTA EVO	182,286
BERNSTEIN CONTACT	265244	EBRA 20	251,286,256
BERNSTEIN CONTACT FOR CAR DOOR LOCK 230V H/P1	1001022A03	HYDRA	153,48,286
BERNSTEIN CONTACT FOR CAR DOOR LOCK 24V H/P1	6010853002	HYDRA	153,47,286
BERNSTEIN CONTACT H3	C3201159274	HYDRA 3000	74,287

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
BERNSTEIN SWITCH 188-U1Z FL	S102798	FINELINE	173,287
BI-STABLE SAFETY SWITCH ASYMMETRIC RIGHT FL	1009714A04	FINELINE	173,287
BI-STABLE SAFETY SWITCH SYMMETRIC AND ASYMMETRIC LEFT FL	1009714A03	FINELINE	173,287
BISTABLE CONTACT FOR UNLOCKING DEVICE EN81-21 EN81-21 DOOR 41/C 61/C H	2L2A030897A13	HYDRA	43,287
BISTABLE CONTACT NO/NC H	W002415	HYDRA	44,287
BL-1 PREWIRED AC BRUSHLESS MOTOR ROUND RD	BL-B105AAHX	2000R	232,287
BLUE SPRING HA	2C1A059114	HYDRARM	96,287
BOARD SDS® BRUSHLESS PLUS REL. 3 BG	BL-B157AAEX05	2000B-GOODS	220,287
BOARD SDS® DC-PWM COMPATIBLE REL.3 BG	BL-B157AAEX02	2000B-GOODS	220,287
BOTTOM BRACKET KIT TOE GUARD FL	2L1H230502	FINELINE	174,287
BOTTOM ECCENTRIC ROLLER Ø43 STD HB/H+/HA/H/PE/P1/H3	3201.05.0058	HYDRAPLUS	119,132,155,23,287,51,66,97
BOTTOM ROLLER AE	1005343A01	AUGUSTA EVO	179,287
BOTTOM ROLLER FOR HIGH SPEED TRUCK AE	3212.04.0002	AUGUSTA EVO	181,287
BOTTOM ROLLER NORDIC. R2 AD	378032G01	AMD	197,287
BOTTOM ROLLER SUPPORT DOOR 01/C AND 11L AE	1005347A01	AUGUSTA EVO	180,287
BOTTOM ROLLER SUPPORT DOOR 11R AE	1005347A11	AUGUSTA EVO	180,287
BOTTOM ROLLER WITHOUT SHAFT H3	3201.05.0026	HYDRA 3000	66,287
BRACKET, WALL FIXING (SET 4) FL	902968G01	FINELINE	174,287
BRAKE BELT HA	3201.05.9144.N	HYDRARM	87,287
BRAKE CONTROL UNIT FOR WSG08	ET35372100116	MOTOR GROUP GEARLESS	270,270,287
BRAKE CONTROL UNIT FOR WSG3	ET35372100119	MOTOR GROUP GEARLESS	271,287
BRAKE CONTROL UNIT FOR XLG28	ET35372100105	MOTOR GROUP GEARLESS	270,287
BRAKE CONTROL UNIT FOR XLG29	ET35372100107	MOTOR GROUP GEARLESS	271,287
BRAKE KIT FOR LEFT MOTOR HA	3201.03.0175V01	HYDRARM	87,287
BRAKE KIT FOR RIGHT MOTOR HA	3201.03.0175V02	HYDRARM	87,287
BRAKE LINING EBRA20	724488H01	EBRA 20	252,287
BRAKE POWER SUPPLY CBC 140-5 XXX	GEN0122	MOTOR GROUP	263,287
BRIDGE AE	W002533	AUGUSTA EVO	179,287
BRIDGE FIXING PLATE HA/H/P1	2C1A057111	HYDRA	152,46,287,90
BRIDGE FOR IP54 OPERATOR HA	C3201159123	HYDRARM	89,287
BRIDGE FOR LOCK KX 3201 H	6404.00.0001	HYDRA	46,287
BRIDGE HOLDER DOOR 01C H	2L1A055048	HYDRA	46,287
BRIDGE KF-9075 PZ21 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0002	HYDRAPLUS	118,138,151,191,31,288,45,73,89

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
BRIDGE KF-9075 WITH CABEL HA/HB	2L2A159027	HYDRARM	118,90,288
BRIDGE LEFT SUPPORT 02C PE	3214055145V02	PEGASUS PLUS	139,288
BRIDGE PZ18 EB	1KKPZ180155	ECOBUS	191,288
BRIDGE RIGHT SUPPORT 02C PE	3214055145V01	PEGASUS PLUS	138,288
BRIDGE SPACER THICKNESS 1MM H/P1/H3	2L1A059082	HYDRA	151,46,288,73
BRIDGE SPACER THICKNESS 2MM H/P1/H3	2Z6400050005V02	HYDRA	152,46,288,73
BRIDGE SUPPORT FOR CAR DOOR HA	2C1A055125	HYDRARM	90,288
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 42C AND 62C H+/PE	2C2A901932G01	HYDRAPLUS	137,29,288,72
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 44 H+/H3	2C2A901879G02	HYDRAPLUS	137,29,288,72
BRIDGE WITH CAR DOOR LOCK BRACKET DOOR 66 H+/H3	2C2A902049G02	HYDRAPLUS	137,29,288,72
BRIDGE WITH SUPPORT FOR CAR DOOR LOCK DOOR 02C H+/PE/H3	2C2A901929G01	HYDRAPLUS	137,28,288,72
BRONZE WASHER HA	2C1A150013V01	HYDRARM	95,288
BUFFER AE	1005355P01	AUGUSTA EVO	179,288
BUFFER FOR LOCK H/P1	C3201059098	HYDRA	153,48,288
BUFFER FOR OPERATOR ARM HA	2C1A050017	HYDRARM	94,288
BUFFER FOR REOPENING SYSTEM HA	2C1A050021	HYDRARM	95,288
BUFFER IN ACLACELL Ø125 HT 80 MM	300402	MOTOR GROUP	268,288
BUFFER IN ACLACELL Ø165 HT 80 MM	300403	MOTOR GROUP	268,288
BUFFER ROLLER H3	3212.04.0003	HYDRA 3000	74,288
BUFFER SUPPORT AND RUBBER BUFFER HA	3201.03.0181	HYDRARM	93,288
BUFFER Ø8MM FOR MOTOR SHAFT 24V AND 48V 1200RPM HA	2C1A156208	HYDRARM	85,288
BUSHING BEARING IN BRASS HA	2C1A159085	HYDRARM	95,288
C-MOD EXP SKATE K2-4-6Z K-1-2-3R CM	BL-B152ACDX02	C MOD	212,288
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3L CM	BL-B153ACJX01	C MOD	214,288
C-MOD IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY S2-4Z S2-3R CM	BL-B153ACJX02	C MOD	215,288
C-MOD UNIFIED ADDITIONAL ROLLER SUPPORT PLATE ASSEMBLY RIGHT HAND CM	BL-B158AEFX02	C MOD	215,288
C-MOD UNIFIED LOCK REPLACEMENT KIT FOR CENTER DOOR CM	BL-H153ADAX	C MOD	215,288
C-MOD UNIFIED LOCK REPLACEMENT KIT S2L CM	BL-H153ADBX	C MOD	215,288
C-MOD UNIFIED LOCK REPLACEMENT KIT S2R CM	BL-H153ADCX	C MOD	215,288
C-MOD UNIFIED LOCK REPLACEMENT KIT S3L CM	BL-H153ADGX	C MOD	215,288
C-MOD UNIFIED LOCK REPLACEMENT KIT S3R CM	BL-H153ADHX	C MOD	215,288
CABEL DRAG CHAIN HB/H+/H3	C3201159857	HYDRAPLUS	118,21,288,65
CABLE CRIMPLING TUBE 05711520 H/P1/H3	C3201059115	HYDRA	154,49,289,77,289

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
CABLE CRIMPLING TUBE H/P1/H3	C3201059115	HYDRA 3000	154,49,289,77,289
CABLE SUPPORT DOOR 33/L HA	3201055243L027L	HYDRARM	102,289
CABLE SUPPORT DOOR 33/R HA	3201055243L027D	HYDRARM	102,289
CABLE SUPPORT DOOR 34 R/L HA	2C1A155381	HYDRARM	102,289
CABLE WITHOUT END PIECES (1725MM CUT TO LENGTH) AD	89739H06	AMD	200,289
CAR DOOR CONTACT R2 CENTRAL OPENING LEFT AD	900349G01	AMD	203,289
CAR DOOR CONTACT R2 CENTRAL OPENING RIGHT AD	900349G02	AMD	203,289
CAR DOOR CONTACT R2 SIDE OPENING LEFT AD	902083G01	AMD	203,289
CAR DOOR CONTACT R2 SIDE OPENING RIGHT AD	902083G02	AMD	203,289
CAR DOOR LOCK AMD, TRANSPARENT CONTACT FL/AD	274093	FINELINE	168,289
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 L STD SHORT BLADE BG	BL-B152ABOX01	2000B-GOODS	223,289
CAR DOOR LOCK DEVICE ASSEMBLY EN81 IP54 K1-2-3 R STD SHORT BLADE BG	BL-B152ABOX02	2000B-GOODS	223,289
CAR DOOR LOCK SPACER DOOR 02 72 H+/PE/H3	2C1A056266V01	HYDRAPLUS	137,29,289,72
CAR DOOR LOCK SPACER DOOR 12 35 42 44 H+/PE/H3	2C1A056266V02	HYDRAPLUS	137,29,289,72
CAR DOOR LOCK SPACER DOOR 32 62 66 H+/PE/H3	2C1A056266V03	HYDRAPLUS	137,29,289,72
CAR FIXING BRACKET, FL	902948G01	FINELINE	174,289
CLAMP FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	3201.15.6013	HYDRAPLUS	100,121,133,154,24,289,49,67
CLAMP FOR SYNCHRONIZATION ROPE FL	902915G01	FINELINE	169,289
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE H/H+/HA/HB/PE/P1/H3	2L1A055057	HYDRA	100,154,49,289
CLAMP SHEET FIXING FOR SYNCHRONISATION ROPE HA/H/P1	2C1A055057V01	HYDRA	101,154,49,289
CLOSING DOOR RUBBER BUTTON H+/FL/HB/EB/PE/H3	3215050401V01	HYDRAPLUS	114,131,167,189,20,289,64
CLOSING WEIGHT ROPE AMD L=2900MM WIRE WITH SCREW AD	618396G01	AMD	205,289
COMPLET BS KIT FOR MR10	GEN0278+ XGE0011	MOTOR GROUP	267,289
COMPLET BS KIT FOR MR13/SH110/SH130	GEN0282+XGE0011	MOTOR GROUP	267,289
COMPLET BS KIT FOR MR14	GEN0273+ XGE0011	MOTOR GROUP	267,289
COMPLET BS KIT FOR MR16	GEN0419 + XGE0011	MOTOR GROUP	267,289
COMPLET BS KIT FOR MR17	GEN0424 + XGE0012	MOTOR GROUP	267,289
COMPLET BS KIT FOR MR21/26	GEN0420 + XGE0012	MOTOR GROUP	267,289
COMPLET BS KIT FOR MR35	GEN0421 + XGE0012	MOTOR GROUP	267,289
COMPLETE BRAKE KIT HA	3201.23.1345	HYDRARM	88,289
COMPLETE HOOK ASSEMBLY 11/L-41 H/P1	3214.03.0002V01	PEGASUS	152,289
COMPLETE HOOK ASSEMBLY 11/R-41 H/P1	3214.03.0002V02	PEGASUS	152,289
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3L) BG	BL-B151AAAX	2000B-GOODS	226,290

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S1-2-3R) BG	BL-B151AABX	2000B-GOODS	226,290
COMPLETE LANDING DOOR LOCK PLATE WITHOUT SECURITY STRIP (S2-4-6Z) BG	BL-B151AACX	2000B-GOODS	226,290
COMPLETE LOCK FOR TOP TRACK R1, LEFT AD	602489G01	AMD	198,290
COMPLETE LOCK FOR TOP TRACK R1, RIGHT AD	602489G02	AMD	198,290
COMPLETE LOCK, AMD2, LEFT AD	603153G01	AMD	198,290
COMPLETE LOCK, AMD2,(PLACED TO THE LEFT) AD	603153G03	AMD	198,290
COMPLETE LOCK, AMD2,RIGHT AD	603153G02	AMD	198,290
COMPLETE ROPE ANCHOR (WITHOUT ROPE) BG	BL-B098AAKX	2000B-GOODS	226,290
COMPLETE SET OF SKATE ARMS WITH SPRING, WITHOUT MAGNET MF	BL-B152AAZX	2000B-MF	237,290
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z L) BG/CH/CL	BL-B151AAXX03	2000B-GOODS	226,290,243,247
COMPLETE SINGLE LANDING DOOR LOCK PLATE IP20 WITH ASTRA CONTACT (S2-4-6Z R) BG/CH/CL	BL-B151AAXX04	2000B-GOODS	226,290,243,247
CONTACT + BRACKET FOR CAR DOOR LOCK 02C 42C H+/PE/H3	2C2A901927G01	HYDRAPLUS	136,28,290,71
CONTACT + BRACKET FOR CAR DOOR LOCK 12L H+/PE/H3	2C2A901927G03	HYDRAPLUS	136,28,290,71
CONTACT + BRACKET FOR CAR DOOR LOCK 12R H+/PE/H3	2C2A901927G04	HYDRAPLUS	136,28,290,71
CONTACT + BRACKET FOR CAR DOOR LOCK 32L-35L H+/PE/H3	2C2A901927G07	HYDRAPLUS	137,28,290,71
CONTACT + BRACKET FOR CAR DOOR LOCK 44 H+/H3	2C2A901879G01	HYDRAPLUS	136,28,290,71
CONTACT + BRACKET FOR CAR DOOR LOCK 62C H+/PE	2C2A901927G05	HYDRAPLUS	137,28,290,71
CONTACT + BRACKET FOR CAR DOOR LOCK 66 H+/H3	2C2A902049G01	HYDRAPLUS	137,28,290,71
CONTACT + BRACKET FOR FOR CAR DOOR LOCK 32R-35R H+/PE/H3	2C2A901927G08	HYDRAPLUS	137,28,290,71
CONTACT AE	W002532	AUGUSTA EVO	179,290
CONTACT BRIDGE FOR COUPLER AD	274100	AMD	200,290
CONTACT BRIDGE STAINLESS STEEL STEUTE HA/HB	3201.15.7434V01	HYDRARM	118,290,90,290
CONTACT BRIDGE STAINLESS STEEL STEUTE HA/HB	3201.15.7434V01	HYDRABELT	118,290,90,290
CONTACT IP65 BERNSTEIN TI2-A1Z KS H/HA/P1	C3201159276	HYDRA	151,45,290,89
CONTACT KF-2V HB/H+/HA/H/EB/PE/P1/H3	2C1A000001	HYDRAPLUS	118,138,191,30,290,72,88
CONTACT KF-9074 HB/H+/HA/H/EB/PW/P3/PE/P1/H3	6400.00.0001	HYDRAPLUS	117,138,151,191, 30,290,44,72,88
CONTACT REFSW FOR LIFT DOOR BOARD H+/EB/PE/H3	601812G01	HYDRAPLUS	131,189,20,290,63
CONTACT SEL2-A1Z P H+/EB/PE/AD	274095	HYDRAPLUS	138,191,200,292,31,290
CONTACT STEUTE WITH CABLE 6M H	3201.15.9346V03	HYDRA	45,290
CONTACT SUPPORT CAR DOOR (CENTRALE DOOR) H+/PE	2C1A055239	HYDRAPLUS	138,31,290
CONTACT SUPPORT DOOR 12-35 H3	2C1P055A38V01	HYDRA 3000	76,290
CONTACT SUPPORT DOOR 44/R H3	2C1P055A61	HYDRA 3000	76,291

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
CONTACT SUPPORT DOOR TYPE 33RL HA	2C1A055136	HYDRARM	89,291
CONTACT SUPPORT FOR CAR DOOR H+/HA/PE	2C1A055098	HYDRAPLUS	138,31,291,89
CONTACT SUPPORT KF H+/HA/PE/HB/H/P3/PW/EB/P1/H3	2C1A055114	HYDRAPLUS	118,138,151,191, 31,291,45,73,89
CONTACT SUPPORT LOCK PLATE BG/CH/CL	BL-B151ADBX	2000B-GOODS	224,291,243,246
CONTACT SUPPORT PZ21 DOOR 4 AND 2 LATERAL PANELS H+/HA/PE	2C1A055046	HYDRAPLUS	31,291,89
CONTACT SUPPORT PZ73 H/HA	2L1A055105	HYDRA	45,291,89
CONTACT TI-A1Z KS IP54 AD	274626	AMD	200,291
CONTROL BOARD	720504G01	EBRA 20	251,291
CONTROL BOX RC24 VOLT HA	2C1A000004	HYDRARM	86,291
CONTROL BOX RC48 VOLT HA	2C1A000002	HYDRARM	85,291
COUNTER ROLLER, D44, D273MGB.045-POS.3 AD	89629G02	AMD	198,291
COUNTERWEIGHT FOR LANDING DOORS «L/R» (L=330MM; 2400G; Ø34MM) BG/MF	BL-B062AAFX01	2000B-GOODS	229,291,235
COUNTERWEIGHT FOR LANDING DOORS «Z» (L=250MM; 1800G; Ø34MM) BG/MF	BL-B062AAFX02	2000B-GOODS	229,291,235
COUNTERWEIGHT GUIDING SHOE FL	2L1H230509V02	FINELINE	173,291
COUNTERWEIGHT ROPE (LENGTH: 2320 MM) CM	BL-C088AARX05	C MOD	216,291
COUNTERWEIGHT WIRE R2 AD	89738H04	AMD	205,291
COUNTERWEIGHT. 90 CM FOR NORDIC	L-00481	MISCELLANEOUS	278,291
COUPLER AD	900650G03	AMD	201,291
COUPLER CH1900 2 PANEL FL	902771G04	FINELINE	170,291
COUPLER ECO-HYDRA+, LEFT OPENING H+/H3	3201.12.0860V02	HYDRAPLUS	24,291,67
COUPLER ECO-HYDRA+, RIGHT OPENING H+/H3	3201.12.0860V01	HYDRAPLUS	24,291,67
COUPLER FL	902771G01	FINELINE	170,291
COUPLER KONE ADR DOOR 12L 02C MIDI H+/PE	S06291-00T02	HYDRAPLUS	136,27,291
COUPLER KONE ADR DOOR 12R MIDI H+/PE	S06291-00	HYDRAPLUS	136,27,291
COUPLER OPERATING LEVER EB	2C2R020005V02	ECOBUS	192,291
COUPLER SET LH FL	902770G11	FINELINE	169,291
COUPLER SET RH FL	902770G12	FINELINE	169,291
COUPLER SYMETRICAL OPENING FL	902770G13	FINELINE	169,291
COUPLING CABLE L = 3605MM H/P1/H3	3201.15.4001L370	HYDRA 3000	157,53,307,77,291
CROWN WHEEL Ø18 HA	2C1A057023	HYDRARM	93,291
CROWN WHEEL Ø50 HA	2C1A057024	HYDRARM	93,291
DC MOTOR 24V 1800RPM 120W IP54 HA	3201.15.9102	HYDRARM	85,291
DC MOTOR 48V 1600RPM 120W IP54 HA	3201.15.9161	HYDRARM	85,291
DESCENT PILOT BLOCK 180LT/MIN 48VDC	BLOCDES_OL180_48	HYDRAULICS	274,291
DESCENT PILOT BLOCK 180LT/MIN 60VDC	BLOCDES_OL180_60	HYDRAULICS	274,292

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
DIVERTING PULLEY ECO WITH SUPPORT EB	2C2M030400	ECOBUS	190,292
DIVERTING PULLEY FOR OLD FOR OLD OPERATOR HA	2C1A151010	HYDRARM	91,292
DIVERTING PULLEY SET FL	601397G01	FINELINE	168,292
DIVERTING PULLEY SPACER HB	3201056217	HYDRABELT	116,292
DIVERTING PULLEY, CLOSING WEIGHT SYM+ASYM LEFT OP FL	903006G11	FINELINE	168,292
DIVERTING ROLLER SUPPORT DOOR 34/L HA	3201155380.02	HYDRARM	99,292
DIVERTING ROLLER SUPPORT DOOR 34/R HA	3201155380.01	HYDRARM	99,292
DIVERTING ROPE PULLEY RIGHT AD	601091G01	AMD	205,292
DOM OPTION LEFT OPENING DOOR AD	603152G01	AMD	205,292
DOOR BUFFER, RUBBER HA	3201.05.0061	HYDRARM	103,292
DOOR CLOSE SPIRATOR Ø127MM CM/BG/MF	BL-CX00XAAXDEV	C MOD	216,292,229,240
DOOR CLOSE SPIRATOR Ø86MM CM/BG/MF	BL-CX00XAAXDFW	C MOD	216,292,229,240
DOOR CLOSE SPRING (S3L/R 700<TB<1300; S6Z 1400<TB<2600) BG	BL-B102AACX01	2000B-GOODS	230,292
DOOR CLOSE SPRING. LENGTH: 160MM BG	BL-B102AABX00	2000B-GOODS	230,292
DOOR CLOSE SPRING. LENGTH: 230MM BG	BL-B102AAAX03	2000B-GOODS	229,292
DOOR CLOSE SPRING. LENGTH: 240MM BG	BL-B102AABX01	2000B-GOODS	230,292
DOOR CLOSE SPRING. LENGTH: 300MM BG	BL-B102AAAX06	2000B-GOODS	229,292
DOOR CLOSE SPRING. LENGTH: 315MM BG	BL-B102AABX05	2000B-GOODS	230,292
DOOR CLOSE SPRING. LENGTH: 400MM BG	BL-B102AAAX10	2000B-GOODS	229,292
DOOR CLOSE SPRING. LENGTH: 440MM BG	BL-B102AABX10	2000B-GOODS	230,292
DOOR CLOSE SPRING. LENGTH: 475MM BG	BL-B102AAAX13	2000B-GOODS	229,292
DOOR CLOSE SPRING. LENGTH: 530MM BG	BL-B102AABX14	2000B-GOODS	230,292
DOOR CLOSE SPRING. LENGTH: 575MM BG	BL-B102AAAX17	2000B-GOODS	229,292
DOOR CLOSE SPRING. LENGTH: 615MM BG	BL-B102AABX17	2000B-GOODS	230,292
DOOR CONTACT LOCK, INCLUDING FIXING FOR R1 LEFT AD	902066G01	AMD	200,292
DOOR CONTACT LOCK, INCLUDING FIXING FOR R1 RIGHT AD	902066G02	AMD	200,292
DOOR CONTACT R2 TELESCOPE TOP TRACK, AZ 05 KT 1697-Z P. 69 BLACK AD	254995	AMD	200,292
DOOR CONTACT, CAR DOOR LOCKING DEVICE AD	274095	AMD	138,191,200,292,31,290
DOOR CONTACT, SHORT CIRCUIT PIECE FL/AD	274094	FINELINE	168,292
DOOR CONTACT. LEFT CAR SIDE IP54. KIT FL	905016G03	FINELINE	169,292
DOOR CONTACT. LEFT LANDING SIDE IP54. KIT FL	905016G01	FINELINE	168,292
DOOR CONTACT. RIGHT CAR SIDE IP54. KIT FL	905016G04	FINELINE	169,292
DOOR CONTACT. RIGHT LANDING SIDE IP54. KIT FL	905016G02	FINELINE	168,292
DOOR CONTACT/CONTACT BRIDGE AZ05-B-SPEZ. 1684 R2 AD	601341H01	AMD	200,293

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
DOOR GUIDING SHOE HA/H/HB/H+/PE/P1/H3/AE	3201.05.0062	HYDRAPLUS	104,122,139,158,180,33,2 93,54,78
DOOR RETURN MECH. ARM	3201.05.0005	HYDRARM	95,293
DOOR ROLLER CATAPOL WITH BUSHING PE/P1	3205.14.0054	PEGASUS	132,293,155,293
DOOR ROLLER PEGASUS CATAPOL WITH BUSHING PE/P1	3205.14.0054	PEGASUS PLUS	132,293,155,293
DOUBLE SKATE EXECUTION ADDITIONAL ROLLER 2000US SUPPORT PLATE ASSEMBLY S2-4-6Z L MF	BL-B158AAUX04	2000B-MF	239,293
DRAINING PLUG AND SEALS FOR MR10/12/13/14/16 - SH110	GUA0003	MOTOR GROUP	268,293
DRIVE ARM EXTENSION LEN=115MM HA	2C1A040002L011	HYDRARM	93,293
DRIVE ARM EXTENSION LEN=190MM HA	2C1A040002L019	HYDRARM	93,293
DRIVE ARM EXTENSION LEN=265MM HA	2C1A040002L026	HYDRARM	93,293
DRIVE ARM EXTENSION LEN=340MM HA	2C1A040002L034	HYDRARM	93,293
DUNKER BG 62X30 SG80K IP54 L=2000 BG BG	BL-B105AATX01	2000B-GOODS	219,293
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 1500MM CM/BG	BL-B105AAIX02	C MOD	210,293,218
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X30, 40V AC - CABLE 500MM BG	BL-B105AAIX01	2000B-GOODS	218,293
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60 IP54, 40V CC - CABLE 2000MM BG	BL-B105AARX01	2000B-GOODS	219,293
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 1500MM CM/BG	BL-B105AAJX02	C MOD	210,293,218
DUNKER PREWIRED BRUSHLESS MOTOR BG 62X60, 40V AC - CABLE 500MM BG	BL-B105AAJX01	2000B-GOODS	218,293
DUNKER PREWIRED DC MOTOR GR 63X25 IP54, 24V CC - CABLE 2000MM BG	BL-B105AAPX01	2000B-GOODS	219,293,234
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AANX02	C MOD	210,293,219,234
DUNKER PREWIRED DC MOTOR GR 63X25, 24VCC - CABLE 500MM BG	BL-B105AANX01	2000B-GOODS	219,293
DUNKER PREWIRED DC MOTOR GR 63X55 IP54, 24V CC - CABLE 2000MM BG	BL-B105AAQX01	2000B-GOODS	219,293,234
DUNKER PREWIRED DC MOTOR GR 63X55, 24VCC - CABLE 1500MM CM/BD/MF	BL-B105AALX02	C MOD	210,293,218,234
EBRA20 CU=1000KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB10001029117	EBRA 20	253,293
EBRA20 CU=1000KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB10001632117	EBRA 20	254,293
EBRA20 CU=1000KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB10000925117	EBRA 20	253,293
EBRA20 CU=375KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB03751029117	EBRA 20	252,293
EBRA20 CU=375KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB03751632117	EBRA 20	252,293
EBRA20 CU=375KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB03750925117	EBRA 20	252,293
EBRA20 CU=400KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB04001029117	EBRA 20	253,294

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
EBRA20 CU=400KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB04001632117	EBRA 20	253,294
EBRA20 CU=400KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB04000925117	EBRA 20	253,294
EBRA20 CU=525KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB05251029117	EBRA 20	253,294
EBRA20 CU=525KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB05251632117	EBRA 20	253,294
EBRA20 CU=525KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB05250925117	EBRA 20	253,294
EBRA20 CU=630KG K=10 N=29 WITH PLATE 601775G02 + BOX 728849G03	STEB06301029117	EBRA 20	253,294
EBRA20 CU=630KG K=16 N=32 WITH PLATE 601775G02 + BOX 728849G03	STEB06301632117	EBRA 20	253,294
EBRA20 CU=630KG K=9 N=25,4 WITH PLATE 601775G02 + BOX 728849G03	STEB06300925117	EBRA 20	253,294
ECCENTRIC ADJUSTMENT WASHER HA	3201.05.6105	HYDRARM	90,294
ECO BELT CLAMP H+/H3	2C2M030401	HYDRAPLUS	20,294,64
ECO BOARD AD	903512G02J	AMD	196,294
ECO BOARD EB	2C2M903510G02F	ECOBUS	189,294
ECO BOARD H+/FL/H3	903510G01K	HYDRAPLUS	167,19,294,196,303,63
ECO BOARD TYPE OTIS FLEX (3 WIRE) EB	2C2M903511G02U	ECOBUS	189,294
ECO BOARD TYPE OTIS FLEX H+	903511G01T-L	HYDRAPLUS	19,294
ECO MOTOR + PULLEY 3215.05.0041 + SUPPORT 3201.05.5A41 H3	2C2M903373G01	HYDRA 3000	63,294
ECO MOTOR H+/EB	2C2R020007	HYDRAPLUS	189,19,294
ECO TOOTHED PULLEY H+/FL/H3/E2	3215.04.0400	HYDRAPLUS	168,190,21,294,64
ECO TRANSFORMER H+/FL/EB/H3	901139G02	HYDRAPLUS	167,189,19,294,197,318,63
ELECTRIC BRAKE HYDRA ARM HA	3201.15.9943	HYDRARM	85,294
ELECTROMAGNET 110V FOR MR10 MR13	ELT0104	MOTOR GROUP	264,294
ELECTROMAGNET 110V FOR MR16	ELT0110	MOTOR GROUP	266,294
ELECTROMAGNET 110V FOR SH110 SH130	ELT0131	MOTOR GROUP	265,294
ELECTROMAGNET 200V FOR SH110 SH130	ELT0130	MOTOR GROUP	265,294
ELECTROMAGNET 24V FOR SH110 SH130	ELT0135	MOTOR GROUP	265,294
ELECTROMAGNET 48V FOR MR10 MR13	ELT0107	MOTOR GROUP	265,294
ELECTROMAGNET 48V FOR MR12 MR14	ELT0119	MOTOR GROUP	265,294
ELECTROMAGNET 48V FOR MR16	ELT0113	MOTOR GROUP	266,294
ELECTROMAGNET 48V FOR SH110 SH130	ELT0153	MOTOR GROUP	265,294
ELECTROMAGNET 60V FOR SH110 SH130	ELT0133	MOTOR GROUP	265,265,294
ELECTROMAGNET 80V FOR SH110 SH130	ELT0132	MOTOR GROUP	265,265,294
ELECTRONIC BOARD TYPE RC24 HA	C5302059012	HYDRARM	86,295

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
ELECTRONIC BOARD TYPE RC48 HA	C5302059003	HYDRARM	86,295
ELECTRONIC BOX BATTERY12V 2.1 AH	SW002062	EBRA 20	251,295
ELECTRONIC BOX TRANSFORMER	604200G01	EBRA 20	251,295
ELECTRONIC BOX WITH BATTERY	728849G03	EBRA 20	251,295
EMERGENCY DEVICE DOOR 01/C 11L AE	1008226A02	AUGUSTA EVO	184,295
EMERGENCY DEVICE DOOR 11R AE	1008226A01	AUGUSTA EVO	184,295
EMERGENCY KEY L=200MM H/P1/H3	3201.15.9165L020	HYDRA	151,44,295,75
EMERGENCY KEY L=500MM H/P1/H3	3201.15.9165L050	PEGASUS	151,295,44,295,75
EMERGENCY KEY L=500MM H/P1/H3	3201.15.9165L050	HYDRA	151,295,44,295,75
EMERGENCY KEY STANDARD	3201.23.1534	HYDRA 3000	151,44,295,75,295
EMERGENCY KEY STANDARD H/P1/H3	3201.23.1534	HYDRA	151,44,295,75,295
EMERGENCY LOCK RELEASE ROPE KIT FOR PANEL BG	BL-B088AABX	2000B-GOODS	226,295
EMERGENCY OPEN AMD, EXTENDED +25MM AD	600928G03	AMD	205,295
EMERGENCY OPENING DEVICE LEFT PM	901123G05	PIUMA	208,295
EMERGENCY OPENING DEVICE RIGHT PM	901123G06	PIUMA	208,295
EMERGENCY OPENING FOR RETRACTABLE CAM/COUPLER R2 LEFT & LEFT-CENTRAL CAR DOOR LOCK AD	601554G01	AMD	204,295
EMERGENCY OPENING FOR RETRACTABLE CAM/COUPLER R2 RIGHT & RIGHT-CENTRAL CAR DOOR LOCK AD	601554G02	AMD	204,295
EMERGENCY OPENING LEFT FL	900279G01	FINELINE	172,295
EMERGENCY OPENING RIGHT FL	900279G02	FINELINE	172,295
EMERGENCY RELEASE MECHANISM H056 DX H	3201.13.0037V01	HYDRA	43,295
EMERGENCY RELEASE MECHANISM H056 SX H	3201.13.0037.02	HYDRA	43,295
EMERGENCY SBLOC H41 11-31L 230V H	1025596A05	HYDRA	43,295
EMERGENCY SBLOC H41 11-31R-01C 230V H	1025596A04	HYDRA	43,295
ENCODER + FIXING KIT FOR MR21/26/35	ENC0082 + XEN0002	MOTOR GROUP	262,295
ENCODER + FIXING KIT FOR MR10	ENC0090 + XEN0031	MOTOR GROUP	262,295
ENCODER + FIXING KIT FOR MR12	ENC0090 + XEN0011	MOTOR GROUP	262,295
ENCODER + FIXING KIT FOR MR13	ENC0090 + XEN0033	MOTOR GROUP	262,295
ENCODER + FIXING KIT FOR MR14	ENC0052 + XEN0029	MOTOR GROUP	262,295
ENCODER + FIXING KIT FOR MR16	ENC0090 + XEN0034	MOTOR GROUP	262,295
ENCODER + FIXING KIT FOR MR17	ENC0082 + XEN0001	MOTOR GROUP	262,295
ENCODER + FIXING KIT FOR SH110/SH130	ENC0096 + XEN0040	MOTOR GROUP	262,295
ENCODER CABLE ECN1313 Z-ABEGG 2SY/KW:10M	K508749-022-010	MOTOR GROUP GEARLESS	270,295
ENCODER FOR GEARLESS	ECN1313-2048I	MOTOR GROUP GEARLESS	270,295
ENCODER FOR RCF1 NEW MODEL HB	2C1A040144L150	HYDRABELT	117,295
ENCODER FOR RCF1 OLD MODEL HB	2C1A040125	HYDRABELT	117,296

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
ENCODER FOR WSG-S1/2	ECN413-20481	MOTOR GROUP GEARLESS	270,296
EURO LOCK RELEASE, LONG L=63; D30/M24 AD	603349G02	AMD	205,296
EURO LOCK RELEASE, SHORT L=38; D30/M24 AD	603349G01	AMD	205,296
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K2-4-6Z, K1-2-3L) CM	BL-B152ACDX01	C MOD	212,296
EXPANSION SKATE DOORS WITHOUT CAR DOOR LOCK (K4Z, K2L) CM	BL-B152ACHX01	C MOD	212,296
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2L) CM	BL-B152ACRX01	C MOD	213,296
EXPANSION SKATE WITH CAR DOOR LOCK EN81 WITH RETAINER (K4Z-K2R) CM	BL-B152ACRX02	C MOD	213,296
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K2Z,) CM	BL-B152ACSX02	C MOD	213,296
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3L) CM	BL-B152ACSX03	C MOD	213,296
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K3R) CM	BL-B152ACSX04	C MOD	213,296
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2L) CM	BL-B152ACJX01	C MOD	212,296
EXPANSION SKATE WITH CAR DOOR LOCK EN81-1/2 (K4Z, K2R) CM	BL-B152ACJX02	C MOD	212,296
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3L K2Z CM	BL-B152ACQX01	C MOD	212,296
EXPANSION SKATE WITH RETAINER C-MOD EN81 K3R K2Z CM	BL-B152ACQX02	C MOD	212,296
EXPANSION SKATE WITHOUT CAR DOOR LOCK (K4Z, K2R) CM	BL-B152ACHX02	C MOD	212,296
EXTRA COUNTERWEIGHT (350 G) L=50 Ø34MM BG	BL-B062AAHX	2000B-GOODS	229,296
F.I.A EMERGENCY WITH RESET LEFT H/P1/H3	3201.13.0344V02	HYDRA	151,43,296,73
F.I.A EMERGENCY WITH RESET RIGHT H/P1/H3	3201.13.0344V01	HYDRA	151,44,296,73
FAN FOR AC2 MR10/13	XVE0019	MOTOR GROUP	267,296
FAN FOR AC2 SH110	XVE0024	MOTOR GROUP	266,296
FAN FOR MR14	XVE0007	MOTOR GROUP	266,296
FAN FOR VVVF MR10/MR13	XVE0018	MOTOR GROUP	267,296
FAN FOR VVVF SH110	XVE0022	MOTOR GROUP	266,296
FAST DOOR UPPER ROLLER AE	3215.05.0038	AUGUSTA EVO	182,296
FAST TRUCK BUFFER FOR DOOR 35RL H+/H3/HA/HB	2C1A055945	HYDRAPLUS	118,22,296,65,97
FELT FOR REOPENING SYSTEM HA	3201.05.7001	HYDRARM	96,296
FELT/METER FL	C1264	FINELINE	173,296
FILTER FOR GERALESS FAN WLG28/35	ET36131130561	MOTOR GROUP GEARLESS	270,296
FIXED COUPLER DOOR SORETEX 02C H+/PE/H3	S04149-01	HYDRAPLUS	136,27,296,71
FIXED COUPLER KIT TYPE 1118 AND 1119 H+/HA/HB/PE/H3	2C2A040926	HYDRAPLUS	120,136,28,297,71,99

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
FIXED COUPLER M1=540 H+/HA/H3	2C1A155053V02	HYDRAPLUS	28,297,71,99
FIXING AXLE FOR DIVERTING PULLEY HB	3201056222	HYDRABELT	116,297
FIXING AXLE FOR TOOTHED PULLEY RCF1 HB	2C1A056223	HYDRABELT	116,297
FIXING BRACKET FOR MOTOR PULLEY HB	3201055339	HYDRABELT	117,297
FIXING BRACKET HA	2L1A055203	HYDRARM	104,297
FIXING BRACKET LEFT OPERATOR HA	2C1A055077V02	HYDRARM	104,297
FIXING BRACKET RIGHT OPERATOR HA	2C1A055077V01	HYDRARM	104,297
FIXING BRACKET, FOR DOOR ZONE MAGNETS.	L-02350	MISCELLANEOUS	281,297
FIXING BRACKET, FOR SCHAFT INFORMATION MATERIAL.	L-02368	MISCELLANEOUS	281,297
FIXING CABEL DRAG CHAIN SUPPORT DOOR 02/C H+/ HB/H3	2C2A757104-00	HYDRAPLUS	118,21,297,65
FIXING CABEL DRAG CHAIN SUPPORT DOOR 12RL AND 35RL H+/HB/H3	2C2A757104-01	HYDRAPLUS	118,22,297,65
FIXING CABEL DRAG CHAIN SUPPORT DOOR 42/C AND 62/C H+/HB/H3	2C2A757104-02	HYDRAPLUS	118,22,297,65
FIXING FOR MECHANICAL RELEASE EB	2C1R055034V01	ECOBUS	191,297
FIXING FOR MECHANICAL RELEASE L=1700MM EB	2C1R055034V04	ECOBUS	192,297
FIXING KIT FOR CAR DOOR TOE-GUARD H+/H3	2C2A231250	HYDRAPLUS	33,297,78
FIXING KIT MFB H+/H3	2C2A399910	HYDRAPLUS	32,297,73
FIXING PART HA	2C1A056082	HYDRARM	101,297
FIXING PLATE FOR KRONENBERG CONTACT HA/H	2L1A057112	HYDRA	45,297,89
FIXING PLATFOR COUPLER/ROPE HA	2C1A057085	HYDRARM	101,297
FIXING POINT FOR COUPLER/ROPE HA	3201057012	HYDRARM	101,297
FIXING POINT FOR SYNCHRONISATION ROPE DOOR 43/R AND 65R H/P1	2L1A155157V02	HYDRA	155,50,297
FIXING POINT FOR SYNCHRONISATION ROPE WITH RIVEKLET HA/H/P1	3201.05.5011	HYDRA	100,155,50,297
FIXING SCREW FOR COVER (GLASSED PANELS) H/HA	3201156216.AC	HYDRA	101,52,297
FIXING SCREW FOR COVER H/HA	2L1A156216	HYDRA	101,52,297
FIXING SCREW M8X20 FL	861537H02	FINELINE	172,297
FIXING WASHER HA	2L1A056017V01	HYDRARM	93,297
FIXING, FOR A BRACKET. RIGHT.	L-01053	MISCELLANEOUS	280,297
FIXING, FOR COUNTERWEIGHT.	L-00298	MISCELLANEOUS	279,297
FIXING, FOR COUNTERWEIGHT. KIT=RIGHT + LEFT	L-01024	MISCELLANEOUS	279,297
FIXING, FOR FINELINE LIGHT CURTAIN.	L-00228	MISCELLANEOUS	279,297,279,298
FIXING, FOR LIGHT CURTAIN (122) LEFT TELESCOPIC OPENING R2	L-00076-0	MISCELLANEOUS	278,298
FIXING, FOR LIGHT CURTAIN (122) RIGHT TELESCOPIC OPENING R2	L-00076-1	MISCELLANEOUS	278,298
FIXING, FOR LIGHT CURTAIN (38) LEFT CENTRAL & TELES-COPIC OPENING R1	L-00075-0	MISCELLANEOUS	278,298

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
FIXING, FOR LIGHT CURTAIN (38) RIGHT CENTRAL & TELESCOPIC OPENING R1	L-00075-1	MISCELLANEOUS	278,298
FIXING, FOR LIGHT CURTAIN (70) LEFT CENTRAL OPENING R2	L-00077-0	MISCELLANEOUS	278,298
FIXING, FOR LIGHT CURTAIN (70) RIGHT CENTRAL OPENING R2	L-00077-1	MISCELLANEOUS	278,298
FIXING, FOR NORDIC LIGHT CURTAIN. TWO (2) PIECES ARE NEEDED.	L-00228	MISCELLANEOUS	279,297,279,298
FIXING, FOR PANEL. +50 MM	L-00035	MISCELLANEOUS	279,298
FIXING, FOR PANEL. +80 MM	L-02200	MISCELLANEOUS	281,298
FIXING, FOR PANEL. QKF 6, 8, 9	L-02344	MISCELLANEOUS	281,298
FIXING, FOR TOPTRACK. CENTRAL LEFT	L-02131	MISCELLANEOUS	280,298
FIXING, FOR TOPTRACK. CENTRAL RIGHT	L-02133	MISCELLANEOUS	280,298
FIXING, FOR TOPTRACK. FRONT	L-02130	MISCELLANEOUS	280,298
FIXING, FOR TOPTRACK. LEFT	L-01056	MISCELLANEOUS	280,298
FIXING, FOR TOPTRACK. RIGHT	L-01085	MISCELLANEOUS	280,298
GEAR MOTOR PINION HA	2C1A156139	HYDRARM	87,298
GEAR WHEEL SUPPORT FOR NEW MOTORISATION HA	2C1A151023.FG	HYDRARM	93,298
GEARED MOTOR (AC-BRUSHLESS), MIDI LH AD	903375G03	AMD	196,298
GEARED MOTOR (AC-BRUSHLESS), MIDI RH AD	903375G04	AMD	196,298
GEARED MOTOR ASYM FL	903371G03	FINELINE	167,298
GEARED MOTOR SYM FL	903371G04	FINELINE	167,298
GLASS 430X62X6 AND 350X60X3 EB	2C1L057011V02	ECOBUS	192,298
GLASS/WINDOW 70MM KIT 2 GLASS EB	2C2R390005V01	ECOBUS	192,298
GUID RAIL LUBRICATOR K=16	86375G16	EBRA 20	251,298
GUID RAIL LUBRICATOR K=9	86375G09	EBRA 20	251,298
GUIDE SHOE PM	3212.39.0005	PIUMA	208,298
GUIDE SHOE.	OAK31	MISCELLANEOUS	281,298
GUIDESHOE EB	2C2R390001V01	ECOBUS	192,298
GUIDING BLOCK LEFT EB	2C1R050004	ECOBUS	191,298
GUIDING BLOCK RIGHT EB	2C1R050003	ECOBUS	191,299
GUIDING SHOE FOR GLASSED PANELS H/H+/HA/HB/P1	2L2A130052	HYDRAPLUS	103,122,159,33,299,54
HANGER BOLT PM	3212.39.0004	PIUMA	208,299
HANGER ROLLER KIT (4ST) + FIXINGS FL	902899G01	FINELINE	169,299
HANGER ROLLER, D50, D273MGB.045-POS.1 AD	89628G02	AMD	198,299
HANGER ROLLER, R1 D50 (WITH PU-LAYER, POLYURETAN) AD	89350G01	AMD	198,299
HOOK FOR RE-CLOSING SPRING H/P1/H3	2L1A059080	HYDRA	157,53,53,299,76
IDLE TRACTION PULLEY/TRACTION SHEAVE ALUMINUM WITH BUSHING HA	3201.03.9853V01	HYDRARM	91,299

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
INTER RUN TEST FOR ECO MIDI SUPRA BOARD H+/FL/ EB/PE/H3	2C2A030348	HYDRAPLUS	131,167,189,20,299,63
INTERMEDIATE PULLEY FOR FLAT BELT FOR OLD MOTO-RIZATION HA	2C1A151008	HYDRARM	91,299
INTERMEDIATE PULLEY V-BELT FOR OLD MOTORIZATION HA	2C1A051023	HYDRARM	91,299
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2L CM	BL-B151AEGX01	C MOD	214,299
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S2-4Z / S2R CM	BL-B151AEGX02	C MOD	214,299
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3L CM	BL-B151AEGX03	C MOD	214,299
IP20 LOCK PLATE ASEMBLY FOR C-MOD UNIFIED LOCK S3R CM	BL-B151AEGX04	C MOD	214,299
IP20 UNIFIED LANDING DOOR LOCK ASSEMBLY (B-C-MF-BG-EL-HR LOW) BG/MF/CL	BL-B153ACIX03	2000B-GOODS	227,299,238,248
JOINING PLATE	L-01054	MISCELLANEOUS	280,299
KEY FOR OPERATOR ARM HA	C703987055	HYDRARM	94,299
KEY PIECE 8X7X20 MM RCF1 HB	C703987020	HYDRABELT	117,299
KIT DEFLECTION WHEEL (MECHANICAL RELEASE) EB	2C2R390001V02	ECOBUS	192,299
KIT DIVERTING PULLEY + SUPPORT HB	2C2A130198	HYDRABELT	117,299
KIT FOR REMPLACEMENT OF THE SDS© AC-VVVF BRUSHLESS MV CM/BG	BL-B111AAUX	2000B-GOODS	220,299,234
KIT FOR REPLACEMENT OF SDS© BRUSHLESS REL.4 BOARØ BRACKETS INCLUDED CM/BG/RD	BL-B111AAMX03	C MOD	210,299,220,232
KIT FOR REPLACEMENT OF SDS© DC-PWM REL.4 BOARØ BRACKETS INCLUDED CM/BG/MF	BL-B111AAMX01	C MOD	210,299,219,234
KIT FOR REPLACEMENT OF SINGLE SPIRATOR WITH DOUBLE SPIRATOR BG	BL-301-096-000	2000B-GOODS	229,299,235
KIT FOR REPLACEMENT SZS© DC-PWM BOARD AND FIXING PLATES CM	BL-B111AAQX	C MOD	210,299
KIT OF 10 FELTS FOR LOCK H/P1	2L2A231421	HYDRA	153,47,299
KIT OF 12 LOCK ROLLERS H/P1	2C2A231386	HYDRA	153,47,299
KIT OF 12 TOP ROLLERS + WASHERS HB/H+/HA/H/H3	2L1A390084	HYDRAPLUS	119,22,299,50,66,97
KIT OF 2 FIXING BRACKETS B21 (TWIN) H/H3	2L2A399852V21	HYDRA 3000	77,300
KIT OF 2 OPERATOR HOOK BLOCK HA	3201.23.1441	HYDRARM	94,300
KIT OF 2 PANELS FIXINGS H	2C1A390070	HYDRA	51,300
KIT OF 2 PANELS FIXINGS Ø10 - LEN=107 MM H+	2C2A399856V05	HYDRAPLUS	102,32,300
KIT OF 2 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	2L2A399856V01	HYDRAPLUS	102,122,139,156, 32,300,51,73
KIT OF 2 PANELS FIXINGS Ø8 DOOR 33/35 H+/HA/HB	2L2A399856V02	HYDRAPLUS	102,122,32,300
KIT OF 3 FIXING BRACKETS (TYPE B12) H/H3	2L1A399852V12	HYDRA	54,300,77
KIT OF 3 LANDING DOOR ROLLERS FL	902794G01	FINELINE	172,300
KIT OF 4 BRONZE ROLLERS WITH FELT DOOR 43R AND 65R H+/H	2L2A231394	HYDRAPLUS	22,300,51

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
KIT OF 4 BRONZE ROLLERS WITH FELT EXCEPT DOOR 43R AND 65R H+/H	3201.23.1393	HYDRAPLUS	22,300,51
KIT OF 4 PANEL FIXINGS R2 AD	901963G11	AMD	204,300
KIT OF 4 PANELS FIXING DOOR 35 H3	PA.D5	HYDRA 3000	73,300
KIT OF 4 PANELS FIXINGS Ø10 H/H+/HA/HB/PE/P1/H3	PA.D2	HYDRAPLUS	102,122,139,156, 32,300,51,73
KIT OF 4 ROPE DIVERTING ROLLERS + 4 WASHERS H/EB/ P1/H3	2L2A231388	HYDRA	156,192,51,300,75
KIT OF 4 SHOES AE	1011631A01	AUGUSTA EVO	184,300
KIT OF 4 STD SHOES WITH SCREWS AND BOLTS HA/H/HB/ H+/PE/P1/H3/AE	PA.C2	HYDRAPLUS	103,122,139,158, 33,300,53,78
KIT OF 6 BOTTOM ECCENTRIC ROLLERS + WASHERS HB/ H+/HA/H/PE/P1/H3	2L2A231389	HYDRAPLUS	119,132,155,23,300,51,66,97
KIT OF 6 BOTTOM ROLLERS WITH AXIS DOOR 33-35-63 H+/H	2C2A231392	HYDRAPLUS	23,300,51
KIT OF 6 RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP H/P1/H3	2L2A231397	HYDRA	158,53,300,77
KIT OF 8 PANEL FIXINGS R2 AD	901963G31	AMD	204,300
KIT OF ACCESSORIES MD11 DOOR 2 AND 4 PANELS PE/P1	2L2D399854V11	PEGASUS PLUS	139,300,158
KIT OF ACCESSORIES MD3 DOOR 3 AND 6 PANELS PE/P1	2L2D399854V03	PEGASUS PLUS	139,300,158
KIT OF BRAKE SHOES FOR SH110	PCF0030	MOTOR GROUP	266,300
KIT OF DOOR ACCESSORIES DOOR 01/C H	2L2A399895V01	HYDRA	54,300
KIT OF DOOR ACCESSORIES DOOR 11RL H	2L2A399895V02	HYDRA	54,300
KIT OF DOOR ACCESSORIES DOOR 31RL H	2L2A399895V03	HYDRA	54,300
KIT OF DOOR ACCESSORIES DOOR 41C/43R H	2L2A399895V05	HYDRA	54,300
KIT OF DOOR ACCESSORIES DOOR 43R H	2L2A232052	HYDRA	55,300
KIT OF DOOR ACCESSORIES DOOR 61C/65R H	2L2A399895V06	HYDRA	54,300
KIT OF MECHANICAL RELEASE TYPE 1200 (35/L) H+	2C2A230893V04	HYDRAPLUS	30,300
KIT OF MECHANICAL RELEASE TYPE 1200 (35/R) H+	2C2A230893V03	HYDRAPLUS	29,300
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/L) H+	2C2A230893V06	HYDRAPLUS	30,300
KIT OF MECHANICAL RELEASE TYPE 1201 (12-32/R) H+	2C2A230893V05	HYDRAPLUS	30,300
KIT OF MECHANICAL RELEASE TYPE 1201 (35/L) H+	2C2A230893V08	HYDRAPLUS	30,301
KIT OF MECHANICAL RELEASE TYPE 1201 (35/R) H+	2C2A230893V07	HYDRAPLUS	30,301
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/L) H+	2C2A230893V10	HYDRAPLUS	30,301
KIT OF MECHANICAL RELEASE TYPE 1202 (12-32/R) H+	2C2A230893V09	HYDRAPLUS	30,301
KIT OF MECHANICAL RELEASE TYPE 1202 (35/L) H+	2C2A230893V12	HYDRAPLUS	30,301
KIT OF MECHANICAL RELEASE TYPE 1202 (35/R) H+	2C2A230893V11	HYDRAPLUS	30,301
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/L) H+	2C2A230893V02	HYDRAPLUS	29,301
KIT OF MECHANICAL RELEASE TYPE TYPE 1200 (12-32/R) H+	2C2A230893V01	HYDRAPLUS	29,301

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
KIT OF PULLEY WITH ADHESIVE DISC RCF1 OLD MODEL HB	2C2A130199V01	HYDRABELT	117,301
KIT OF ROLLER AND SUPPORT FOR COUNTERWEIGHT FL	903006G01	FINELINE	173,301
KIT OF ROPE FOR CAR DOOR LOCK LEFT COUPLER H+/ PE/H3	902047G01	HYDRAPLUS	138,29,301,72
KIT OF ROPE FOR CAR DOOR LOCK RIGHT COUPLER H+/ PE/H3	902047G02	HYDRAPLUS	138,29,301,72
KIT OF SAFETY SWITCH DOOR 4AS-R FL	1009714A02	FINELINE	173,301
KIT OF SAFETY SWITCH DOOR 4S + 4AS-L FL	1009714A01	FINELINE	172,301
KIT OF SCREWS + SEPARATOR 30MM FIXED COUPLER FOR DOOR 02 H+/HA/PE/H3	2C2A399890V01	HYDRAPLUS	135,26,301,70,98
KIT PULLEY SUPPORT 2 REDUCTIONS HA	2C2A030881	HYDRARM	93,301
KIT PULLEY SUPPORT 3 REDUCTIONS HA	2C2A030882	HYDRARM	93,301
KIT RETROFIT BOARD SDS AC-VVVF BRUSHLESS PLUS -IT REPLACES THE B111AAGX BG	BL-A157AAFX	2000B-GOODS	220,301
KIT ROLLERS (2 X Ø60MM AND 2 X Ø36MM) CM/BG/RD/ MF/CH/CL	BL-0101	C MOD	211,301,221,232, 235,242,246
KRONENBERG CONTACT TYPE HZS H/H3	1KKHZS00150	HYDRA	45,301,74
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3L, S4-6Z LEFT HAND) BG	BL-B153AAHX02	2000B-GOODS	227,301
LANDING DOOR LOCK (FOR CARRIAGE DIMENSIONS L<=260MM) (S2-3R,S4-6Z RIGHT HAND) BG	BL-B153AAHX01	2000B-GOODS	227,301
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - LEFT BG	BL-B153AADX02	2000B-GOODS	227,301
LANDING DOOR LOCK MECHANISM COMPLETE (FOR CARRIAGE DIMENSIONS >245.5MM) - RIGHT BG	BL-B153AADX01	2000B-GOODS	227,301
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - LEFT HAND BG	BL-B153AAVX02	2000B-GOODS	227,301
LANDING DOOR LOCK MECHANISM FOR CAR DOOR LOCK EXECUTIONS - RIGHT HAND BG	BL-B153AAVX01	2000B-GOODS	227,301
LANDING DOOR LOCK RELEASE (LEFT PANEL) CM/BG/ CH/CL	BL-B018AAPX01	C MOD	214,301,226,243,247
LANDING DOOR LOCK RELEASE (RIGH PANEL) CM/BG/ CH/CL	BL-B018AAPX02	C MOD	214,301,226,243,247
LANDING DOOR LOCK RELEASE BG/MF/CH/CL	BL-B018AAAX	2000B-GOODS	225,301,235,243,247
LANDING LOCK COMPLETE C/O, COUPLER RH AD	603153G04	AMD	198,301
LANDING LOCK DOOR 01/C H/P1	2L2A030019V01	HYDRA	152,46,302
LANDING LOCK DOOR 01/C H3	1024972A01	HYDRA 3000	74,302
LANDING LOCK DOOR 11L H3	1024972A02	HYDRA 3000	74,302
LANDING LOCK DOOR 11R H3	1024972A03	HYDRA 3000	74,302
LANDING LOCK DOOR 31L H3	1025100A01	HYDRA 3000	74,302
LANDING LOCK DOOR 31R H3	1025100A02	HYDRA 3000	74,302
LANDING LOCK DOOR 41/C H3	1025077A01	HYDRA 3000	74,302
LANDING LOCK DOOR 43R/L H	2L2A231706T43	HYDRA	46,302
LANDING LOCK DOOR 65/R H	2L2A231706T65	HYDRA	47,302

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
LANDING LOCK ROLLER UNIT AD	903283G01	AMD	199,302
LANDING ROLLER Ø31,5 LEN=26,5MM AD	S601107G04	AMD	204,302
LEFT COMPLETE EMERGENCY RELEASE HA	2C2A030086V01	HYDRARM	94,302
LEFT COUPLER ECO WITH CAR DOOR LOCK H+/H3	2C2A901870G05	HYDRAPLUS	24,302,68
LEFT COUPLER MIDI SUPRA H+/PE/H3	S0901872A05	HYDRAPLUS	133,25,302,68
LEFT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H+/ PE/H3	2C2A901873G05	HYDRAPLUS	134,25,302,68
LEFT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G05	HYDRAPLUS	134,26,302,69
LEFT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G05	HYDRAPLUS	134,26,302,69
LEFT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A05	HYDRAPLUS	134,26,302,69
LEFT COUPLING SUPPORT FOR ROPE H+	2C1A55653V01	HYDRAPLUS	31,302
LEFT LANDING DOOR LOCK FL	902790G01	FINELINE	172,302
LEFT LANDING LOCK DOOR 11/L AND 41/C H/P1	2L2A030009V01	HYDRA	46,302
LEFT LANDING LOCK DOOR 31/L-61/C H/P1	2L2A030050V01	HYDRA	152,46,302
LEFT LOCK IP20 POUR EXPANSION SKATE S2L/S3L CM	B153ABZX05	C MOD	215,302
LEFT LOCK LEVER WITH ROLLER H/P1	3201.13.0017V01	HYDRA	152,47,302
LEFT LOCK PLATE ASEMBLY WITH CONTACT S2L CM	BL-B151ACCX01	C MOD	215,302
LEFT LOCK PLATE ASEMBLY WITH CONTACT S2Z/S4Z CM	BL-B151ACAX01	C MOD	216,302
LEFT MICROSWITCH CONTACT HA	3201.05.9254V02	HYDRARM	88,302
LEFT OL35 Ø206 NS=0,63 TS=0,82	STOL35_206_063_G	OL35	257,302
LEFT OL35 Ø206 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_206_063_ RC_G	OL35	257,302
LEFT OL35 Ø206 NS=0,7 TS=0,91	STOL35_206_070_G	OL35	257,302
LEFT OL35 Ø206 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_206_070_ RC_G	OL35	257,302
LEFT OL35 Ø206 NS=1 TS=1,3	STOL35_206_100_G	OL35	258,302
LEFT OL35 Ø206 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_206_100_ RC_G	OL35	257,302
LEFT OL35 Ø206 NS=1,6 TS=2	STOL35_206_160_G	OL35	258,302
LEFT OL35 Ø206 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_206_160_ RC_G	OL35	258,303
LEFT OL35 Ø262 NS=0,63 TS=0,82	STOL35_262_063_G	OL35	258,303
LEFT OL35 Ø262 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_262_063_ RC_G	OL35	258,303
LEFT OL35 Ø262 NS=0,7 TS=0,91	STOL35_262_070_G	OL35	259,303
LEFT OL35 Ø262 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_262_070_ RC_G	OL35	259,303
LEFT OL35 Ø262 NS=1 TS=1,3	STOL35_262_100_G	OL35	259,303
LEFT OL35 Ø262 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_262_100_ RC_G	OL35	259,303
LEFT OL35 Ø262 NS=1,6 TS=2	STOL35_262_160_G	OL35	259,303

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
LEFT OL35 Ø262 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_262_160_RC_G	OL35	259,303
LEFT SCHMERSAL MICROSWITCH HA/P3	3201059025V02	HYDRARM	88,303
LEFT SUPPORT WITH BRIDGE ON DOOR 12R-42-62 H+/HA	2C2A040180V02	HYDRARM	90,303
LEFT SWINGARM TENSION WEIGHT Ø206	OL35206G662135	OL35	256,303
LEFT SWINGARM TENSION WEIGHT Ø262	OL35262G662135	OL35	256,303
LEFT UNLOCKING DEVICE DOOR 4 AND 6 PANELS H	3201.13.0008V02	HYDRA	43,303
LEFT YELLOW TIP FOR REINFORCED COUPLER HB	2L1H050015V02	HYDRABELT	120,303
LIFT DOOR CONTROL PCB, ECO+ (SD) AD	903510G01K	AMD	167,19,294,196,303,63
LINKAGE ASYM. LANDING DOOR (FOR EMERGENCY OPENING DEVICE) FL	902990H01	FINELINE	172,303
LINKAGE SYM. LANDING DOOR (FOR EMERGENCY OPENING DEVICE) FL	902990H02	FINELINE	172,303
LOCK BUFFER AE	1005332P01	AUGUSTA EVO	179,303
LOCK CONTACT KX 3201 WITH CABLE LEN=2M H	6404.00.0002	HYDRA	45,303
LOCK CONTACT KX 3201 WITH CABLE LEN=5M H	2Z6404000002.5000	HYDRA	45,303
LOCK CONTROL ROLLER WITH BEARING H/P1	3201.14.0267	HYDRA	47,303
LOCK COUPLER LH NH=500 AMDC2R AD	601500G05	AMD	202,303
LOCK COUPLER R1 NH 300 RIGHT AD	900650G13	AMD	201,303
LOCK COUPLER R1 NH 400 LEFT AD	900650G04	AMD	201,303
LOCK COUPLER R1 NH 400 RIGHT AD	900650G14	AMD	201,303
LOCK COUPLER RH NH=500 AMDC2R AD	601500G15	AMD	202,303
LOCK FELT H/P1	3201.05.7060	HYDRA	153,47,303
LOCK FELT H3	2L1A157442	HYDRA 3000	74,303
LOCK HOOK LEFT H/P1	3201.05.5025V02	HYDRA	152,47,303
LOCK HOOK RIGHT H/P1	3201.05.5025V01	HYDRA	152,47,303
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (L) BG/MF	BL-B151ADFX01	2000B-GOODS	224,303,237
LOCK PLATE ASSEMBLY FOR SKATE WITH CAR DOOR LOCK (R) BG/MF	BL-B151ADFX02	2000B-GOODS	224,303,237
LOCK RELEASE MECHANISM H	3201.03.0001V01	HYDRA	43,304
LOCK ROLLER 20MM SILL SPACER AE	3215.05.0037	AUGUSTA EVO	179,304
LOCK ROLLER COMPLETE AD	601107G03	AMD	204,304
LOCK ROLLER FIXING PLUG AE	2L1M055065	AUGUSTA EVO	180,304
LOCK ROLLER H3	2L1A150042	HYDRA 3000	74,304
LOCK ROLLER IN NYLON, EXTENDED.	22990	MISCELLANEOUS	278,304
LOCK ROLLER SMALL R1 AD	601865G02	AMD	199,304
LOCK ROLLER WITH BEARING H/P1	2L2A030121	PEGASUS	153,304
LOW SPEED TRUCK UPPER UPPER ROLLER AE	3215.05.0039	AUGUSTA EVO	182,304

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
LSE-LIGHT SENSOR SYS/LSE FIXING BRACKET (MOUNTING BRACKET) FL	903070G02	FINELINE	173,304
MAGNET BRACKET FOR COUPLER ECO MIDI SUPRA H+/ PE/H3	2C1A055680	HYDRAPLUS	135,26,304,27,70
MAGNET ECO H+/H3/AE	3201.15.9952	HYDRA 3000	21,304,64,304
MAGNET ECO HYDRA H+/H3/AE	3201.15.9952	HYDRAPLUS	21,304,64,304
MAGNET H+/EB/PE/H3	3215.05.9001	HYDRAPLUS	131,189,20,304,63
MAGNETIC CONTACT H3	2C1M059002V02	HYDRA 3000	76,304
MAGNETIC FIXATION ECO H+/H3	2C2A030942V01	HYDRAPLUS	21,304,65
MAGNETIC FIXATION MIDI/SUPRA. KIT H+	2C2A030943	HYDRAPLUS	21,304
MAIN ROLLER PEGASUS PE/P1	3205.04.0012	PEGASUS PLUS	132,304
MANOMETER	CA100132	HYDRAULICS	274,304
MAXIMUM PRESSURE SWITCH	CA100354	HYDRAULICS	274,304
MECHANICAL RELEASE EB	2C2R030003	ECOBUS	191,304
MEDBRINGARE FL	902771G02	FINELINE	170,304
MEDIUM TRACTION SHEAVE HA	3201.05.1024	HYDRARM	91,304
MEDIUM TRACTION SHEAVE WITH BUSHING HA	3201.05.1025V01	HYDRARM	91,304
MICRO SWITCH A3	GEN0173	MOTOR GROUP	264,304
MICROSWITCH 3A - 250V	ABV1210619	MOTOR GROUP GEARLESS	270,304
MICROSWITCH FOR WSG-S1/S2	85365007	MOTOR GROUP GEARLESS	270,304
MICROSWITCH FOR WSG08	ET37742100807	MOTOR GROUP GEARLESS	270,304
MICROSWITCH NS 10A 125/250V HA	C3201159268	HYDRARM	89,304
MICROSWITCH TYPE AMF WITH COVER HA/P3	3201.03.0256	HYDRARM	88,304
MIDI MOTOR FOR HYDRA 3000 - ERSÄTTER 3201.04.0254V01 H+	1008588A01	HYDRAPLUS	19,304
MIDI MOTOR FOR HYDRA 3000. - ERSATT AV 1008588A01 H3	3201.04.0254V01	HYDRA 3000	63,304
MIDI SUPRA BOARD AD	2C2A903376G01K	AMD	196,304
MIDI SUPRA BOARD H+/PE/H3	903376G01K	HYDRAPLUS	131,19,305,63
MIDI SUPRA BOARD TYPE EMS WIDE H+	903378G01H	HYDRAPLUS	19,305
MIDI SUPRA BOARD TYPE OTIS FLEX H+	903377G01TE	HYDRAPLUS	19,305
MIDI SUPRA TOOTH BELT PULLEY H+/H3/AD	2C2A601319G01	HYDRAPLUS	197,21,305,64
MIDI SUPRA TRANSFORMER H+/PE/H3/AD	601805G01	HYDRAPLUS	131,19,305,197,63
MIDI/SUPRA CONTROL UNIT FOR RCF HB	903376G02R	HYDRABELT	114,305
MONOSTABLE BERNSTEIN CONTACT NO/NC RESET MANUAL IP54 H	W002116	HYDRA	43,305
MOTOR 14 KG 230/400V 0,35/0,27A 50HZ HA	2C1A059001.380M	HYDRARM	85,305
MOTOR 24 KG 50 HZ 127/230V HA	2C1A059040.127M	HYDRARM	85,305

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
MOTOR 24 KG 50 HZ 230/400V HA	2C1A059040.380M	HYDRARM	85,305
MOTOR 3-PHASE 24KG 127/220V 50HZ HB	3201.05.9259	HYDRABELT	114,305
MOTOR 3-PHASE 30K 50H 00 220/380 900R HA	3201.05.9249.380M	HYDRARM	85,305
MOTOR BELT L= 1080 HA	3201.05.9016.3V	HYDRARM	90,305
MOTOR BELT L= 1092 HA	3201.15.9013	HYDRARM	90,305
MOTOR BELT L= 965 HA/HB	3201.05.9152	HYDRARM	90,305
MOTOR BELT 660MM (POLY-V 7 GROOVES) BG	BL-CX00XAAXAAH	2000B-GOODS	221,305
MOTOR BRAKE LEVER KIT, BRAKE, PLASTIC PIECE, WIRE, SPRINGS HA	3201.23.1697	HYDRARM	88,305
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH D SUB 15 CONNECTOR BG/MF	BL-H105AADX02	2000B-GOODS	219,305
MOTOR BRUSHLESS 5A, 230VAC SUPPLY ASSEMBLY WITH RJ45 CONNECTOR BG/MF	BL-H105AADX01	2000B-GOODS	219,305,234
MOTOR DC 24V 7,5A 120W 1200RPM HA	2C1A059093	HYDRARM	85,305
MOTOR DC 48V 240W 1200RPM HA	2C1A159026	HYDRARM	85,305
MOTOR DRIVING PULLEY WITH GEAR (K2-4) BG	BL-B130AACX	2000B-GOODS	219,305
MOTOR FIXING. KIT=RIGHT + LEFT	L-00062	MISCELLANEOUS	279,305
MOTOR OPERATOR ARM 3 REDUCTIONS HA	2C1A051013V02	HYDRARM	94,305
MOTOR PINION Ø22MM AC HA/HB	2C1A156061.22	HYDRARM	115,86,305
MOTOR PINION Ø22MM DC HA/HB	3201.15.6061.CC22	HYDRARM	115,86,305
MOTOR PINION Ø25 MM HB/HA	2C1A156061.25	HYDRARM	115,86,305
MOTOR PINION Ø30 MM HB/HA	2C1A156061.30	HYDRARM	115,86,305
MOTOR PINION Ø35 MM HB/HA	2C1A156061.35	HYDRARM	115,87,305
MOTOR PINION Ø42 MM HB/HA	2C1A156061.42	HYDRARM	115,87,305
MOTOR PINION Ø50 MM HB/HA	2C1A156061.50	HYDRARM	115,87,305
MOTOR PINION Ø60 MM HB/HA	2C1A156061.60	HYDRARM	115,87,305
MOTOR PULLEY WASHER RCF1 HB	3201056218	HYDRABELT	116,305
MOTOR PULLEY/TRACTION SHEAVE HA/HB	3201.15.6061.CC25	HYDRARM	115,86,305
MOTOR RCF1 30 KG/CM 900RPM 127/230V 50HZ HB	2C1A059249.127	HYDRABELT	114,306
MOTOR TOOTHED BELT RPP 5M/9-675MM BG	BL-CX00XAAXACW	2000B-GOODS	220,306
MOTOR UNIT D1 LEFT AD	903370G03	AMD	196,306
MOTOR UNIT D1 RIGHT AD	903370G04	AMD	196,306
MOTOR UNIT D1 WITH ENCODER LEFT AD	89717G03	AMD	196,306
MOTOR UNIT D1 WITH ENCODER RIGHT AD	89717G04	AMD	196,306
MOTOR UNIT FOR RCF UPGRADE KIT HB	903345G02	HYDRABELT	114,306
MOTORIZATION CHAIN 2 REDUCTIONS LEN=885MM HA	C3201059049L088	HYDRARM	91,306
MOTORIZATION CHAIN 3 REDUCTIONS LEN=1135MM HA	C3201059049L113	HYDRARM	91,306
NEEDLES FOR FIX. MAGNET CLIP H+/H3	2C1A156923V01	HYDRAPLUS	21,306,65

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
NUT FOR SYNCHRONISATION ROPE CLAMP H/H+/HA/HB/ PE/P1/H3	3201.15.6012	HYDRAPLUS	100,121,133,154, 24,306,49,67
NUT M10 FOR FIXING 2C1A056051/SRN HA/H+	2C1A156130	HYDRAPLUS	103,32,306
NUT M8 AE	1005399P01	AUGUSTA EVO	180,306
NYLON FLYWHEEL FOR MR10	XVO0170--VOL0330	MOTOR GROUP	267,306
NYLON FLYWHEEL FOR MR13	XVO0176--VOL0341	MOTOR GROUP	268,306
NYLON FLYWHEEL FOR MR14	XVO0169--VOL0325	MOTOR GROUP	267,306
NYLON FLYWHEEL FOR SH110	XVO0194--VOL0335	MOTOR GROUP	266,306
OIL LEVEL PLUG MR10/13/16 - SH110/130	TAP0019	MOTOR GROUP	263,306
OIL LEVEL PLUG MR14	COP0052	MOTOR GROUP	263,306
OPENING DOOR RUBBER BUTTON H+/FL/HB/EB/PE/H3	3215050401V02	HYDRAPLUS	114,131,167,189,20,306,64
OPERATOR ARM PLATE HA	2C1A057103	HYDRARM	94,306
OPERATOR RAIL LEN=1190MM HA	2C1A057107.1190	HYDRARM	94,306
OPERATOR TOOTHED BELT «RPP» 8M-12MM (L=10000MM) CM/BG/MF	BL-C076AACG-10000	C MOD	210,306,220,234
OSCILLATOR SWITCH IP40, 24/60VD OS6.3 AD	86420G01	AMD	201,306
OVERSPEED GOVERNOR ROPE Ø6,5MM (METER)	ON REQUEST	OL35	256,306
OVERSPEED GOVERNOR ROPE Ø6MM (METER)	ON REQUEST	OL35	256,306
PANEL ADAPTER FRONT FIXING R1 AD	603782G02	AMD	204,306
PANEL ADAPTER TOP FIXING R1 AD	603782G01	AMD	204,306
PANEL BOLT PEGASUS GLASS P1	3214.15.6011	PEGASUS	156,306
PANEL BUFFER FL	3215395013	FINELINE	173,306
PANEL EXTENSION 100 X 75MM H+/HA/HB/H3	3201.15.5448L007	HYDRAPLUS	103,122,33,306,77
PANEL EXTENSION 50 X 105MM H+/HA/HB/H3	3201.15.5448L005	HYDRAPLUS	103,122,33,306,77
PANEL FIXING FOR GLASSED PANELS HA	2L1A156157	HYDRARM	102,306
PANEL SLIDING SHOES KIT = 8PCS FL	903015G01	FINELINE	171,306
PANELBOLT KIT FL	902995G01	FINELINE	170,306
PANELS EXTENSION H100 MM DOOR 33/35 PL 700 MM H+/HB/HA	WE96-099	HYDRAPLUS	103,122,33,307
PANELS EXTENSION H100 MM DOOR 33/35 PL 800 MM H+/HB/HA	WE96-100	HYDRAPLUS	103,122,33,307
PANELS FIXING BOLT DOOR 33 AND 63 LEN=110MM HA/H+	2L1A056079.110	HYDRAPLUS	103,32,307
PANELS FIXING FOR FRONT TRUCK FIXATION HA/H+	3201.05.6051V01	HYDRAPLUS	102,32,307
PART LOAD, R2 PANEL FIXING AMD0/1/2 AD	900480G01	AMD	202,307
PART OF RETRACTABLE CAM/COUPLER HOOK/BANANA HA	3205.05.0015.V01	HYDRARM	97,307
PIN FOR RETURN MECHANISM HA	3201.05.6015	HYDRARM	96,307
PIT EGRESS DEVICE DOOR 01/C H	1013217A01	HYDRA	55,307
PIT EGRESS DEVICE DOOR 01/C P1	1019147A01	PEGASUS	159,307
PIT EGRESS DEVICE DOOR 11-31-41-61 P1	1019144A01	PEGASUS	159,307

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
PIT EGRESS DEVICE DOOR 11/L-31/L-41-61 H	1013236A01	HYDRA	55,307
PIT EGRESS DEVICE DOOR 11/R-31/R H	1013236A02	HYDRA	55,307
PIT EGRESS DEVICE DOOR 43-65 H	1013399A01	HYDRA	55,307
PIT EGRESS DEVICE GLASSED DOOR 01/C H	1013217A03	HYDRA	55,307
PIT EGRESS EOD LEFT FL	1014530A01	FINELINE	174,307
PIT EGRESS EOD RIGHT FL	1014530A02	FINELINE	174,307
PLASTIC BUSH HA	3201.15.0012	HYDRARM	95,307
PLASTIC BUSHING EB	2C1R050001	ECOBUS	192,307
PLUG 4 POLES AMDVC *ECO* AD	901144H01	AMD	204,307
PROTECTIVE COVER FOR ROLLER CABLE SYNCHRONISATION H+/HB/HA/H/PE/P1/H3	3201.05.5045	HYDRAPLUS	121,132,155,23,307,50,66,99
PULLEY FIXING BOLT HB	3201056201	HYDRABELT	117,307
PULLEY FOR V-BELT FOR OLD MOTORIZATION HA	2C1A051022	HYDRARM	91,307
PULLEY SPACER HB	3201056203	HYDRABELT	116,307
PULLEY SUPPORT OLD MODEL HA	2C1A040023	HYDRARM	92,307
PZ 73 CONTACT HA/H/P1	3201.05.9006	HYDRA	151,307,45,307,88,307
PZ 73 CONTACT HA/H/P1	3201.05.9006	PEGASUS	151,307,45,307,88,307
PZ73 CONTACT HA/H/P1	3201.05.9006	HYDRARM	151,307,45,307,88,307
RCF1 REPLACEMENT KIT HB	903340G01	HYDRABELT	114,307
RE-CLOSING ROPE DOOR 01/C H3	2L1A154023	HYDRA 3000	75,307
RE-CLOSING ROPE DOOR LEN=1310 MM H3	3212.05.4010L131	HYDRA 3000	208,316,76,307
RE-CLOSING ROPE DOOR LEN=1700 MM H3	2L1A154026	HYDRA 3000	75,307
RE-CLOSING ROPE LEN=2300 MM + ROPE CLAMP H/P1/H3	3201.15.4001L210	HYDRA	157,53,307,77,311
RE-CLOSING ROPE LEN=3700 MM + ROPE CLAMP H/P1/H3	3201.15.4001L370	HYDRA	157,53,307,77,291
RE-CLOSING ROPE LEN=4000 MM + ROPE CLAMP H/P1/H3	2L2A154001L400	HYDRA	157,53,307,77
RE-CLOSING ROPE LEN=6000 MM + ROPE CLAMP H/P1	2L2A154001L600	HYDRA	157,53,307
REBUILD KIT. HYDRA / FINELINE	L-00447	MISCELLANEOUS	279,308
REFSW CONTACT FOR ECO MIDI SUPRA BOARD H+/EB/PE/H3	274878	HYDRAPLUS	131,189,20,308,64
REINFORCED EXPENSION SKATE WITH CAR DOOR LOCKING DEVISCE EN81-1/2 BG/MF	BL-B152ACKX02	2000B-GOODS	223,308,237
REINFORCED FIXING FOR DRIVE ARM HA	2C1A140146	HYDRARM	95,308
REINFORCED OPERATOR RAIL LEN=2M HA	3201052052.2000	HYDRARM	94,308
REINFORCED RE-CLOSING SPRING H/P1/H3	2L1A053019	HYDRA	157,52,308,76
REINFORCED WHITE TOP ROLLER H/H+/HA/HB/H3	1023902A01	HYDRAPLUS	119,22,308,50,66,97
REMOTE CONTROL MOTOR LEFT	88970G11	OL35	256,308
REMOTE CONTROL MOTOR RIGHT	88970G12	OL35	256,308
REOPENING ARM FOR ROLL (12/R) HA	3201.04.0014V01	HYDRARM	95,308

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
REOPENING ARM FOR ROLL (LEFT/CENTRAL) HA	3201.04.0014V02	HYDRARM	95,308
REOPENING MECHANICAL ARM HA	3201.05.5003	HYDRARM	96,308
REOPENING MECHANISM ARM SUPPORT HA	3201.05.5095	HYDRARM	96,308
REOPENING MECHANISM ROLL HA	3201.05.0006	HYDRARM	96,308
REOPENING MECHANISM SPRING HB/HA	3201.05.3006	HYDRARM	96,308
REOPENING SYSTEM AXLE HA	2C1A056081	HYDRARM	95,308
REOPENING SYSTEM ROLLER HB	2C1A050006	HYDRABELT	120,308
REOPENING SYSTEM SPRING HA	2C1A053010	HYDRARM	96,308
RETRACTABLE CAM/COUPLER CURVE PIN H	3201.05.6088	HYDRA	44,308
RETRACTABLE CAM/COUPLER SHEET ARM HA	3201.02.0118V01 A	HYDRARM	97,308
RETRACTABLE CAM/COUPLER - REINFORCED LEFT HB	3201.12.0153V02	HYDRABELT	120,308
RETRACTABLE CAM/COUPLER - REINFORCED RIGHT HB	3201.12.0153V01	HYDRABELT	120,308
RETRACTABLE CAM/COUPLER -LONG 700 REINFORCED FOR BELT HB	3201.12.0188V01	HYDRABELT	120,308
RETRACTABLE CAM/COUPLER -LONG 700 REINFORCED LEFT HB	3201.12.0188V02	HYDRABELT	120,308
RETRACTABLE CAM/COUPLER VANE SET, 500MM 1PAR AD	602493G05	AMD	202,308
RETRACTABLE CAM/COUPLER, REINFORCED, SHORT, 400MM ARM HA	3201.02.0111.A	HYDRARM	98,308
RETRACTABLE COUPLER AMD, CPL, LH NH=300 R1 AD	602324G03	AMD	201,308
RETRACTABLE COUPLER AMD, CPL, LH NH=400 R1 AD	602324G04	AMD	201,308
RETRACTABLE COUPLER AMD, CPL, RH NH=300 R1 AD	602324G13	AMD	201,308
RETRACTABLE COUPLER AMD, CPL, RH NH=400 R1 AD	602324G14	AMD	201,308
RETRACTABLE COUPLER AMD, RH, R2, NH=500, AD	601400G15	AMD	201,308
RETRACTABLE COUPLER SYSTEM SELCOM AMD2 R2 LH AD	902070G05	AMD	202,308
RETRACTABLE COUPLER SYSTEM SELCOM AMD2 R2 RH AD	902070G15	AMD	203,308
RIGHT BELT FIXING FL	902767G01	FINELINE	168,308
RIGHT COMPLETE EMERGENCY RELEASE HA	2C2A030086V03	HYDRARM	94,309
RIGHT COUPLER ECO WITH CAR DOOR LOCK H+/H3	901870G15	HYDRAPLUS	24,309,68
RIGHT COUPLER MIDI SUPRA H+/PE/H3	S0901872A15	HYDRAPLUS	133,25,309,68
RIGHT COUPLER MIDI SUPRA WITH CAR DOOR LOCK H++/PE/H3	2C2A901873G15	HYDRAPLUS	134,25,309,68
RIGHT COUPLER MIDI WITH SPACER OF 15 MM H+/PE/H3	2C2A902498G15	HYDRAPLUS	134,26,309,69
RIGHT COUPLER OP MIDI WITH SPACER OF 20 MM H+/PE/H3	2C2A902480G15	HYDRAPLUS	134,26,309,69
RIGHT COUPLER OP MIDI WITH SPACER OF 30 MM H+/PE/H3	S0902494A15	HYDRAPLUS	135,26,309,69
RIGHT COUPLING SUPPORT FOR ROPE H+	2C1A55653V02	HYDRAPLUS	31,309
RIGHT LANDING DOOR LOCK FL	902790G02	FINELINE	172,309
RIGHT LANDING LOCK DOOR 11/R AND 41/C H/P1	2L2A030009V02	HYDRA	46,309

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
RIGHT LANDING LOCK DOOR 31/R-61/C H/P1	2L2A030050V02	HYDRA	152,46,309
RIGHT LOCK IP20 POUR EXPANSION SKATE S2L/S3L CM	B153ABZX06	C MOD	215,309
RIGHT LOCK LEVER WITH ROLLER H/P1	2L1A130017V02	HYDRA	47,309
RIGHT LOCK PLATE ASEMBLY WITH CONTACT S2R CM	BL-B151ACCX02	C MOD	215,309
RIGHT LOCK PLATE ASEMBLY WITH CONTACT S2Z/S4Z CM	BL-B151ACAX02	C MOD	216,309
RIGHT MICROSWITCH CONTACT HA	3201.05.9254V01	HYDRARM	88,309
RIGHT OL35 Ø206 NS=0,63 TS=0,82	STOL35_206_063_D	OL35	257,309
RIGHT OL35 Ø206 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_206_063_ RC_D	OL35	257,309
RIGHT OL35 Ø206 NS=0,7 TS=0,91	STOL35_206_070_D	OL35	257,309
RIGHT OL35 Ø206 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_206_070_ RC_D	OL35	257,309
RIGHT OL35 Ø206 NS=1 TS=1,3	STOL35_206_100_D	OL35	257,309
RIGHT OL35 Ø206 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_206_100_ RC_D	OL35	257,309
RIGHT OL35 Ø206 NS=1,6 TS=2	STOL35_206_160_D	OL35	258,309
RIGHT OL35 Ø206 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_206_160_ RC_D	OL35	258,309
RIGHT OL35 Ø262 NS=0,63 TS=0,82	STOL35_262_063_D	OL35	258,309
RIGHT OL35 Ø262 NS=0,63 TS=0,82 WITH REMOTE CONTROL	STOL35_262_063_ RC_D	OL35	258,309
RIGHT OL35 Ø262 NS=0,7 TS=0,91	STOL35_262_070_D	OL35	258,309
RIGHT OL35 Ø262 NS=0,7 TS=0,91 WITH REMOTE CONTROL	STOL35_262_070_ RC_D	OL35	258,309
RIGHT OL35 Ø262 NS=1 TS=1,3	STOL35_262_100_D	OL35	259,309
RIGHT OL35 Ø262 NS=1 TS=1,3 WITH REMOTE CONTROL	STOL35_262_100_ RC_D	OL35	259,309
RIGHT OL35 Ø262 NS=1,6 TS=2	STOL35_262_160_D	OL35	259,309
RIGHT OL35 Ø262 NS=1,6 TS=2 WITH REMOTE CONTROL	STOL35_262_160_ RC_D	OL35	259,309
RIGHT SCHMERSAL MICROSWITCH HA/P3	3201059025V01	HYDRARM	88,310
RIGHT SUPPORT WITH BRIDGE ON DOOR 12R-42-62 H+/HA	2C2A040180V01	HYDRARM	90,310
RIGHT SWINGARM TENSION WEIGHT Ø206	OL35206D662135	OL35	256,310
RIGHT SWINGARM TENSION WEIGHT Ø262	OL35262D662135	OL35	256,310
RIGHT UNLOCKING DEVICE DOOR 4 AND 6 PANELS H	3201.13.0008V01	HYDRA	43,310
RIGHT YELLOW TIP FOR REINFORCED COUPLER HB	2L1H050015V01	HYDRABELT	120,310
ROLLER CLOS:WEIGHT, D48X9MM, PLASTIC AD	601115G01	AMD	173,310,199,310
ROLLER FOR COUNTERWEIGHT FL	601115G01	FINELINE	173,310,199,310
ROLLER FOR COUPLER HB	2L1C056059	HYDRABELT	119,310
ROLLER SUPPORT DOOR 02 HA	2C2A040061	HYDRARM	100,310
ROLLER SUPPORT DOOR 32-35-62 HA	2C2A040062	HYDRARM	101,310

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
ROLLER SUPPORT DOOR 35 R/L HA	2C1A140183	HYDRARM	102,310
ROLLER SUPPORT FOR DOOR 12-42 HA	2C2A040057	HYDRARM	100,310
ROLLER SUPPORT FOR RE-CLOSING SYSTEM H/P1/H3	2L2A399850V10	HYDRA	156,52,310,75
ROLLER SUPPORT, LEFT H/P1/H3	3201.15.5828V01	HYDRA	156,52,310,75
ROLLER SUPPORT, RIGHT H/P1/H3	3201.15.5828V02	HYDRA	156,52,310,75
ROLLER UNIT LEVER STRAIGHT R, LOCK AT RIGHT AD	603150G04	AMD	199,310
ROLLER UNIT R, LEVER CURVED R2, LOCK AT RIGHT AD	603150G02	AMD	199,310
ROLLER UNIT V/C, LEVER CURVED R2, LOCK AT LEFT AD	603150G01	AMD	199,310
ROLLER UNIT, LEVER STRAIGHT L/C, LOCK AT LEFT AD	603150G03	AMD	199,310
ROOF FIXING KIT. FINELINE. RIGHT X 1 + LEFT X 1 + FIXING X 2	L-02206	MISCELLANEOUS	281,310
ROOF FIXING. MODEL 11. KIT=RIGHT + LEFT	L-00061	MISCELLANEOUS	279,310
ROOF FIXING. MODEL 11. SPECIAL. KIT=RIGHT + LEFT	L-02073	MISCELLANEOUS	280,310
ROOF FIXING. MODEL 12. LOW CAR.	L-02148	MISCELLANEOUS	281,310
ROPE CLAMP FOR RE-CLOSING ROPE H/P1/H3	C3201059028	HYDRA	158,53,310,77
ROPE CLAMP H3	2L1A040160	HYDRA 3000	76,310
ROPE CLAMP PLATE DOOR 34/R-L HA	2C1A155382	HYDRARM	101,310
ROPE CLAMP SUPPORT FIXING POINT SYNCHRONISATION ROPE HA/H/P1	2L1A057018	HYDRA	100,154,49,310
ROPE DIVERTING ROLLER H+/HB/HA/H/PE/P1/H3	3201.05.0010	HYDRAPLUS	121,132,155,23,310,49,66,99
ROPE DIVERTING ROLLER H/EB/P1/H3/AE	3201.05.0037	HYDRA	156,180,192,51,310,75
ROPE KIT FOR SKATE BG/MF	BL-B088AAFX	2000B-GOODS	224,310,235
ROPE SUPPORT FOR DOUBLE RE-CLOSING SPRING H/P1	2L1A155447	HYDRA	157,53,310
ROPE SUPPORT FOR RE-CLOSING SPRNG H/P1	2L1A055040	HYDRA	101,157,52,310
ROPE TOP FRAME FIXED POINT FL	902915G02	FINELINE	169,310
RUBBER LOCK STOP ROLLER, ROUND SHAPE (LENGTH = 16MM)	BL-C138AAAG02	C MOD	216,311
S2-3L C-MOD EN81-20/50 EMERGENCY ASSEMBLY CM	BL-A018AACX01	C MOD	214,311
S2-3R - S4Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY CM	BL-A018AACX02	C MOD	214,311
S2Z C-MOD EN81-20/50 EMERGENCY ASSEMBLY CM	BL-A018AABX01	C MOD	213,311
SAFETY SWITCH AD	904260A03	AMD	200,311
SCHIMS. 2,0X16X220	L-02371	MISCELLANEOUS	281,311
SCHMERSAL CONTACT AZ15 ZVK-M20 HA	C3201159111	HYDRARM	89,311
SCHMERSAL MICROSWITCH TK236 IP67 HA	2C1A059260	HYDRARM	88,311
SCREW FOR UNLOCKING LEVER M4X10 FL	260532	FINELINE	172,311
SCREW M5X6 FOR MOTOR PINION HA	C705605008	HYDRARM	87,311
SCREW M5X8 FOR MOTOR PINION HA	C700905008	HYDRARM	87,311
SCREW N°4 (PARACHUTE TEST) FOR CENTRAL NL210	8H3F0297	HYDRAULICS	274,311

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
SCREW-KIT, FOR NORDIC LIGHT CURTAIN.	L-00078	MISCELLANEOUS	279,311
SCREWS PACKAGING FOR PANELS FIXING BG/MF	BL-SEM-E6	2000B-GOODS	225,311,238
SDS/SRS HANDSET WITH CABLE RJ45 CM/BG/RD/MF	BL-B111AAKX	C MOD	210,311,220,232,234
SELCOM R2 LOCK COUPLER LEFT AD	902080G05	AMD	203,311
SELCOM R2 LOCK COUPLER RIGHT AD	902080G15	AMD	203,311
SELF CLOSING WIRE 01/C AE	2L1M054001	AUGUSTA EVO	182,311
SELF CLOSING WIRE 11/L-R AE	2L1M054002	AUGUSTA EVO	182,311
SELF CLOSING WIRE H/P1/H3	3201.15.4001L210	HYDRA 3000	157,53,307,77,311
SELF CLOSING WIRE H3	2L1A154012	HYDRA 3000	76,311
SELF-CLOSING SPRING 700MM H/P1/H3	3201.05.3007	HYDRA	156,52,311,76
SEMATIC DRIVE SYSTEM© POWER SUPPLY CABLE FOR BX-HYDROELITE CONNECTION CM/MF	BL-B066AAMX	C MOD	210,311,234
SEMATIC DRIVE SYSTEM©/SEMATIC ENCODER SYSTEM© MAIN LIFT BOARD ADAPTER BG	BL-B066AAEXN	2000B-GOODS	220,311
SENSOR DISC HB	3201.05.7204	HYDRABELT	117,311
SET OF 2 POLY BELTS TYPE PJ-965 HB/HA	2C2A231511	HYDRABELT	116,311
SET OF 24 SHOES 2L1A050062 HA/H/HB/H+/PE/P1/H3	2L2A231360	HYDRAPLUS	103,122,139,158, 33,311,54,78
SET OF 3 SYNCHRONISATION ROPES 2M HB/H+/HA/H/ PE/P1/H3	2C2A231720L200	HYDRAPLUS	121,133,153,23,311,48,66,99
SET OF 3 SYNCHRONISATION ROPES 3M HB/H+/HA/H/ PE/P1/H3	2C2A231720L300	HYDRAPLUS	121,133,153,23,311,48,66,99
SET OF 3 SYNCHRONISATION ROPES 4M HB/H+/HA/H/ PE/P1/H3	2C2A231720L400	HYDRAPLUS	121,133,154,23,311,48,67,99
SET OF 3 SYNCHRONISATION ROPES 5M HB/H+/HA/H/ PE/P1/H3	2C2A231720L500	HYDRAPLUS	100,121,133,154, 23,311,48,67
SET OF 4 COUNTER ROLLERS IN IRON H+/H/P1	2L2A231395	HYDRAPLUS	156,23,311,51
SET OF 8 ROPE DIVERTING ROLLERS + WASHERS HB/H+/ HA/H/PE/P1/H3	2L2A231385	HYDRAPLUS	121,132,155,23,312,50,66,99
SET OF MIDI SUPRA BELT CLAMPS H+/PE/H3/AD	601345A01	HYDRAPLUS	132,197,20,312,64
SET OF PANEL BOLTS KIT = 4 PCS H3	PA.D8	HYDRA 3000	73,312
SET SEALS FOR CYLINDER C97 Ø100	8H3F0085	HYDRAULICS	274,312
SET SEALS FOR CYLINDER C97 Ø110	8H3F0086	HYDRAULICS	274,312
SET SEALS FOR CYLINDER C97 Ø120	8H3F0087	HYDRAULICS	274,312
SET SEALS FOR CYLINDER C97 Ø130	8H3F0088	HYDRAULICS	275,312
SET SEALS FOR CYLINDER C97 Ø150	8H3F0089	HYDRAULICS	275,312
SET SEALS FOR CYLINDER C97 Ø60	8H3F0657	HYDRAULICS	275,312
SET SEALS FOR CYLINDER C97 Ø70	8H3F0658	HYDRAULICS	275,312
SET SEALS FOR CYLINDER C97 Ø80	8H3F0083	HYDRAULICS	275,312
SET SEALS FOR CYLINDER C97 Ø90	8H3F0084	HYDRAULICS	275,312
SET SEALS FOR VALEVE VALVE AND PILOTS NL210	8H3F0148	HYDRAULICS	274,312

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
SET SEALS FOR VALEVE VALVE AND PILOTS NL380	8H3F0149	HYDRAULICS	274,312
SET SEALS FOR VALEVE VALVE AND PILOTS NL600	8H3F0150	HYDRAULICS	274,312
SHOE SUPPORT AE	1006062P01	AUGUSTA EVO	180,312
SICKEL ASSEMBLY LEFT LL 500-699MM EB	2C2R020012V01	ECOBUS	190,312
SICKEL ASSEMBLY LEFT LL 700-1100MM EB	2C2R020012	ECOBUS	190,312
SICKEL ASSEMBLY RIGHT LL 500-699MM EB	2C2R020011V01	ECOBUS	190,312
SICKEL ASSEMBLY RIGHT LL 700-1100MM EB	2C2R020011	ECOBUS	190,312
SICKEL LEFT LL 500-699MM EB	2C2R030011V05	ECOBUS	190,312
SICKEL LEFT LL 700-1100MM EB	2C2R030011V01	ECOBUS	190,312
SICKEL RIGHT LL 500-699MM EB	2C2R030011V04	ECOBUS	191,312
SICKEL RIGHT LL 700-1100MM EB	2C2R030011V02	ECOBUS	190,312
SILL IN ALUMINIUM. NORDIC.	92660060-005 . 3201.00.014	MISCELLANEOUS	279,312
SILL IN ALUMINIUM. NORDIC. L=1220 MM	92660060-001	MISCELLANEOUS	278,312
SILL IN ALUMINIUM. NORDIC. L=1370 MM	92660060-002	MISCELLANEOUS	278,312
SILL IN ALUMINIUM. NORDIC. L=1520 MM	92660060-003	MISCELLANEOUS	278,312
SILL PROFILE CAR/LANDING CO=900;SYM FL	902974H15	FINELINE	171,312
SILL SUPPORT BRACKET 75 MM HA	2L1A055056	HYDRARM	104,312
SILL SUPPORT BRACKET 90 MM HA	2L1A055126	HYDRARM	104,312
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'L' MF	BL-B153ABIX0102	2000B-MF	238,312
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITH CAR DOOR LOCK 'R' MF/CL	BL-B153ABIX1402	2000B-MF	238,312,248
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'L' MF	BL-B153ABIX0502	2000B-MF	238,313
SINGLE LANDING DOOR LOCK ASSEMBLY 2000US WITHOUT CAR DOOR LOCK 'R' MF	BL-B153ABIX0602	2000B-MF	238,313
SINGLE-GROOVE ROLLERS FOR LINKING ROPE Ø32MM CM	BL-C144ABHX	C MOD	211,313
SKATE FOR SYSTEM 1100/L-1101/L-1102/L HA	3201059064.01	HYDRARM	98,313
SKATE FOR SYSTEM 1100/R-1101/R-1102/R HA	3201059064.02	HYDRARM	98,313
SKEWED LEFT COUPLER ECO 125-250 MM H+/H3	2C2A901865G05	HYDRAPLUS	24,313,68
SKEWED LEFT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK H+/H3	2C2A901871G05	HYDRAPLUS	25,313,68
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G05	HYDRAPLUS	134,25,313,68
SKEWED LEFT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G05	HYDRAPLUS	134,25,313,69
SKEWED RIGHT COUPLER ECO 125-250 MM H+/H3	2C2A901865G15	HYDRAPLUS	25,313,68
SKEWED RIGHT COUPLER ECO 125-250 MM WITH CAR DOOR LOCK H+/H3	2C2A901871G15	HYDRAPLUS	25,313,68
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM H+/PE/H3	2C2A901875G15	HYDRAPLUS	134,25,313,69

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
SKEWED RIGHT COUPLER MIDI SUPRA 125-250 MM WITH CAR DOOR LOCK H+/PE/H3	2C2A901876G15	HYDRAPLUS	134,25,313,69
SKEWED U FIXED COUPLER 02/C MIDI H+/PE/H3	S04600-01V01	HYDRAPLUS	136,27,313,70
SLIDING ELEMENT	726762H01	EBRA 20	252,313
SLIDING SHOE FOR PANEL HA/H/PE/P1	3201.05.0020	HYDRARM	103,313,139,158,54,313
SLIDING SHOE FOR PANEL-PEGASUS HA/H/PE/P1	3201.05.0020	HYDRA	103,313,139,158,54,313
SLIDING SHOE KIT PE/P1	3214.23.0054	PEGASUS PLUS	140,313,158
SLIDING SHOE PE/P1	2L1A150033V05	PEGASUS PLUS	140,313,158
SLIDING SHOE SUPPORT PE	3214.15.5071	PEGASUS PLUS	139,313
SLINDING JAW K=10MM (25.4=<N>=32)	720498H21	EBRA 20	252,313
SLINDING JAW K=10MM (N>=30)	720498H10	EBRA 20	251,313
SLINDING JAW K=15MM (N>=31)	720498H15	EBRA 20	251,313
SLINDING JAW K=16MM (N>=31)	720498H16	EBRA 20	251,313
SLINDING JAW K=19MM (N>=32)	720498H19	EBRA 20	252,313
SLINDING JAW K=9 MM	720498H09	EBRA 20	251,313
SMST SWITCH, FOR LOW TOPP / PIT. HYDRA 3000	L-02309	MISCELLANEOUS	281,313
SOUND INSULATION TUBE FOR RE-CLOSING SPRING LEN=500 MM H/P1/H3	C3201059143	HYDRA	157,52,313,77
SPACER 15 MM FOR GUIDING SHOES HA/H	2L1A056053	HYDRA	101,52,313
SPACER 15MM FOR DIVERTING ROLLER H/P1	2C1A056100	HYDRA	155,50,313
SPACER 6 MM FOR TRUCK FIXING HA/H/H+/PE	2C1A056010	HYDRAPLUS	139,32,313,48
SPACER FOR CAM SUPPORT 4MM THICKNESS PE/P1	3214.15.5073	PEGASUS PLUS	140,313,158
SPACER FOR DIVERTING ROLLER DOOR 3 PANELS H/P1	2L1A056083	HYDRA	155,50,314
SPACER FOR INTERMEDIATE PULLEY HA	2C1A056036	HYDRARM	92,314
SPACER FOR MOTOR RCF1 HB	3201056202	HYDRABELT	115,314
SPACER FOR PULLEY (2 PER PULLEY) HA	2C1A059153	HYDRARM	91,314
SPACER FOR PULLEY HA	2C1A056116V02	HYDRARM	92,314
SPACER FOR UNLOCKING LEVER FL	902988H01	FINELINE	172,314
SPACER H=10 MM FOR SYNCHRONIZING ROLLER HA/H/P1	2L1A056054	HYDRA	155,49,314,99
SPACER Ø32MM PULLEY HA	2C1A056033	HYDRARM	92,314
SPARE PART ENCODER READY PREPARED FOR ASSEMBLING WITH WSG-S1/2.X	ECN413ENDS	MOTOR GROUP GEARLESS	270,314
SPARE PLUG SET ECO MIDI/ SUPRA H+/PE/H3	901909G01	HYDRAPLUS	131,19,314,63
SPRING AE	1005528P01	AUGUSTA EVO	179,314
SPRING AND AXLE FOR KIT FOR SH110 KIT OF BRAKE SHOES	TIR0005 + MOL0016	MOTOR GROUP	266,314
SPRING CLOSER AD	902694G01	AMD	202,314
SPRING CO>900MM AE	1005528P02	AUGUSTA EVO	181,314

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
SPRING FOR AMDS SELCOM-RETRACTABLE CAM/COUPLER AD	901940H01	AMD	202,314
SPRING FOR BRAKE KIT HA	2C1A053016	HYDRARM	87,314
SPRING FOR RETRACTABLE CAM/COUPLER FL	902789H01	FINELINE	170,314
SPRING FOR SYNCHRONISATION ROPE AD	88583H01	AMD	200,314
SPRING FOR UNCOUPLING SYSTEM HB/HA	2C1A053006	HYDRABELT	120,314
SPRING, FOR RETRACTABLE CAM/COUPLER 602324G AD	89756H01	AMD	202,314
SSB BRAKE CAOUTCHOU PROTECTION FOR MR12/13/14	PRO0225	MOTOR GROUP	264,314
SSB BRAKE CAOUTCHOU PROTECTION FOR MR16/21	PRO0226	MOTOR GROUP	264,314
SSB BRAKE MICRO CONTACT FOR MR16	GEN0302	MOTOR GROUP	264,314
SSB BRAKE MICRO CONTACT FOR WSR200/201	GEN0128	MOTOR GROUP	264,314
SSB BRAKE PROTECTION FOR MR10/12/13/14 - SH110	XPF0011	MOTOR GROUP	264,314
SSB BRAKE PROTECTION FOR MR16	XPF0012	MOTOR GROUP	264,314
SSB BRAKE SEAL FOR MR14	AOR0088	MOTOR GROUP	266,314
SSB BRAKE SEAL FOR MR10/13	AOR0097	MOTOR GROUP	266,314
STANDARD FIXING FOR DRIVE ARM HA	2C1A040865V01	HYDRARM	94,314
STANDARD LEFT COUPLER DOOR 02-12-32 HB	3201.12.0218V02	HYDRABELT	119,314
STANDARD LEFT COUPLER DOOR 42-62 HB	3201120220V02	HYDRABELT	120,314
STANDARD LOCK ROLLER AND/OR BUFFER H+/HB/HA/H/PE/P1/H3	3201.05.0013	HYDRAPLUS	119,132,153,24,314,47,67,94
STANDARD RIGHT COUPLER DOOR 02-12-32 HB	3201.12.0218V01	HYDRABELT	119,314
STANDARD RIGHT COUPLER DOOR 42-62 HB	3201120220V01	HYDRABELT	119,314
STANDARD UPPER ROLLER AE	2L1M050039	AUGUSTA EVO	183,314
STANDARD-RETRACTABLE COUPLER AMD HYDRA R1 LH AD	901960G05	AMD	202,315
STANDARD-RETRACTABLE COUPLER AMD HYDRA R1 RH AD	901960G15	AMD	202,315
STATOR - MR10 - VVVF - 1000RPM - 3,6KW	XST1994	MOTOR GROUP	262,315
STATOR - MR10 - VVVF - 1500RPM - 4KW	XST2004	MOTOR GROUP	262,315
STATOR - MR13 - VVVF - 1000RPM - 4,2KW	XST2035	MOTOR GROUP	263,315
STATOR - MR13 - VVVF - 1500RPM - 4,8KW	XST1927	MOTOR GROUP	263,315
STATOR - MR14 - VVVF - 1500RPM - 7,5KW	XST1908	MOTOR GROUP	263,315
STATOR - SH110 - VVVF - 1000RPM - 3,6KW	XST2186	MOTOR GROUP	262,315
STATOR - SH110 - VVVF - 1500RPM - 4KW	XST2196	MOTOR GROUP	263,315
STATOR - SH110 - VVVF - 1500RPM - 5.5KW	XST2195	MOTOR GROUP	263,315
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 L LONG BLADE) BG	BL-B152ACLX01	2000B-GOODS	223,315
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3 R LONG BLADE) BG	BL-B152ACLX02	2000B-GOODS	223,315
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3L SHORT BLADE) BG	BL-B152ABHX01	2000B-GOODS	223,315

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K1-2-3R SHORT BLADE) BG	BL-B152ABHX02	2000B-GOODS	223,315
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z L SHORT BLADE) BG	BL-B152ABVX01	2000B-GOODS	223,315
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z R SHORT BLADE) BG	BL-B152ABVX02	2000B-GOODS	223,315
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-L LONG BLADE) BG	BL-B152ACMX01	2000B-GOODS	223,315
STD ALUMINIUM SKATE WITH CAR DOOR LOCK EN81 IP20 (K2-4-6Z-R LONG BLADE) BG	BL-B152ACMX02	2000B-GOODS	223,315
STEUTE CONTACT AZ10 IP67 H	3201.15.9346V01	HYDRA	45,315
STOP TRUCK BUFFER HA/H/P1/H3	3201.05.0001	HYDRA	153,48,315,65,96
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS L BG/MF	BL-B152AAXX	2000B-GOODS	222,315,236
SUBASSEMBLY MOBILE ALUMINIUM SKATE WITHOUT ARMS AND BELT FIXING BLOCKS R BG/MF	BL-B152AAYX	2000B-GOODS	222,315,236
SUPPORT + BRIDGE FOR CAR DOOR 02/C H+/HA	2C2A030887	HYDRARM	90,315
SUPPORT FOR OPERATOR ARM HA	2L1A056038	HYDRARM	91,315
SUPPORT FOR SPRING RETURN MECH HA	3201.05.5106	HYDRARM	95,315
SUPPORT WITH ROLLER DOOR 34 R/L HA	2C1A040057.34R-L	HYDRARM	102,315
SUPRA MOTOR H+/PE	902195G03	HYDRAPLUS	131,19,315
SUPRA MOTOR UNIT, D2, LH (IF RETRACTABLE CAM/ COUPLER LH) AD	601370G03	AMD	196,315
SUPRA MOTOR UNIT, D2, RH (IF RETRACTABLE CAM/ COUPLER RH) AD	601370G04	AMD	196,315
SWING DOOR UNLOCKING FL	902730G01	FINELINE	170,315
SWITCH, REMOTE, SERVICE DRIVE AD	602714G01	AMD	205,315
SYNCHR. ROPE; AMD L=6700 MM AD	601116G14	AMD	199,316
SYNCHR. ROPE; CAR, L=4280 AD	601116G13	AMD	199,316
SYNCHR. ROPE; LANDING , L=4000 AD	601116G03	AMD	199,316
SYNCHRONISATION ROPE 6M HB/H+/HA/H/PE/P1/H3	2L1A054001L6000	HYDRAPLUS	100,121,133,154, 24,316,49,67
SYNCHRONISATION ROPE 7M HB/H+/HA/H/PE/P1/H3	2L1A054001L7015	HYDRAPLUS	100,121,133,154, 24,316,49,67
SYNCHRONISATION ROPE DOOR 01/C PL=1000 MM AE	1005867A387	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 01/C PL=1100 MM AE	1005867A407	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 01/C PL=800 MM AE	1005867A307	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 01/C PL=900 MM AE	1005867A347	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 11 PL=1000 MM AE	1005867A203	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 11 PL=1100 MM AE	1005867A213	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 11 PL=750 MM AE	1005867A158	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 11 PL=800 MM AE	1005867A163	AUGUSTA EVO	181,316
SYNCHRONISATION ROPE DOOR 11 PL=900 MM AE	1005867A183	AUGUSTA EVO	181,316

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
SYNCHRONISATION ROPE L=1025 FL	89739H02	FINELINE	169,316
SYNCHRONISATION ROPE LEN=3210 MM H3	2L2B054011L321	HYDRA 3000	67,316
SYNCHRONISATION ROPE SPRING H+/HA/H/HB/PE/P1/H3	3201.15.3002	HYDRAPLUS	100,120,133,154, 24,316,49,67
SYNCHRONIZATION ROLLER AD	601323G01	AMD	197,316
SYNCHRONIZATION ROLLER FL	602767G01	FINELINE	169,316
SYNCHRONIZATION ROLLER KIT FL	2C1H602767G02	FINELINE	169,316
SYNCHRONIZATION ROLLER, D52, D273MGB.041-POS.2 AD	89627G02	AMD	198,316
SYNCHRONIZATION ROPE AD	601027H07	AMD	200,316
SYNCHRONIZATION ROPE LEN=9700MM AD	601116G15	AMD	199,316
SYNCHRONIZATION ROPE Ø3MM (L=1125MM) CM/BG	BL-C088AABF11	C MOD	211,316,222
SYNCHRONIZATION ROPE Ø3MM (L=1175MM) CM/BG	BL-C088AABF13	C MOD	211,316,222
SYNCHRONIZATION ROPE Ø3MM (L=1225MM) CM/BG/ MF/CH/CL	BL-C088AABF15	C MOD	211,316,222,236,242,246
SYNCHRONIZATION ROPE Ø3MM (L=1325MM) CM/BG/ MF/CH/CL	BL-C088AABF19	C MOD	211,316,222,236,242,246
SYNCHRONIZATION ROPE Ø3MM (L=1425MM) CM/BG/ MF/CH/CL	BL-C088AABF23	C MOD	211,316,222,236,242,246
SYNCHRONIZATION ROPE Ø3MM (L=1525MM) CM/BG/ MF/CH/CL	BL-C088AABF27	C MOD	211,316,222,236,242,246
SYNCHRONIZATION ROPE Ø3MM (L=1625MM) CM/BG/ MF/CH/CL	BL-C088AABF31	C MOD	212,316,222,236,242,246
SYNCHRONIZATION ROPE Ø3MM (L=1725MM) CM/BG/ MF/CH	BL-C088AABF35	C MOD	212,316,222,236,242
SYNCHRONIZATION ROPE Ø3MM (L=5000MM) CM/BG/ MF/CH	BL-C088AABF-5000	C MOD	212,316,222,236,242
SYNCHRONIZING WIRE L1310MM PM	3212.05.4010L131	PIUMA	208,316,76,307
SYNCHRONIZING WIRE L=163 AE	2L1M054051L163	AUGUSTA EVO	182,317
SYNCHRONIZING WIRE L=183 AE	2L1M054051L183	AUGUSTA EVO	182,317
SYNCHRONIZING WIRE L=203 AE	2L1M054051L203	AUGUSTA EVO	182,317
SYNCHRONIZING WIRE L=294 AE	2L1M054051L294	AUGUSTA EVO	182,317
SYNCHRONIZING WIRE L=334 AE	2L1M054051L334	AUGUSTA EVO	182,317
SYNCHRONIZING WIRE L=374 AE	2L1M054051L374	AUGUSTA EVO	182,317
TENSION PULLEY 30-5M-25 KIT (FOR B105AASX MOTOR) MF	BL-B130AAJX	2000B-MF	236,317
TENSION PULLEY FOR TOOTHED BELT (RPP 8M-12 MM AND 8M-15 MM) CM/BG/MF	BL-B130AAFX	C MOD	210,317,221,236
TENSION PULLEY WITH GEAR FOR TOOTHED BELT BG	BL-B130AABX	2000B-GOODS	221,317
TENSION SPRING FOR LEFT MOTOR HB/HA	3201.05.3014V02	HYDRARM	114,86,317
TENSION SPRING FOR RIGHT MOTOR HB/HA	3201.05.3014V01	HYDRARM	114,86,317
TENSION WEIGHT PULLEY Ø198	602135G01	OL35	256,317
THREADED FIXING PLATE H+/HA/PE	2C1A057021	HYDRAPLUS	101,138,31,317

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
THREADED PIN HA	3201.05.6016	HYDRARM	95,317
THREADED RIVET M8 FOR TRUCK H+/H/HB/HA/H3	3201059034	HYDRAPLUS	118,22,317,48,65,96
TKC MONOSTABLE CONTACT (TYPE C2-U1Z COØ600.8104.02) CM	BL-CX00XAAXDJJ	C MOD	214,317
TKC MONOSTABLE CONTACT CM	BL-CX00XAAXCWI	C MOD	214,317
TOOTH BELT ECO L=4400MM HT=12MM H+/FL/EB/H3	89740H04	HYDRAPLUS	167,190,20,317,64
TOOTH BELT LOCKED CPL (LEFT SIDE SYM: WIDE SIDE ASYM) FL	89744G02	FINELINE	167,317
TOOTH BELT MIDI/SUPRA L=5450MM H=25 H+/PE/H3/AD	601278H04	HYDRAPLUS	132,197,20,317,64
TOOTH BELT TRAINING PULLEY HB	2C1A040123	HYDRABELT	116,317
TOOTHBELT SHORT: 12.5X855MM ASYM FL	902754H02	FINELINE	167,317
TOOTHED BELT DIVERTING PULLEY HB	2C1A040122	HYDRABELT	117,317
TOOTHED BELT FOR RCF1 HB	3201.05.9239	HYDRABELT	116,317
TOOTHED BELT PULLEY Z=10 FOR CO850-CO900 FL	902938G03	FINELINE	168,317
TOOTHED BELT PULLEY Z=12 FOR CO750-CO800 FL	902938G02	FINELINE	168,317
TOOTHED BELT PULLEY Z=14 FOR CO600-CO700 FL	902938G01	FINELINE	168,317
TOOTHED BELT RPP8 M15 MM. L=10MT. MF	BL-C076AAGG-10000	2000B-MF	235,317
TOOTHED BELT RPU 5M-25MM (L=10000MM) BG/MF	BL-C076AAFG-10000	2000B-GOODS	220,317,234
TOOTHED PULLEY SUPPORT HA	2C1A051017	HYDRARM	92,317
TOOTHED, BELT DIV.PULLEY, D2 AD	601275G01	AMD	205,317
TOP PLASTIC RING EB	2C1R050006	ECOBUS	192,317
TOP ROLLER AMD2 COMPLETE WITH ECCENTRIC SCREW AD	601106G02	AMD	197,317
TOP ROLLER AMD2 WITHOUT SCREW, P. 84, Ø93 AD	601106G01	AMD	197,317
TOP ROLLER FOR SLOW TRUCK DOOR 11 AE	1005297P01	AUGUSTA EVO	179,318
TOP ROLLER IN DELRIN AND SS BEARING H/H+/HA/HB/H3	3201.14.0268V01	HYDRAPLUS	119,22,318,50,66,97
TOP ROLLER STANDARD Ø56 HB/H+/HA/H/H3/AE	3201.05.0032	HYDRAPLUS	119,179,22,318,50,65,97
TOP ROLLER WITH BEARING BRONZE H+/H	3201.14.0175	HYDRAPLUS	22,318,50
TOP TRACK FIXING (LANDING DOOR) FL	903028G01	FINELINE	174,318
TRAFO UNIV. 127V/230V/400V, D1 AD	89794G04	AMD	197,318
TRANSFORMER 230V AD	901139G02	AMD	167,189,19,294,197,318,63
TRANSPORT BOW	600682H01	EBRA 20	252,318
TRANSPORT EYE FOR MR10	GOL0003	MOTOR GROUP	263,318
TRANSPORT EYE FOR MR12/MR13	GOL0008	MOTOR GROUP	263,318
TRANSPORT EYE FOR MR14 - SH110	GOL0005	MOTOR GROUP	264,264,318
TRANSPORT EYE FOR MR16	GOL0009	MOTOR GROUP	264,318
U FIXED COUPLER OTIS DOOR 12RL SKEWED 121-220 H+/PE/H3	2C2A399904V11	HYDRAPLUS	136,27,318,70
U FIXED COUPLER + DOOR BRACKET 02/C MIDI H+/PE/H3	3201399917V03	HYDRAPLUS	136,27,318,70

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

Designation	Reference	Type	Page
U FIXED COUPLER OTIS + DOOR BRACKET 12L MIDI H+/ PE/H3	3201399917V01	HYDRAPLUS	135,27,318,70
U FIXED COUPLER OTIS + DOOR BRACKET 12R MIDI H+/ PE/H3	3201399917V02	HYDRAPLUS	135,27,318,70
U FIXED COUPLER TYPE ORLY LEFT AND RIGHT H+/PE/H3	S05069-01V03	HYDRAPLUS	135,27,318,70
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, LEFT HAND (S2-4Z AS1735.1-2001) BG/MF/CL	BL-B158AEAX05	2000B-GOODS	227,318,248
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND (S2-4Z STANDARD) BG/MF/CL	BL-B158AEAX06	2000B-GOODS	228,318,239,248
UNIFIED ROLLER SUPPORT PLATE ASSEMBLY, RIGHT HAND S2-4-6Z MF	BL-B158AAUX03	2000B-MF	239,318
UNLOCKING KIT WITH CONTACT AND LIP DOOR 01/C AE	1008108A03	AUGUSTA EVO	184,318
UNLOCKING LEVER DOOR 01/C H	2L1A155170	HYDRA	44,318
UNLOCKING LEVER DOOR 41 AND 61 H	2L1A155175	HYDRA	44,318
UNLOCKING LEVER H	2L1A155176V01	HYDRA	44,318
UNLOCKING ROLLER KIT FOR COUPLER ECO MIDI SUPRA H+/PE/H3	2C2A901784G05	HYDRAPLUS	135,27,318,70
UNLOCKING SYSTEM KIT 01 AE	1005980A02	AUGUSTA EVO	179,318
UNLOCKING SYSTEM KIT 11 AE	1005980A01	AUGUSTA EVO	179,318
UNLOCKING SYSTEM TYPE 1100.L HA	2C1A120059V02	HYDRARM	98,318
UNLOCKING SYSTEM TYPE 1100.R HA	2C1A120059V01	HYDRARM	98,318
UNLOCKING SYSTEM TYPE 1101.R HA	2C1A120060V01	HYDRARM	98,318
UNLOCKING SYSTEM TYPE 1102.R HA	2C1A120061V01	HYDRARM	98,318
VANDALPROOF LOCK RELEASE L 2000B/C BG	BL-B018AAJX02	2000B-GOODS	225,318
VANDALPROOF LOCK RELEASE R 2000B/C BG	BL-B018AAJX01	2000B-GOODS	225,318
VENTING PLUG FOR MR13/16	TAP0030	MOTOR GROUP	263,319
VERTICAL GUIDED TENSION WEIGHT Ø206	OL35206D371570	OL35	256,319
WALL FIXING, FOR TOPTRACK.	L-01055	MISCELLANEOUS	280,319
WALL FIXINGS «TWIN» H/H3	PA.B21	HYDRA	54,319
WEIGHT CLOSING WIRE =1548 FL	3212.04.0521	FINELINE	173,319
WITTUR PROGRAMMING TOOL H+/EB/FL/PE/HB/H3/AD	900050G01	HYDRAPLUS	114,131,167,189, 197,20,319,63
WSE EVO LIGHT CURTAIN	WSE Evo 1001002A04	MISCELLANEOUS	281,319
WSE81-LIGHT CURTAIN	WSE81-1001002A01	MISCELLANEOUS	282,319

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

NOTES

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

NOTES

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

NOTES

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

NOTES


No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

NOTES

No part of this report may be reproduced by any means without the written permission of the company -
All photos and texts are not contractual and can be modified without notice

WITTUR

YOUR GLOBAL PARTNER FOR COMPONENTS, MODULES AND SYSTEMS IN THE ELEVATOR INDUSTRY



safety in motion™

More information about Wittur Group available on-line.

www.wittur.com

SELCOM® a WITTUR brand

Liftmaterial a WITTUR brand

sematic® a WITTUR brand